

# Hose & Metal fittings

## T Select



# ToyoAssembly

流体 : 一般作動油  
 温度 : -40℃～+100℃  
 構造 内面チューブ : 耐油性合成ゴム  
 補強層 : 高抗張力鋼線  
 外面カバー : 耐摩・耐候性合成ゴム



商品名	内径(mm)	外径(mm)	補強層	最高使用圧力(MPa)	最小破壊圧力(MPa)			備考	
SWP70 6	6.3	13.2	1W	7.0	28.0				
SWP70 9	9.5	16.0							
SWP70 12	12.7	18.7							
SWP70 15	15.9	23.3							
SWP70 19	19.0	25.7							
SWP70 25	25.4	32.3							
NWP70 32	31.8	41.2	2W						
NWP70 38	38.1	47.7							
NWP70 50	50.8	61.0							
SWP140 6	6.3	13.2	1W	14.0	56.0				
SWP140 9	9.5	16.0							
SWP140 12	12.7	18.7							
SWP140 15	15.9	23.4	2W						
SWP140 19	19.0	28.0							
SWP140 25	25.4	35.5							
NWP140 32	31.8	41.2	4S						
NWP140 38	38.1	47.7							
NWP140 50	50.8	61.0							
SWP210 6	6.3	13.2	1W	20.5	82.0			別途記載	
SWP210 9	9.5	18.0	2W						別途記載
NWP210 9	9.5	16.7							別途記載
SWP210 12	12.7	20.3							別途記載
SWP210 15	15.9	23.4							別途記載
SWP210 19	19.0	28.8	4S						別途記載
SWP210S 19	19.0	29.5							別途記載
SWP210 25	25.4	36.0							別途記載
NWP210 32	31.8	44.3							
NWP210 38	38.1	51.4							
NWP210 50	50.8	65.9							
NWP280 6	6.3	13.7	2W	27.5	110.0				
NWP280 9	9.5	16.9							
NWP280 12	12.7	21.2	4S						
NWP280 15	15.9	26.5							
NWP280 19	19.0	29.5							
NWP280 25	25.4	37.0	6S						
NWP280 32	31.8	48.3							
NWP280 38	38.1	55.9							
NWP280 50	50.8	71.0							
NWP350 6	6.3	15.0	2W	34.5	138.0				
NWP350 9	9.5	18.9	4S						
NWP350 12	12.7	23.0							
NWP350 15	15.9	26.5							
NWP350 19	19.0	30.4							
NWP350 25	25.4	37.4	6S						
NWP350 32	31.8	48.3							
NWP350 38	38.1	55.9							
NWP350 50	50.8	71.0							
AJ700 6	6.3	15.7	2W	68.6	137.3				
AJ700 9	9.5	19.4							
AJ700 12	12.7	23.8							
W/B SWP210 6	6.3	13.2	1W	20.5	82.0				
W/B NWP210 9	9.5	16.9	2W						
W/B SWP210 12	12.7	21.2							
W/B SWP210 15	15.9	26.5							
W/B SWP210S 19	19.0	29.5	4S						
W/B SWP210 25	25.4	36.0							

一般油圧用ゴムホース

NO.3

流体 : 一般作動油 : 軽油  
 温度 : -40℃~+100℃  
 内面チューブ : 耐油性合成ゴム  
 構造 補強層 : 合成繊維ブレード  
 外面カバー : 耐摩・耐候性合成ゴム



商品名	内径(mm)	外径(mm)	補強層	最高使用圧力(MPa)	最小破壊圧力(MPa)			備考
KL 14	14.2	23.5		0.5				コマツオイルクーラー 加締め不可
KL 20	20.5	30.5						
KL 26	25.4	35.5						
KL 32	33.0	44.0						
KL 41	41.2	52.0						
KL 47	48.0	60.0						
KL 58	59.5	73.5						
MID OIL 5	4.8	12.0		1.5	6.0			加締め不可
MID OIL 6	6.3	15.5						
MID OIL 8	7.9	16.5						
MID OIL 9	9.5	18.0						
MID OIL 12	12.7	22.0						
MID OIL 15	15.9	26.0						
MID OIL 19	19.0	30.0						
MID OIL 25	25.4	39.5						
MID OIL 32	31.8	46.0						
MID OIL 38	38.1	54.0						
MID OIL 50	50.8	70.5						
L35 6	6.3	12.7	2Y/S	3.5	14.0			ノーパフ GKC金具加締め可
L35 9	9.5	15.9						
L35 12	12.7	19.8						
L35 19	19.0	27.0						
L35 25	25.4	34.9						
燃料ホース 6.2φ								加締め不可
燃料ホース 7.0φ								
燃料ホース 8.0φ								
燃料ホース 9.8φ								

高温油圧用ゴムホース



流体 : 作動油 : エンジンオイル  
 温度 : -40℃~+150℃  
 内面チューブ : 耐油性合成ゴム  
 構造 補強層 : 合成繊維ブレード  
 外面カバー : 耐摩・耐候性合成ゴム

商品名	内径(mm)	外径(mm)	補強層	最高使用圧力(MPa)	最小破壊圧力(MPa)			備考
LHW 6	6.3		1W	3.0				
LHW 9	9.5							
LHW 12	12.7							
LHW 19	19.0							
LHW 25	25.4							
LHW 32	31.8							
LHW 38	38.1							
LHW 50	50.8							

ウォータージェットホース

商品名	内径(mm)	外径(mm)	補強層	最高使用圧力(MPa)	最小破壊圧力(MPa)			備考					
JWG-6×10M	6.4	13.4	1W	20.5				《JET WATER GROUT》 流体: 水, セメントミルク 温度: 0℃~+60℃ 内面チューブ: 耐油性合成ゴム 補強層: ワイヤブレード 外面カバー: 耐候性合成ゴム  <div style="border: 1px solid black; border-radius: 15px; padding: 5px; text-align: center;">                         金具  <b>1001, 1002</b>  <b>1004, 1005</b>                          よりお選び下さい。                     </div>					
JWG-6×20M													
JWG-6×30M													
JWG-9×10M	9.5	17.2											
JWG-9×20M													
JWG-9×30M													
JWG-12×10M	12.7	21.0											
JWG-12×20M													
JWG-12×30M													
100R1 6	6.4	13.4								14.0	56.0		
100R1 9	9.5	17.4											
100R1 12	12.7	20.4											
GW2104				20.5				金具込みの倍売り					
GW2106	9.0	16.5											
GW2108	12.0	20.0											

管用テーパーパーおねじ



1001  
1001S

管用テーパーパーおねじシート面付

内径	商品名	サイズ	ネジ	A	HEX	L		備考
6	GKC 1001 0204	-02	PT1/8	10	17	47.5		
	GKC 1001 6	-04	PT1/4	13	17	50.5		
	GKC 1001 0604	-06	PT3/8	15	19	52.5		
	GKC 1001 6AAB	-06	PT3/8	15	19	55.5		HEX幅9mm
	GKC 1001S 0204	-02	PT1/8	10	17	47.5		
	GKC 1001S 6	-04	PT1/4	13	17	50.5		
9	GKC 1001 0406	-04	PT1/4	13	19	52.5		
	GKC 1001 9	-06	PT3/8	15	19	54.5		
	GKC 1001 0806	-08	PT1/2	18	22	57.5		
	GKC 1001S 9	-06	PT3/8	15	19	54.5		
12	KKC 1001 12AAD	-04	PT1/4	13	22	57.5		
	KKC 1001 0608	-06	PT3/8	15	22	59.5		
	KKC 1001 12	-08	PT1/2	18	22	62.5		
	KKC 1001 1208	-12	PT3/4	20	30	67.5		
	KKC 1001S 12	-08	PT1/2	18	22	62.5		
15	GKC 1001 0810	-08	PT1/2	18	30	76.5		
	GKC 1001 1210	-12	PT3/4	20	30	78.5		
	GKC 1001S 1210	-12	PT3/4	20	30	78.5		
19	GKC 1001 0812	-08	PT1/2	18	30	83		
	GKC 1001 19	-12	PT3/4	20	30	85		
	GKC 1001 19AAA	-12	PT3/4	20	30	85		パイプロ用内径φ12
	GKC 1001 1612	-16	PT1	22	36	89		
	GKC 1001S 19	-12	PT3/4	20	30	85		
25	GKC 1001 1216	-12	PT3/4	20	36	92		
	GKC 1001 25	-16	PT1	22	36	94		
	GKC 1001 25AAA	-16	PT1	22	36	94		パイプロ用内径φ16
	GKC 1001 2016	-20	PT1 1/4	25	46	100		
	GKC 1001S 25	-16	PT1	22	36	94		
32	GKC 1001 32	-20	PT1 1/4	25	46	115		
	KKC 1001 32	-20	PT1 1/4	25	46	115		
	GNC 1001 32	-20	PT1 1/4	25	46	103.5		
	GKC 1001S 32	-20	PT1 1/4	25	46	115		
	KKC 1001S 32	-20	PT1 1/4	25	46	115		
38	GKC 1001 38	-24	PT1 1/2	25	50	135		
	AKC 1001 38	-24	PT1 1/2	25	50	135		
	GNC 1001 38	-24	PT1 1/2	25	50	111.5		
	GKC 1001S 38	-24	PT1 1/2					
50	GKC 1001 50	-32	PT2	30	65	157		
	KKC 1001 50	-32	PT2	30	65	157		
	GNC 1001 50	-32	PT2	30	65	124.5		

## フィールドクリンプ用ホース金具

アダプターレス金具


AD1ST  
AD190

アダプターレス金具90° 角エルボ

内径	商品名	サイズ	ネジ	A	HEX	H		備考
6	GKC AD1ST 6	-04	PT1/4	13	17			
	GKC AD190 6	-04	PT1/4	13	17	43		
9	GKC AD1ST 9	-06	PT3/8	15	19			
	GKC AD190 9	-06	PT3/8	15	19	47		
12	KKC AD1ST 12	-08	PT1/2	18	22			
	KKC AD190 12	-08	PT1/2	18	22	54		

管用平行おねじ

# 1002




内径	商品名	サイズ	ネジ	A	HEX	L		備考
6	GKC 1002 0204	-02	PF1/8	10	17	47.5		
	GKC 1002 6	-04	PF1/4	13	17	50.5		
	GKC 1002 6AAB	-04	PF1/4	25	17	62.5		
	GKC 1002 6AAC	-04	PF1/4	32	17	69.5		ヤンマー
	GKC 1002 0604	-06	PF3/8	15	19	52.5		
	GKC 1002 6AAD	-06	PF3/8	15	22	52.5		
9	GKC 1002 0406	-04	PF1/4	13	19	52.5		
	GKC 1002 9	-06	PF3/8	15	19	54.5		
	GKC 1002 9AAB	-06	PF3/8	35	19	74.5		ヤンマー
	GKC 1002 9AAG	-06	PF3/8	35	22	74.5		
	GKC 1002 9 L38	-06	PF3/8	38	22			
	GKC 1002 9 L80	-06	PF3/8	80	22			
	GKC 1002 9AAC	-06	PF3/8	80	19	119.5		日立建機
	GKC 1002 0806	-08	PF1/2	18	22	57.5		
12	KKC 1002 0608	-06	PF3/8	15	22	59.5		
	KKC 1002 12	-08	PF1/2	18	22	62.5		
	KKC 1002 12 L30	-08	PF1/2	30	27			
	KKC 1002 12AAA	-08	PF1/2	40	22	84.5		
	KLC 1002 12AAC	-08	PF1/2	40	27	84.5		KLC金具
	KKC 1002 12 L52	-08	PF1/2	52	27			
	KKC 1002 12 L75	-08	PF1/2	75	27			
15	GKC 1002 1210	-12	PF3/4	20	30	78.5		
	GKC 1002 1210 L38	-12	PF3/4	38	36	99		
19	GKC 1002 0812	-08	PF1/2	18	30	83		
	GKC 1002 19	-12	PF3/4	20	30	85		
	GKC 1002 1612	-16	PF1	22	36	89		
25	GKC 1002 1216	-12	PF3/4	20	36	92		2008年度
	GKC 1002 25	-16	PF1	22	36	94		
	GKC 1002 25AAB	-16	PF1	22	41	95		パイプロ用 古河機械金属
32	GKC 1002 32	-20	PF1 1/4	25	46	115		
	KKC 1002 32	-20	PF1 1/4	25	46	115		
	GNC 1002 32	-20	PF1 1/4	25	46	103.5		
38	GKC 1002 38	-24	PF1 1/2	25	50	135		
	AKC 1002 38	-24	PF1 1/2	25	50	135		
	GNC 1002 38	-24	PF1 1/2	25	50	111.5		
50	GKC 1002 50	-32	PF2	30	65	157		
	KKC 1002 50	-32	PF2	30	65	157		
	GNC 1002 50	-32	PF2	30	65	124.5		

フィールドクリップ用ホース金具

管用テーパめねじ

# 1003




内径	商品名	サイズ	ネジ	A	HEX	L	基本売価	備考
6	GKC 1003 6	-04	RC1/4		19	48.5		
	GKC 1003 0604	-06	RC3/8		22	48.5		
9	GKC 1003 9	-06	RC3/8		22	50.5		
12	KKC 1003 12	-08	RC1/2		27	59.5		
15	GKC 1003 1210	-12	RC3/4		36	74.5		
19	GKC 1003 19	-12	RC3/4		36	81		
25	GKC 1003 25	-16	RC1		41	87		
32	GKC 1003 32	-20	RC1 1/4		50	105		

NO.6 フィールドクリップ用ホース金具

リングボス金具 PFおねじ

**6007**  
**AD7ST**

アダプターレス金具 リングボス金具




内径	商品名	サイズ	ネジ	A	HEX	L		備考
6	GKC 6007 6	-04	PF1/4	12	19	49.5		
	GKC 6007 0604	-06	PF3/8	12	22	49.5		
	GKC AD7ST 6	-04	PF1/4	12	19	65		アダプターレス金具
9	GKC 6007 0406	-04	PF1/4	12	19	51.5		
	GKC 6007 9	-06	PF3/8	12	22	51.5		
	GKC 6007 0806	-08	PF1/2	17	27	55.5		
	GKC AD7ST 9	-06	PF3/8	12	22	69.5		アダプターレス金具
12	KKC 6007 12	-08	PF1/2	14	27	59.5		
	KKC AD7ST 12	-08	PF1/2	14	27	73.5		アダプターレス金具
15	GKC 6007 0810	-08	PF1/2	14	30	74.5		コベルコ
	GKC 6007 1210	-12	PF3/4	14	36	74.5		
19	GKC 6007 0812	-08	PF1/2	14	30	82		
	GKC 6007 19	-12	PF3/4	16	36	81		
	GKC 6007 19AAA	-12	PF3/4	16	36	81		
	GKC 6007 19AAB	-16	PF1	18	41	85		ゴム焼付パッキン使用
	GKC 6007 1612	-16	PF1	18	41	85		
25	GKC 6007 1216	-12	PF3/4	16	36	89		
	<del>GKC 6007 25AAA</del>	<del>=12</del>	<del>PF3/4</del>	<del>16</del>	<del>36</del>	<del>89</del>		日本製鋼
	GKC 6007 25	-16	PF1	18	41	90		
	GKC 6007 25AAC	-16	PF1	18	41	95		パイプロ用内径φ18
	GKC 6007 25AAB	-20	PF1 1/4	20	50	95		日本製鋼
	GKC 6007 2016	-20	PF1 1/4	20	50	95		
32	GKC 6007 32	-20	PF1 1/4	20	50	111		
	GKC 6007 32AAA	-24	PF1 1/2	21	55	114		日本製鋼
	KKC 6007 32	-20	PF1 1/4	20	50	111		
38	GKC 6007 38	-24	PF1 1/2	21	60	131		
	GNC 6007 38	-24	PF1 1/2	21	60	107.5		

フィールドクリップ用ホース金具

アダプターレス90° 角エルボリングボス金具

**AD790**  
**AP79S**



アダプターレス90° エルボリングボス金具



内径	商品名	サイズ	ネジ	A	HEX	H		備考
6	GKC AD790 6	-04	PF1/4	12	19	45		
	GKC AP79S 6	-04	PF1/4	12	19	42		コベルコ
9	GKC AD790 9	-06	PF3/8	12	22	49.5		
	GKC AP79S 9	-06	PF3/8	12	22	49		コベルコ
	GKC AP79S 9AAA	-06	PF3/8	12	22	73.5		コベルコ
12	KKC AD790 12	-08	PF1/2	14	27	51		2008年度
	KKC AP79S 12	-08	PF1/2	14	27	53.2		2008年度 コベルコ

管用平行めねじオスシート

1005  
1005R






管用平行めねじオスシート強化型

内径	商品名	サイズ	ネジ	HEX X	HEX Y	L		備考
6	GKC 1005 0204	-02	PF1/8	14	17	53.5		
	GKC 1005 6	-04	PF1/4	19	17	55.5		
	GKC 1005 6AAA	-04	PF1/4	19	17	55.5		シート面間距離-2mm
	GKC 1005 0604	-06	PF3/8	22	19	57.5		
	GKC 1005R 6	-04	PF1/4	19	19	55.5		
	GKC 1005R 0604	-06	PF3/8	22	17	58.5		
9	GKC 1005 0406	-04	PF1/4	19	19	57.5		
	GKC 1005 9	-06	PF3/8	22	19	59.5		
	GKC 1005 9AAB	-06	PF3/8	22	19	59.5		シート面間距離-2mm
	GKC 1005 9AAD	-06	PF3/8	22		102		
	GKC 1005 9AAE	-06	PF3/8	22	22	115		ロング
	GKC 1005 0806	-08	PF1/2	27	22	62		
	GKC 1005R 9	-06	PF3/8	22	19	60.5		
12	KKC 1005 0608	-06	PF3/8	22	22	63.5		
	KKC 1005 12	-08	PF1/2	27	22	67		SUS 1005-12J
	KKC 1005 12AAA	-08	PF1/2	27	22	67		シート面間距離・先端径特殊
	KKC 1005 12AAB	-08	PF1/2	27	22	67		シート面間距離-2mm
	KKC 1005 12AAC	-08	PF1/2	27	22	67		内径φ5
	KKC 1005 12AAE	-08	PF1/2	27		142		2008年度
	KKC 1005 12AAF	-08	PF1/2	27	27	142		ロング
	KKC 1005 1208	-12	PF3/4	36	30	72		
KKC 1005R 12	-08	PF1/2	27	27	72			
15	GKC 1005 0810	-08	PF1/2	27	30	81		
	GKC 1005 1210	-12	PF3/4	36	30	83		
	GKC 1005 1410	-14	PF7/8	36				ストモ エンジンオイル
19	GKC 1005 0812	-08	PF1/2	27	30	87.5		
	GKC 1005 19	-12	PF3/4	36	30	89.5		
	GKC 1005 19AAB	-12	PF3/4	36	30	89.5		HEX角払い品(外径φ39)
	GKC 1005 19AAC	-12	PF3/4	32	30	89.5		2008年度
	GKC 1005 1612	-16	PF1	41	36	93.5		
	GKC 1005R 19	-12	PF3/4	36	36	92.5		
	GKC 1005R 19AAA	-12	PF3/4	36	36	92.5		パイプロ用(内径φ12)
	GKC 1005R 1612	-16	PF1	41	36	97		
25	GKC 1005 1216	-12	PF3/4	36	36	96.5		
	GKC 1005 25	-16	PF1	41	36	98.5		
	GKC 1005 25AAA	-16	PF1	41	36	98.5		内径φ11
	GKC 1005 25AAB	-16	PF1	41	36	98.5		HEX角払い品(外径φ43)
	GKC 1005 2016	-20	PF1 1/4	50	41	104		
	GKC 1005R 25	-16	PF1	41	41	104		
	GKC 1005R 25AAA	-16	PF1	41	41	104		パイプロ用(内径φ16)
	GKC 1005R 25AAB	-16	PF1	41	36	102.5		
GKC 1005R 2016	-20	PF1 1/4	50	41	109.5			
32	GKC 1005 32	-20	PF1 1/4	50	46	122		
	KKC 1005 32	-20	PF1 1/4	50	46	122		
	GNC 1005 32	-20	PF1 1/4	50	46	110.5		
	GNC 1005 1620	-16	PF1	41	46	105		2008年度
	GKC 1005R 32	-20	PF1 1/4	50	46	126.5		
	KKC 1005R 32	-20	PF1 1/4	50	46	126.5		
38	GKC 1005 38	-24	PF1 1/2	60	50	144		
	AKC 1005 38	-24	PF1 1/2	60	50	144		
	GNC 1005 38	-24	PF1 1/2	60	50	120.5		
	GKC 1005R 38AAA	-24	PF1 1/2	55	55	142		
	AKC 1005R 38	-24	PF1 1/2	60	50	142		
50	GKC 1005 50	-32	PF2	70	65	165		
	KKC 1005 50	-32	PF2	70	65	165		
	GNC 1005 50	-32	PF2	70	65	132.5		
	KKC 1005R 50	-32	PF2	70	65	168		

管用平行めねじオスシートエルボ

# ML45 MEL45





管用平行めねじオスシートエルボ

内径	商品名	サイズ	ネジ	HEX X	L	H	原価		備考
6	GKC ML45 6	-04	PF1/4	19	73	21.5			
9	GKC ML45 9	-06	PF3/8	22	83.5	26			
	GKC ML45 0806	-08	PF1/2	27	90	29.5			
	GKC MLP30 9	-6	PF3/8	22	88.7	16.9			ヤンマー建機B3-5 最高使用圧力27.5MPa
	GKC MEL45 9AAA	-06	PF3/8	22	83.5	26			シート面間距離-2mm
	GKC MEL60 9AAA	-06	PF3/8	22	101	54.5			TCM Wナット
12	KKC ML45 0608	-06	PF3/8	22	88.5	26			
	KKC ML45 12	-08	PF1/2	27	95	29.5			
	KKC ML45 12ナット短	-08	PF1/2	27	95	29.5			
	KKC MEL30 12AAA	-08	PF1/2	27	105.5	22			川崎重工業
	KKC MEL45 12AAA	-08	PF1/2	27	95	29.5			シート面間距離-2mm
15	GKC ML45 1210	-12	PF3/4	36	120	36			
	GKC MELZZ 15AAA	-12	PF3/4	36	140.5	4.5			5° ベンド 川崎重工業
19	GKC ML45 0812	-08	PF1/2	27	115.5	29.5			
	GKC ML45 19	-12	PF3/4	36	126.5	36			旧品番
	GKC ML4A 19	-12	PF3/4	36	131	36			圧接品
	GKC MELZZ 19AAA	-12	PF3/4	36	147	4.5			5° ベンド 川崎重工業
	GKC MEL30 19AAA	-12	PF3/4	36	143	30			川崎重工業
	GKC MEL30 19AAB	-16	PF1	41	148	33			川崎重工業
	GKC MEL45 19AAB	-12	PF3/4	36	131	40			HEX Y付
25	GKC MEL45 19AAA	-16	PF1	41	131	40			川崎重工業
	GKC MELZZ 25AAA	-16	PF1	41	149.5	4.5			5° ベンド 川崎重工業
	GKC MEL30 25AAA	-16	PF1	41	121	33			川崎重工業
	GKC MEL45 25	-16	PF1	41	140	39.5			
	GKC MEL60 25AAA	-16	PF1	41	138	54			川崎重工業
32	GKC MELZZ 25AAB	-16	PF1	41	134.5	75.5			80° ベンド 川崎重工業
	GKC MEL45 32	-20	PF1 1/4	50	164	41			
	KKC MEL45 32	-20	PF1 1/4	50	164	41			
	GNC MEL45 1620	-16	PF1	41	144.5	39.5			
38	GNC MEL45 32	-20	PF1 1/4	50	152.5	41			
	GKC MEL45 38	-24	PF1 1/2	60	198	48			川崎重工業
	GNC MEL45 38	-24	PF1 1/2	60	173	48			川崎重工業
	GNC MEL60 38AAA	-24	PF1 1/2	60	192	81.4			
	GNC MELZZ 38AAA	-24	PF1 1/2	60	98	215			135° ベンド Wナット

## フィールドクリンプ用ホース金具

管用平行めねじオスシート 90° 角エルボ

# 0590 059T





管用平行めねじオスシート 90° 角エルボ

内径	商品名	サイズ	ネジ	HEX X	L	H		備考
6	GKC 0590 6	-04	PF1/4	19	47	27.5		旧品番 □C=19
	GKC 059T 6	-04	PF1/4	19	46.5	27.5		C=17
9	GKC 0590 9	-06	PF3/8	22	49	29.5		旧品番 □C=19
	GKC 059T 9	-06	PF3/8	22	49.5	31.5		C=19
12	KKC 0590 12	-08	PF1/2	27	58.5	33.5		旧品番 □C=22
	KKC 0590 12AAA	-08	PF1/2	27	58.5	33.5		シート面間距離 8mm
	KKC 059T 12	-08	PF1/2	27	55	34.5		C=22
19	GKC 0590 19	-12	PF3/4	36	82	40.5		□C=32
25	GKC 0590 25	-16	PF1	41	95	47		□C=40



管用平行めねじオスシートエルボ

**ML90**  
**MEL90**





管用平行めねじオスシートエルボ

内径	商品名	サイズ	ネジ	HEX X	L	H		備考
6	GKC ML90 6AAA	-04	PF1/4	19	58	30		
	GKC ML90 6	-04	PF1/4	19	59	35		
	GKC ML90 6AAB	-04	PF1/4	19	59	44		
	GKC MEL90 0204	-02	PF1/8	14		40		
	GKC MEL90 6	-04	PF1/4	19				
	GKC MEL90 6AAA	-04	PF1/4	19	62.5	80		川崎重工業
	GKC MEL90 0604	-06	PF3/8	22	63	44		川崎重工業
9	GKC ML90 0406	-04	PF1/4	19	58	35		
	GKC ML90 9	-06	PF3/8	22	68	44		
	GKC ML90 0806	-08	PF1/2	27	73.5	53		
	GKC MEL90 9AAB	-04	PF1/4	19	58	45		川崎重工業
	GKC MEL90 9AAD	-06	PF3/8	22	65	44		シート面間距離-2mm
	GKC MEL90 9	-06	PF3/8	22				
	GKC MEL90 9AAC	-06	PF3/8	22	65	64		川崎重工業
	GKC MEL90 9AAA	-06	PF3/8	22	79.5	92		川崎重工業
GKC MEL90 0806	-08	PF1/2					川崎重工業	
12	KKC ML90 0608	-06	PF3/8	22	73	44		
	KKC ML90 12	-08	PF1/2	27	78.5	53		
	KKC MEL90 12AAE	-08	PF1/2	27	76.5	53		シート面間距離-2mm
	KKC MEL90 12AAD	-08	PF1/2	27	76.5	75		川崎重工業
	KKC MEL90 12AAC	-08	PF1/2	27	84.5	100		川崎重工業
	KKC MEL90 12AAB	-08	PF1/2	27	84.5	115		川崎重工業
	KKC MEL90 12AAA	-12	PF3/4	36	89.5	70		川崎重工業
15	GKC ML90 1210	-12	PF3/4	36	101.5	67.5		
	GKC ML90 1410	-14	PF7/8			70		スミモ エンジンオイル
	GKC MEL90 15AAA	-12	PF3/4	36	101.5	90		川崎重工業
	GKC MEL90 15AAB	-12	PF3/4	36	101.5	100		川崎重工業
19	GKC ML90 0812	-08	PF1/2	27	99	53		
	GKC ML90 19	-12	PF3/4	36	108	67.5		旧品番
	GKC ML9A 19	-12	PF3/4	36	112	68		圧接品
	GKC MEL90 0812	-08	PF1/2	27	97	53		川崎重工業
	GKC MEL90 19AAA	-08	PF1/2	27	97	85		川崎重工業
	GKC MEL90 19	-12	PF3/4	36	108	67.5		
	GKC MEL90 19AAD	-12	PF3/4	36	98.5	69		HEX Y付
	GKC MEL90 19AAC	-12	PF3/4	36	108	90		川崎重工業
	GKC MEL90 19AAB	-12	PF3/4	36	108	115		川崎重工業
GKC MEL90 1612	-16	PF1	41	116	76.5		川崎重工業	
25	GKC ML90 1216	-12	PF3/4	36	115	67.5		
	GKC MEL90 1216	-12	PF3/4	36	115	76.5		
	GKC MEL90 25	-16	PF1	41	121	76.5		
	GKC MEL90 25AAB	-16	PF1	41	121	105		川崎重工業
	GKC MEL90 25AAA	-16	PF1	41	121	150		川崎重工業
32	KKC ML90 32AAA	-20	PF1 1/4	50	149	97.5		
	GKC MEL90 32	-20	PF1 1/4	50	151	94		
	KKC MEL90 32	-20	PF1 1/4	50	151	94		
	GNC MEL90 1620	-16	PF1	41	125.5	76.5		
	GNC MEL90 32	-20	PF1 1/4	50	139.5	94		
	GNC MEL90 32AAA	-20	PF1 1/4	50	139.5	140		川崎重工業
38	GKC MEL90 38	-24	PF1 1/2	60	174	93		
	GNC MEL90 38	-24	PF1 1/2	60	148.5	93		川崎重工業
	GNC MEL90 38AAA	-24	PF1 1/2	60	147.5	136		川崎重工業
	GNC MEL90 38AAB	-24	PF1 1/2	60	174	190		川崎重工業
50	GNC MEL90 50	-32	PF2	70	188.5	135		

管用平行めねじメスシート

1004  
1004R

管用平行めねじメスシート強化型




内径	商品名	サイズ	ネジ	HEX X	HEX Y	L		備考	
6	GKC 1004 0204	-02	PF1/8	14	17	53.5			
	GKC 1004 6	-04	PF1/4	19	17	55.5			
	GKC 1004 0604	-06	PF3/8	22	19	57.5			
	GKC 1004R 6	-04	PF1/4	19	19	55.5			
	GKC 1004R 0604	-06	PF3/8	22	17	58.5			
9	GKC 1004 0406	-04	PF1/4	19	19	57.5			
	GKC 1004 9AAA	-04	PF1/4	19	19	57.5			
	GKC 1004 9	-06	PF3/8	22	19	59.5			
	GKC 1004 0806	-08	PF1/2	27	22	62			
	GKC 1004R 9	-06	PF3/8	22	19	60.5			
12	KKC 1004 0608	-06	PF3/8	22	22	64.5			
	KKC 1004 12	-08	PF1/2	27	22	67		SUS 1004-12J	
	KKC 1004 1208	-12	PF3/4	36	30	72			
	KKC 1004R 12	-08	PF1/2	27	27	72			
15	GKC 1004 0810	-08	PF1/2	27	30	81			
	GKC 1004 1210	-12	PF3/4	36	30	83			
	GKC 1004R 1210	-12	PF3/4	36	30	86			
19	GKC 1004 0812	-08	PF1/2	27	30	87.5			
	GKC 1004 19	-12	PF3/4	36	30	89.5			
	GKC 1004 19AAA	-12	PF3/4	36	30	89.5		ケーブル保護用 廃盤	
	GKC 1004 1612	-16	PF1	41	36	93.5			
	GKC 1004R 19	-12	PF3/4	36	36	92.5			
	GKC 1004R 19AAA	-12	PF3/4	36	36	92.5		パイプロ用(内径φ12)	
25	GKC 1004 1216	-12	PF3/4	36	36	96.5			
	GKC 1004 25	-16	PF1	41	36	98.5			
	GKC 1004 2016	-20	PF1 1/4	50	41	104			
		GKC 1004R 25	-16	PF1	41	41	104		
	GKC 1004R 25AAA	-16	PF1	41	41	104		パイプロ用(内径φ16)	
32	GKC 1004 32	-20	PF1 1/4	50	46	122			
	KKC 1004 32	-20	PF1 1/4	50	46	122			
	GNC 1004 32	-20	PF1 1/4	50	46	110.5			
		GKC 1004R 32	-20	PF1 1/4	50	46	127		
		KKC 1004R 32	-20	PF1 1/4	50	46	127		
38	GKC 1004 38	-24	PF1 1/2	60	50	144			
	AKC 1004 38	-24	PF1 1/2	60	50	144			
		GNC 1004 38	-24	PF1 1/2	60	50	120.5		
		GKC 1004R 38	-24	PF1 1/2	60	50	146		
		AKC 1004R 38	-24	PF1 1/2	60	50	146		
50	GKC 1004 50	-32	PF2	70	65	165			
	KKC 1004 50	-32	PF2	70	65	165			
	GNC 1004 50	-32	PF2	70	65	132.5			
		KKC 1004R 50	-32	PF2	70	65	165		

管用平行めねじメスシートエルボ

**FEL45 FL45**  
**FEL90 FL90**

管用平行めねじメスシートエルボ




内径	商品名	サイズ	ネジ	HEX X	L	H			備考
6	GKC FEL45 6	-04	PF1/4	19	75.5	24			
	GKC FL45 6	-04	PF1/4	19	73.5	21.5			
	GKC FEL90 6	-04	PF1/4	19	56	38.5			
	GKC FEL90 6AAA	-04	PF1/4	19	57	45.5			
	GKC FEL90 6AAB	-04	PF1/4	19	56	48.5			
	GKC FL90 6	-04	PF1/4	19	59	35			
9	GKC FEL45 9	-06	PF3/8	22	86	28.5			
	GKC FL45 9	-06	PF3/8	22	84	26			
	GKC FEL90 9	-06	PF3/8	22	65	48			
	GKC FL90 9	-06	PF3/8	22	68	44			
12	KKC FEL45 12	-08	PF1/2	27	97.5	32			
	KKC FEL45 1208	-12	PF3/4	36	111	38.5			
	KKC FEL90 12	-08	PF1/2	27	76.5	56.5			
	KKC FEL90 12AAF	-06	PF3/8	22	109.5	68			
	KKC FEL90 1208	-12	PF3/4	36	89.5	71.5			
	KKC FL90 12	-08	PF1/2	27	78.5	53			
15	GKC FEL45 1210	-12	PF3/4	36	123	38.5			
	GKC FEL90 1210	-12	PF3/4	36	102	71.5			
19	GKC FEL45 19	-12	PF3/4	36	129.5	38.5			
	GKC FEL60 19	-12	PF3/4	36					
	GKC FEL90 19	-12	PF3/4	36	108	71.5			
25	GKC FEL45 25	-16	PF1	41	143.5	43			
	GKC FEL90 25	-16	PF1	41	121	81.5			
	GKC FELZZ 25AAA	-16	PF1	41	106	108			135° ベンド
32	GKC FEL45 32	-20	PF1 1/4	50	154.5	44.5			
	GKC FL45 32	-20	PF1 1/4	50	178.5	52.5			
	GKC FEL90 32	-20	PF1 1/4	50	151	99			
	GNC FEL90 32	-20	PF1 1/4	50	139.5	99			
	GKC FL90 32AAA	-20	PF1 1/4	50	149	97.5			

フィールドクリップ用ホース金具



管用平行めねじメスシート90° 角エルボ

**0490**  
**049T**



内径	商品名	C	ネジ	HEX X	L	H			備考
6	GKC 049T 6	17	PF1/4	19	46.5	27.5			
	GKC 0490 6	19	PF1/4	19	47	27.5			旧品番
9	GKC 049T 9	19	PF3/8	22	49.5	31.5			
	GKC 0490 9	22	PF3/8	22	50.5	31			旧品番
12	KKC 049T 12	22	PF1/2	27	55	34.5			
	KKC 0490 12	22	PF1/2	27	58.5	33.5			旧品番
19	GKC 0490 19	32	PF3/4	36	82	43.5			
25	GKC 0490 25	40	PF1	41	95	47			

37° フレアユニファイめねじメスシート


6013  
6013R

37° フレアユニファイめねじメスシート強化型

内径	商品名	ネジ	HEX X	HEX Y	L		備考
6	GKC 6013 6AAC	7/16-20UNF	17	17	56		
	GKC 6013 6	7/16-20UNF	19	17	56		
	GKC 6013 0504	1/2-20UNF	19	17	56.5		アルマジロ
	GKC 6013 6AAA	9/16-18UNF	19	17	57		
	GKC 6013 6AAD	9/16-18UNF	19	17	57		シート面間距離=9
	GKC 6013 6AAB	9/16-18UNF	19	19	57		
	GKC 6013 0604	9/16-18UNF	22	19	57		
9	GKC 6013 0406	7/16-20UNF	19	19	58		
	GKC 6013 0506	1/2-20UNF	19	19	58.5		
	GKC 6013 9AAA	9/16-18UNF	19	19	59		トヨタリフト
	GKC 6013 9AAB	9/16-18UNF	19	19×2	82		新キャタピラー三菱
	GKC 6013 9AAD	9/16-18UNF	19	19	57		オリーブクロメイトメッキ
	GKC 6013 9AAF	9/16-18UNF	19	19	59		シート面間距離=9
	GKC 6013 9	9/16-18UNF	22	19	59		
	GKC 6013 9AAG	5/8-18UNF	22	19	61.5		新キャタピラー三菱
	GKC 6013 9AAE	3/4-16UNF	22	19	62		シート面間距離=10.5
	GKC 6013 9AAC	3/4-16UNF	22	19	62		
GKC 6013 0806	3/4-16UNF	27	22	61.5			
12	KKC 6013 12AAA	3/4-16UNF	22	22	67		
	KKC 6013 12	3/4-16UNF	27	22	66.5		
	KKC 6013 12AAB	7/8-14UNF	25.4	22	68.5		
	KKC 6013 1008	7/8-14UNF	27	22	68.5		
	KKC 6013 1208 HEX32	1 1/16-12UN	32	27	71		
	KKC 6013 12AAE	1 1/16-12UN	32	27	71		
	KKC 6013 1208	1 1/16-12UN	36	30	74		
15	GKC 6013 15	7/8-14UNF	27	27	80.5		
	GKC 6013 15AAA	1 1/16-12UN	31.8	30	83		
	GKC 6013 1210	1 1/16-12UN	36	30	85		
19	GKC 6013 1012	7/8-14UNF	27	30	89		
	GKC 6013 19AAA	1 1/16-12UN	31.8	30	89.5		
	GKC 6013 19AAC	1 1/16-12UN	32	30	91.5		
	GKC 6013 19	1 1/16-12UN	36	30	91.5		
	GKC 6013 19AAB	1 3/16-12UN	36	36	92.5		
	GKC 6013 1612	1 5/16-12UN	41	36	93.5		
	GKC 6013R 19	1 1/16-12UN	36	36	92.5		
	GKC 6013R 19AAA	1 1/16-12UN	36	36	92.5		パイプロ用(内径φ12)
25	GKC 6013 1216	1 1/16-12UN	36	36	98.5		
	GKC 6013 25AAA	1 5/16-12UN	38	36	102		
	GKC 6013 25	1 5/16-12UN	41	36	100.5		GJC 6013-25
	GKC 6013R 25	1 5/16-12UN	41	41	102.5		
	GKC 6013R 25AAA	1 5/16-12UN	41	41	102.5		パイプロ用(内径φ16)
32	GKC 6013 32	1 5/8-12UN	50	46	121		
	KKC 6013 32	1 5/8-12UN	50	46	121		
	GNC 6013 32	1 5/8-12UN	50	46	109.5		
	GKC 6013R 32	1 5/8-12UN	50	46	127		
	KKC 6013R 32	1 5/8-12UN	50	46	127		
38	GKC 6013 38	1 7/8-12UN	60	50	145.5		
	AKC 6013 38	1 7/8-12UN	60	50	145.5		
	GNC 6013 38	1 7/8-12UN	60	50	122		
	GKC 6013R 38	1 7/8-12UN	60	50	148		
	AKC 6013R 38	1 7/8-12UN	60	50	148		
50	GKC 6013 50	2 1/2-12UN	75	65	171.5		
	GNC 6013 50	2 1/2-12UN	75	65	139		

37° ユニファイおねじオスシート

6010  
6014




37° ユニファイめねじメスシート

内径	商品名	ネジ	A	HEX	L	H		備考
6	GKC 6010 6	7/16-20UNF	14	17	51.5			
	GKC 6010 6AAB	7/16-20UNF	28	17	63.5			日立建機 ロング
	GKC 6010 0504	1/2-20UNF	14	17	51.5			
	GKC 6010 6AAA	9/16-18UNF	14	17	51.5			
	GKC 6010 0604	9/16-18UNF	14	19	51.5			
9	GKC 6010 9	9/16-18UNF	14	19	53.5			
	GKC 6010 9AAA	9/16-18UNF	34	19	73.5			日立建機 ロング
	GKC 6010 9AAB	9/16-18UNF	40	22	79.5			日立建機
	GKC 6010 9AAC	5/8-18UNF	15.5	19	55			
	GKC 6010 0806	3/4-16UNF	16.5	22	56			
	GKC 6014 9	5/8-18UNF			62			HEX X 22 HEX Y 19
12	KKC 6010 12	3/4-16UNF	16.5	22	61			
	KKC 6010 12AAC	3/4-16UNF	34	22	78.5			北越工業
	KKC 6010 12AAD	3/4-16UNF	40	27	83.5			北越工業 ロング
	KKC 6010 12AAA	3/4-16UNF	40	22	84.5			北越工業 ロング
	KKC 6010 1008	7/8-14UNF	19.5	27	65			
	KKC 6010 12AAB	7/8-14UNF	40	27	85.5			
15	GKC 6010 15	7/8-14UNF	19.5	30	78			
	GKC 6010 1210	1 1/16-12UN	22	30	80.5			
19	GKC 6010 1012	7/8-14UNF	19.5	30	84.5			
	GKC 6010 19	1 1/16-12UN	22	30	87			
	GKC 6010 1412	1 3/16-12UN	22.5	36	87.5			
	GKC 6010 1612	1 5/16-12UN	23	36	88			
25	GKC 6010 1216	1 1/16-12UN	22	36	94			
	GKC 6010 1416	1 3/16-12UN	22.5	36	94.5			
	GKC 6010 25	1 5/16-12UN	23	36	95			
32	GKC 6010 1620	1 5/16-12UN	23	46	113			

ユニファイめねじメスシート90° 角エルボ


1390



内径	商品名	ネジ	C	HEX	L	H		備考
6	GKC 1390 6	7/16-20UNF	19	19	47	28		
	GKC 1390 6AAA	9/16-18UNF	19	19	47	30.5		日立建機
	GKC 1390 0604	9/16-18UNF	22	22	48.5	30.5		
9	GKC 1390 9	9/16-18UNF	22	22	50.5	30.5		
	GKC 1390 9AAB	9/16-18UNF	19	19	49	30.5		日立建機
	GKC 1390 9AAA	3/4-16UNF	19	22	49	33.5		
	GKC 1390 0806	3/4-16UNF	22	27	54.5	33		
12	KKC 1390 12	3/4-16UNF	22	27	58.5	33		
	KKC 1390 12AAA	7/8-14UNF	22	27	58.5	35		

37° フレアユニファイめねじメスシートエルボ

# 6015 UN45




37° フレアユニファイめねじメスシートエルボ

内径	商品名	ネジ	HEX X	L	H		備考
6	GKC 6015 6AAA	7/16-20UNF	17	74	23		
	GKC 6015 6	7/16-20UNF	19	74	23		
	GKC 6015 6AAC	9/16-18UNF	19	77.5	25.8		
	GKC 6015 0604	9/16-18UNF	22	84	28.5		
	GKC UN45 6AAC	7/16-20UNF	17	71	19.5		
	GKC UN45 6	7/16-20UNF	19	73.5	30		
9	GKC 6015 9AAE	9/16-18UNF	19	87.5	32		
	GKC 6015 9	9/16-18UNF	22	86	28.5		
	GKC 6015 9AAB	3/4-16UNF	22	83	28.5		小松製作所
	GKC 6015 9AAA	3/4-16UNF	22	97	36.5		小松製作所
	GKC 6015 0806	3/4-16UNF	27	92.5	32		
	GKC UN45 9	9/16-18UNF	22	89	32		
12	KKC 6015 12AAA	3/4-16UNF	22	96	31.5		豊羽鉦山 フレアパイプタイプ
	KKC 6015 12AAB	3/4-16UNF	22	95	33.5		
	KKC 6015 12	3/4-16UNF	27	97.5	32		
	KKC 6015 1008	7/8-14UNF	27	98.5	33		
	KKC UN45 12	3/4-16UNF	27	96	30.5		
15	GKC 6015 15	7/8-14UNF	27	112.5	33		
19	GKC 6015 19AAA	1 1/16-12UN	32	135.5	44.5		小松製作所
	GKC 6015 19	1 1/16-12UN	36	129.5	38.5		
	GKC 6015 19AAB	1 3/16-12UN	36	130	39		
25	GKC 6015 25	1 5/16-12UN	41	145	44.5		
32	GKC 6015 32	1 5/8-12UN	50	154	44		
38	GKC 6015 38	1 7/8-12UN	60				

フィールドクリンプ用ホース金具

リングボス金具 ユニファイネジ



# 6008



内径	商品名	ネジ	A	HEX	L		備考
6	GKC 6008 6	7/16-20UNF	9	17	46.5		AS568 904 又はP9
9	GKC 6008 9	9/16-18UNF	10	19	49.5		AS568 906 又はP12
	GKC 6008 0806	3/4-16UNF	11	22	50.5		
12	KKC 6008 0608	9/16-18UNF	10	22	54.5		
	KKC 6008 12	3/4-16UNF	11	22	55.5		AS568 908 又はP16
	KKC 6008 12AAA	7/8-14UNF	12.5	27	58		
15	GKC 6008 15	7/8-14UNF	12.5	30	74		AS568 910
	GKC 6008 1210	1 1/16-12UN	15	32	73.5		
19	GKC 6008 19	1 1/16-12UN	15	32	80		AS568 912
25	GKC 6008 25	1 5/16-12UN	15	41	87		AS568 916
32	GKC 6008 32	1 5/8-12UN	15	50	103		AS568 920
38	GKC 6008 38	1 7/8-12UN	15	60	129		AS568 924

37° フレアユニファイめねじメスシートエルボ

6016  
UN90




37° フレアユニファイめねじメスシートエルボ

内径	商品名	ネジ	HEX X	L	H		備考	
6	GKC 6016 6	7/16-20UNF	19	56	37			
	GKC 6016 6AAA	7/16-20UNF	19	56	62			
	GKC 6016 0504	1/2-20UNF	19	56	37.5			
	GKC 6016 6AAB	9/16-18UNF	19	56	42		小松製作所	
	GKC 6016 6AAC	9/16-18UNF	22	67	42		小松製作所	
	GKC 6016 0604	9/16-18UNF	22	63	47.5			
	GKC 6016 6AAE	9/16-18UNF	22	63	52		小松製作所	
	GKC 6016 6AAD	9/16-18UNF	19	56	66		日立建機	
	GKC 6016 6AAF	9/16-18UNF	19	72.5	66		日立建機	
		GKC UN90 6	7/16-20UNF	19	59	36		
	GKC UN90 6AAC	7/16-20UNF	17	59	36			
9	GKC 6016 0406	7/16-20UNF	19	58	37			
	GKC 6016 0506	1/2-20UNF	19	58	37.5			
	GKC 6016 9AAJ	9/16-18UNF	22	69	38		日立建機	
	GKC 6016 9AAD	9/16-18UNF	19	58	41		トヨタリフト	
	GKC 6016 9	9/16-18UNF	22	65	47.5			
	GKC 6016 9 H48	9/16-18UNF	19	64	48			
	GKC 6016 9ABD	9/16-18UNF	19	61.5	51			
	GKC 6016 9AAK	9/16-18UNF	22	65	63			
	GKC 6016 9ABB	9/16-18UNF	22	75	63		YTA2400加締不可対策品	
	GKC 6016 9 H65	9/16-18UNF	19	74	65			
	GKC 6016 9AAH	9/16-18UNF	22	69	84.5		新キャタピラー三菱	
	GKC 6016 9AAB	5/8-18UNF	22	65	47.5			
	GKC 6016 9AAG	3/4-16UNF	22	71.5	48.5		小松製作所	
	GKC 6016 9AAF	3/4-16UNF	22	65	52.5		小松製作所	
	GKC 6016 0806	3/4-16UNF	27	71.5	56			
	GKC 6016 9AAA	3/4-16UNF	22	67.5	58.5			
	GKC 6016 9AAE	3/4-16UNF	22	71.5	62.5		小松製作所	
GKC 6016 9AAC	3/4-16UNF	22	75.5	66.5				
	GKC UN90 9	9/16-18UNF	22	68	42			
12	KKC 6016 12	3/4-16UNF	27	76.5	56			
	KKC 6016 12AAD	3/4-16UNF	22	72.5	58.5		トヨタリフト	
	KKC 6016 12 HEX22	3/4-16UNF	22		68			
	KKC 6016 12AAC	3/4-16UNF	27	84.5	150		日立建機	
	KKC 6016 12AAB	3/4-16UNF	27	84.5	180		日立建機	
	KKC 6016 1008	7/8-14UNF	27	76.5	58			
	KKC 6016 12AAA	7/8-14UNF	27	76.5	88			
	KKC UN90 12	3/4-16UNF	27	79	56			
15	GKC 6016 15	7/8-14UNF	27	90.5	58			
	GKC 6016 1210	1 1/16-12UN	36	101.5	71.5			
	GKC 6016 1210 H150	1 1/16-12UN	32		150		コマツSK07 トヨタリフトJOBSUN	
19	GKC 6016 19	1 1/16-12UN	36	108	71.5			
	GKC 6016 19AAA	1 1/16-12UN	32	108	80		小松製作所	
	GKC 6016 19AAB	1 3/16-12UN	36	108	72.5			
	GKC 6016 1612	1 5/16-12UN	41	116	83.5			
25	GKC 6016 25	1 5/16-12UN	41	121	83.5			
32	GKC 6016 32	1 5/8-12UN	50	151	98			
	GNC 6016 32	1 5/8-12UN	50	137.5	98			
38	GKC 6016 38	1 7/8-12UN	60	174	103.5			
	GNC 6016 38	1 7/8-12UN	60	146.5	103.5			

メートルめねじメスシート

# METST 1005M

メートルめねじオスシート




内径	商品名	サイズ	ネジ	HEX X	HEX Y	L			備考
6	GKC METST 6AAE		M10×1.0	14	17	53.5			
	GKC METST 6AAA	-02	M10×1.25	14	17	53.5			コマツPPC
	GKC METST 6AAD		M12×1.0	19	17	55.5			
	GKC METST 6AAF		M12×1.5	19	17	57			
	GKC METST 6	-04	M14×1.5	19	17	57			
	GKC METST 6AAB	-04	M14×1.5	19	17	96.5			パイプ径φ9 長さ37.0
	GKC METST 0604	-06	M18×1.5	24	19	57.5			
	GKC METST 6AAC	-08	M22×1.5	27	22	61.5			
	GKC 1005M 6AAA		M12×1.0	19	17	55.5			
	GKC 1005M 6AAB		M12×1.5	19	17	55.5			
	GKC 1005M 6AAC		M10×1.25	14	17	53.5			
	GKC 1005M 6AAD		M10×1.0	14	17	53.5			
	GKC 1005M 6AAE		M22×1.5	27	22	61.5			
9	GKC METST 0406	-04	M14×1.5	19	19	59			
	GKC METST 9AAA		M16×1.5	22	19	59.5			
	GKC METST 9AAB	-06	M18×1.5	22	19	59.5			
	GKC METST 9	-06	M18×1.5	24	19	59.5			
	GKC METST 9AAF	-06	M18×1.5	24	19	106.5			パイプ径φ12 長さ44.5
	GKC METST 9AAD	-06	M18×1.5	24	22	135.5			パイプ径φ10 長さ68.0
	GKC METST 9AAE		M20×1.5	27	22	62			三菱フソウ 日野自動車
	GKC METST 0806	-08	M22×1.5	27	22	63.5			
	GKC 1005M 9		M20×1.5	27	22	64.5			
	GKC 1005M 0806		M22×1.5	27	22	63.5			
	GKC 1005M 9AAA	-06	M18×1.5	24	19	59.5			
	GKC 1005M 9AAB		M16×1.5	22	19	59.5			
	12	KKC METST 0608	-06	M18×1.5	24	22	64.5		
KKC METST 12AAA			M20×1.5	27	22	69.5			
KKC METST 12		-08	M22×1.5	27	22	68.5			
KKC METST 12AAE		-08	M22×1.5	27	22	118.5			パイプ径φ15 長さ47.5
KKC METST 12AAB		-08	M22×1.5	27	27	145			パイプ径φ15 長さ67.0
KKC METST 12AAD		-08	M22×1.5	27	22	128.5			パイプ径φ20 長さ60.0
KKC METST 1008		-10	M24×1.5	32	27	71.5			
KKC 1005M 12		-08	M22×1.5	27	22	68.5			
KKC 1005M 0608			M20×1.5	27	22	69.5			
KKC 1005M 12AAA		M22×1.5	27	22	72			強化タイプ	
15	GKC METST 15	-10	M24×1.5	32	30	85.5			
	GKC METST 15AAA	-10	M24×1.5	32	30	162.5			パイプ径φ16
	GKC METST 15AAB	-10	M24×1.5	32	30	164.5			パイプ径φ19 長さ67.0
	GKC METST 15AAC	-10	M24×1.5	32	30	164.5			パイプ径φ17.3 長さ67.0
	GKC METST 1210	-12	M30×1.5	36	30	90.5			
19	GKC METST 1012	-10	M24×1.5	32	30	92			
	GKC METST 19	-12	M30×1.5	36	30	97			
	GKC METST 19AAA	-12	M30×1.5	36	36	97			
	GKC METST 19AAB	-12	M30×1.5	41	36	97			
	GKC METST 1612	-16	M33×1.5	41	36	100			
25	GKC METST 1216	-12	M30×1.5	36	36	104			
	GKC METST 25	-16	M33×1.5	41	36	107			
32	GKC METST 32	-20	M36×1.5	46	46	130			
	KKC METST 32	-20	M36×1.5	46	46	130			
	GNC METST 32	-20	M36×1.5	46	46	118.5			
38	GKC METST 38	-24	M42×1.5	55	50	153.5			
	AKC METST 38	-24	M42×1.5	55	50	153.5			
	GNC METST 38	-24	M42×1.5	55	50	130			



メートルめねじメスシートエルボ

**MET45 MT45**  
**MET90 MT90**

メートルめねじメスシートエルボ




内径	商品名	サイズ	ネジ	HEX X	L	H			備考
6	GKC MET45 6	-04	M14×1.5	19	76.5	25			
	GKC MT45 6	-04	M14×1.5	19	73.5	21.5			
	GKC MET90 6	-04	M14×1.5	19	56	40			
	GKC MT90 6	-04	M14×1.5	19	59	35			
9	GKC MET45 9	-06	M18×1.5	24	86	28.5			
	GKC MT45 0406	-04	M14×1.5	19	75.3	21.5			
	GKC MT45 9	-06	M18×1.5	22	84	26			
	GKC MET90 9AAB		M16×1.5	22	65	48			
	GKC MET90 9AAA	-06	M18×1.5	22	65	48			
	GKC MET90 9	-06	M18×1.5	24	65	48			
	GKC MET90 9AAC	-06	M18×1.5	24	69	85			
	GKC MT90 0406	-04	M14×1.5	19	68	35			
12	GKC MT90 9	-06	M18×1.5	22	68	44			
	KKC MET45 12	-08	M22×1.5	27	98.5	33			
	KKC MT45 12	-08	M22×1.5	27	95	29.5			なくなり次第終了
	KKC MET90 12AAB		M20×1.5	27	76.5	59			
	KKC MET90 12	-08	M22×1.5	27	76.5	58			
	KKC MET90 12AAA	-08	M22×1.5	27	76.5	64			
15	KKC MT90 12	-08	M22×1.5	27	78.5	53			
	GKC MET45 15	-10	M24×1.5	32	115	35.5			
	GKC MET90 15	-10	M24×1.5	32	90.5	61			
	GKC MET90 15AAC	-10	M24×1.5	32	98	72.5			
	GKC MET90 15AAA	-10	M24×1.5	32	90.5	75.5			
19	GKC MET90 15AAB	-10	M24×1.5	32	94.5	77			
	GKC MET45 19	-12	M30×1.5	36	135	44			
25	GKC MET90 19	-12	M30×1.5	36	108	79			
	GKC MET45 25	-16	M33×1.5	41	149.5	49			
	GKC MET90 25	-16	M33×1.5	41	121	90			
32	GKC MET90 25AAA	-16	M33×1.5	41	121	118.5			
	KKC MET45 32	-20	M36×1.5	46	183	64			
	KKC MET90 32AAA	-20	M36×1.5	46	165	136			
	GNC MET90 32	-20	M36×1.5	50	137.5	97.5			

フィールドクランプ用ホース金具

メートルめねじオスシート90°角エルボ


**0590M**



内径	商品名	サイズ	ネジ	HEX X	L	H			備考
9	GKC 0590M 9	-06	M18×1.5	24	49	30			□C=19

Oリングボス金具

6007M





内径	商品名	ネジ	A	B	HEX	L		備考
6	GKC 6007M 6AAB	M14×1.5	16		22	53.5		
	GKC 6007M 6AAA	M22×1.5	15		30	52.5		
9	GKC 6007M 9AAA	M14×1.5	16		22	55.5		
12	KKC 6007M 12AAA	M20×1.5	16		27	61.5		
	KKC 6007M 12AAC	M22×1.5	14		27	59.5		
	KKC 6007M 12AAB	M24×1.5	19		36	66.5		
15	GKC 6007M 15AAA	M24×1.5	19		36	77.5		
	GKC 6007M 15AAB	M24×1.5	19		36	77.5		30° メスシート面付
19	GKC 6007M 19AAB	M24×1.5	16		36	81		
	GKC 6007M 19AAA	M42×1.5	20		46	89		
25	GKC 6007M 25AAA	M42×1.5	20		46	94		内径φ15
	GKC 6007M 25AAB	M42×1.5	20		46	94		内径φ18
	GKC 6007M 25AAC	M42×1.5	20		46	94		内径φ9
	GKC 6007M 25AAD	M42×1.5	20		50	98		内径φ18 CAT OリングP40
	GKC 6007M 25AAE	M42×1.5	20		50	98		内径φ18 OリングAS568-920
	GKC 6007M 25AAF	M40×2.0	24		60	99.5		

## フィールドクランプ用ホース金具

先端リング金具

KAWAS  
KAWAH



HEX部リング金具



内径	商品名	ネジ	A	B	HEX	L		備考
9	GKC KAWAS 9	M18×1.5	13	11	22	50.5		
12	KKC KAWAS 12	M26×1.5	20	15	30	62.5		
19	GKC KAWAS 19	M32×1.5	26	16	36	81		ダンブシリンダー
	GKC KAWAS 1612	M40×1.5	35	17	41	84		
	GKC KAWAH 19	M26×1.5	35	15	41	80		
	GKC KAWAH 19AAA	M33×2.0	40	20	46	86		内径12φ
	GKC KAWAH 19AAB	M33×2.0	40	20	46	91		内径12φ HEX幅16
	GKC KAWAH 19AAC	M33×2.0	40	20	46	95		HEX幅19.5
25	GKC KAWAS 25	M40×1.5	35	17	41	89		ダンブシリンダー
	GKC KAWAH 25	M33×2.0	40	20	46	91		
	GKC KAWAH 25AAA	M33×2.0	40	20	46	96		内径12φ HEX幅16
32	GNC KAWAS 32AAA	M45×1.5			46	92.5		

30° オスシート

6010M  
6014M




45° フレアメートルめねじメスシート

内径	商品名	ネジ	A	シート角	HEX	L		備考
6	GKC 6010M 6AAC	M12×1.0	27	30	17	64.5		
	GKC 6010M 6AAD	M12×1.5	27	30	17	64.5		
	GKC 6010M 6	M14×1.5	17	30	17	54.5		
	GKC 6010M 6AAE	M14×1.5	40	42	17	77.5		
	GKC 6010M 6AAF	M14×1.5	40	42	19	77.5		
	GKC 6010M 0604	M18×1.5						
9	GKC 6010M 9AAK	M14×1.5	40	42	19	79.5		
	GKC 6010M 9AAC	M16×1.5	30	30	19	69.5		
	GKC 6010M 9AAF	M16×1.5	35	30	19	74.5		
	GKC 6010M 9AAD	M16×1.5	37	42	19	76.5		いすゞ自動車
	GKC 6010M 9ABB	M16×1.5	37	42	22	76.5		三菱自動車
	GKC 6010M 9	M18×1.5	18	30	19	57.5		
	GKC 6010M 9AAA	M18×1.5	34	30	19	73.5		
	GKC 6010M 9AAE	M20×1.5	40	30	22	79.5		
	GKC 6010M 9AAB	M20×1.5	40	42	22	79.5		日野自動車
	GKC 6010M 9ABA	M20×1.5	40	42	27	81.5		三菱自動車
		GKC 6014M 9AAA	M16×1.5		22	19	61	
	GKC 6014M 9AAB	M20×1.5		27	22	62		6010M 9AAB と結合可能
12	KKC 6010M 12AAG	M16×1.5	40	42	22	84.5		
	KLC 6010M 12AAK	M16×1.5	40	42	27	84.5		KLC 金具
	KKC 6010M 12AAA	M20×1.5	40	30	22	84.5		
	KKC 6010M 12AAB	M20×1.5	40	42	22	84.5		日野自動車
	KKC 6010M 12AAH	M20×1.5	40	42	27	85.5		三菱自動車
	KKC 6010M 12	M22×1.5	20	30	27	67.5		
	KKC 6010M 12AAD	M22×1.5	40	30	27	85.5		
	KKC 6010M 12AAC	M22×1.5	40	42	27	85.5		日野自動車
	KKC 6010M 12AAJ	M22×1.5	40	42	32	87.5		三菱自動車
	KKC 6014M 12AAA	M22×1.5		27	22	68.5		6010M 12AAC と結合可能
15	GKC 6010M 15AAB	M22×1.5	23	42	30	81.5		6010M 0810 川崎重工業
	GKC 6010M 15	M24×1.5	21.5	30	30	80		
	GKC 6010M 15AAA	M24×1.5	40	30	30	98.5		
19	GKC 6010M 19	M30×1.5	26	30	36	93		
25	GKC 6010M 25	M33×1.5	36	30		102		

メートルめねじメスシート90° 角エルボ


0490M  
049TM



内径	商品名	ネジ	C	HEX	L	H		備考
6	GKC 049TM 6	M14×1.5		19				
	GKC 0490M 6	M14×1.5	19	19	47	29		旧品番
	GKC 0490M 6AAA	M10×1.25	12	14	45	22		コマツPPC
9	GKC 049TM 9	M18×1.5						
	GKC 0490M 9	M18×1.5	22	24	50.5	31		旧品番
	GKC 0490M 9AAA	M16×1.5	22	22	50.5	32.5		
	GKC 0490M 9AAB	M18×1.5	22	22	50.5	31		
12	KKC 049TM 12	M22×1.5						
	KKC 0490M 12	M22×1.5	22	27	58.5	35		旧品番

喰込み金具 ミリパイプ用


6074



内径	商品名	ネジ	A	B	C	HEX	L		備考
6	GKC 6074 6AAB	M12×1.5	6.2	6.5	12	17	49		
	GKC 6074 6AAA	M14×1.5	8.2	6.5	12	17	49		
	GKC 6074 6	M16×1.5	10.2	7	12	17	49.5		
	GKC 6074 0604	M18×1.5	12.2	7	12	19			
9	GKC 6074 0406	M16×1.5	10.2	7	12	19	51.5		
	GKC 6074 9	M18×1.5	12.2	7	12	19	51.5		
	GKC 6074 9AAA	M22×1.5	15.2	7.5	14	27	55.5		神戸製鋼所
12	KKC 6074 12AAA	M22×1.5	15.2	7.5	14	27	59.5		
	KKC 6074 12	M24×1.5	16.2	7.5	14	27	59		
	KKC 6074 12AAE	M24×1.5	16.2	7.5	14	27	59		富士重工業
	KKC 6074 12AAB	M26×1.5	18.2	8	14	27	59.5		
	KKC 6074 12AAD	M28×1.5	20.2	8	14	30	61.5		
	KKC 6074 12AAC	M30×1.5	22.2	12	13	32	60.5		神戸製鋼所
15	GKC 6074 15AAA	M26×1.5	18.2	11	13	36	71.5		神戸製鋼所
	GKC 6074 15AAB	M28×1.5	20.2	8	14	36	72.5		
	GKC 6074 15AAC	M30×1.5	22.2	12	13	36	71.5		神戸製鋼所
	GKC 6074 15AAD	M30×1.5	22.2	9	14	32	74.5		神戸製鋼所
	GKC 6074 1210	M34×1.5	25.2	10	14	36	72.5		
	GKC 6074 15AAE	M36×1.5	28.2	10	16	36	78.5		神戸製鋼所
19	GKC 6074 19AAH	M26×1.5	18.2	11	13	30	78		神戸製鋼所
	GKC 6074 1012	M28×1.5	20.2	8	14	30	79		
	GKC 6074 19AAJ	M28×1.5	20.2	8	14	30	79		富士重工
	GKC 6074 19AAB	M30×1.5	22.2	9	14	36	79		日本製鋼所
	GKC 6074 19AAA	M30×1.5	22.2	9	20	36	85		TCM
	GKC 6074 19	M34×1.5	25.2	10	14	36	79		
	GKC 6074 19AAD	M36×1.5	27.1	10	14	36	79		
	GKC 6074 19AAE	M36×1.5	28.2	10	16	36	85		神戸製鋼所
	GKC 6074 19AAC	M36×2.0	25.2	12	18	41	85		日本製鋼所
	GKC 6074 19AAF	M38×1.5	28.2	10	16	41	83		神戸製鋼所
25	GKC 6074 19AAG	M40×1.5	30.2	10	16	41	83		
	GKC 6074 1216	M34×1.5	25.2	10	14	36	86		
	GKC 6074 25AAA	M36×1.5	27	9	14	41	86		油谷重工
	GKC 6074 25AAF	M36×1.5	28.2	10	16	41	88		
	GKC 6074 25	M40×1.5	30.2	10	16	41	88		
	GKC 6074 25AAB	M42×2.0	30.2	14	20	50	92		日本製鋼所
	GKC 6074 25AAC	M45×1.5	34	13	16	55	86		油谷重工
	GKC 6074 25AAD	M45×1.5	35.2	11	16	50	90		神戸製鋼所
32	GKC 6074 25AAE	M45×1.5	35.2	16	18	50	92		神戸製鋼所
	GKC 6074 32	M48×1.5	38.2	12	16	50	106		
38	KKC 6074 32	M48×1.5	38.2	12	16	50	106		
	GKC 6074 38	M52×2.0	42.3	12	20	55	130		
	AKC 6074 38	M52×2.0	42.3	12	20	55	130		

DIN規格 高圧力喰込み金具ミリパイプ用

**DKFSH**  
**DKFSL**




DIN規格 標準圧力喰込み金具ミリパイプ用

内径	商品名	ネジ	A	B	C	HEX	L			備考
6	GKC DKFSH 6AAA	M16×1.5	8.2	7		17	49.5			
	GKC DKFSH 0604	M20×1.5	12.2	7.5		22	49.5			
9	GKC DKFSH 9	M20×1.5	12.2	7.5	12	22	51.5			
	GKC DKFSH 0806	M22×1.5	14.2	8	14	24	53.5			
12	KKC DKFSH 1008	M24×1.5	16.2	8.5	14	27	59.5			
15	GKC DKFSH 1210	M30×2.0	20.2	10.5	16	36	74.5			
	GKC DKFSL 15	M26×1.5	18.2	7.5	12	30	70.5			
19	GKC DKFSH 19	M30×2.0	20.2	10.5	16	36	81			
25	GKC DKFSH 25	M36×2.0	25.2	12	18	41	90			
	GKC DKFSL 25	M36×2.0	28.2	7.5	14	41	86			
32	GKC DKFSH 2420	M52×2.0	38.2	16	22	55	113			
	GKC DKFSL 32	M45×2.0	35.2	10	16	46	106			

喰込み金具 インチパイプ用


**6075**



内径	商品名	ネジ	A	B	C	HEX	L			備考
9	GKC 6075 9	M20×1.5	14.2	7	13	22	53			
12	KKC 6075 12AAA	M24×1.5	17.5	9.5	14	27	60			
	KKC 6075 12	M26×1.5	17.5	8	14	27	60			
15										
19	GKC 6075 1012	M30×1.5	22.2	9	14	36	79			
	GKC 6075 19	M36×1.5	27.4	10	15	41	82			
25	GKC 6075 25	M45×1.5	34.3	11	16	46	91			
	GKC 6075 25AAA	M45×1.5	33.5	16	16	55	86			
32	GKC 6075 32	M56×2.0	43	12	20	60	111			
38	GKC 6075 38		43	12	20	60	130			

喰込み金具 ミリパイプ用

6072




※ナット・スリーブ別

内径	商品名	ネジ	A	B	C	HEX D	L		備考
6	GKC 6072 6AAA	M12×1.5	6	3	25	φ16	59.5		ナットスリーブ' 126
	GKC 6072 6AAD	M12×1.5	6	3	40	φ14	921		ナットスリーブ' 126
	GKC 6072 6AAA	M14×1.5	6	3	25	φ16	59.5		
	GKC 6072 6AAB	M14×1.5	8	5	26	φ16	60.5		ナットスリーブ' 148
	GKC 6072 6AAE	M14×1.5	8	5	40	φ16	74.5		ナットスリーブ' 148
	GKC 6072 6AAB	M16×1.5	8	5	26	φ16	60.5		
	GKC 6072 6	M16×1.5	10	6	33	17	70.5		ナットスリーブ' 1610
	GKC 6072 6AAC	M16×1.5	10	6	45	17	82.5		ナットスリーブ' 1610
9	GKC 6072 9AAA	M16×1.5	10	7	18	φ20	56.5		ナットスリーブ' 1610
	GKC 6072 9AAF	M16×1.5	10	7	26	19	64.5		ナットスリーブ' 1610
	GKC 6072 9	M18×1.5	12	7	22	19	61.5		ナットスリーブ' 1812
	GKC 6072 9AAE	M18×1.5	12	7	26	19	1195		ナットスリーブ' 1812
	GKC 6072 9AAC	M18×1.5	12	7	45	19	84.5		ナットスリーブ' 1812
	GKC 6072 9	M20×1.5	12	7	22	19	61.5		
	GKC 6072 9AAB	M22×1.5	15	12	38	22	79.5		ナットスリーブ' 2215
	GKC 6072 9AAD	M22×1.5	15	12	45	22	84.5		ナットスリーブ' 2215
12	KKC 6072 12AAA	M22×1.5	15	10	30	27	77.5		ナットスリーブ' 2215
	KKC 6072 12AAB	M22×1.5	15	11	20	φ22	62.5		ナットスリーブ' 2215
	KKC 6072 12	M24×1.5	16	11	24	22	68.5		ナットスリーブ' 2416
	KKC 6072 12AAC	M24×1.5	16	10	24	27	71.5		ナットスリーブ' 2416
	KKC 6072 12AAG	M24×1.5	16	11	30	22	74.5		ナットスリーブ' 2416
	KKC 6072 12AAD	M26×1.5	18	12	29	27	74.5		ナットスリーブ' 2618
	KKC 6072 12AAE	M28×1.5	20	13	25	27	74.5		ナットスリーブ' 2820
	KKC 6072 12AAH	M28×1.5	20	14	35	22	80.5		ナットスリーブ' 2820
	KKC 6072 12AAF	M30×1.5	22	14.5	32	27	77.5		ナットスリーブ' 3022
15	GKC 6072 15AAA	M26×1.5	18	14.5	32	32	90.5		ナットスリーブ' 2618
	GKC 6072 15	M28×1.5	20	14	25	30	83.5		ナットスリーブ' 2820
	GKC 6072 15AAF	M28×1.5	20	14	35	30	93.5		ナットスリーブ' 2820
	GKC 6072 15AAB	M30×1.5	22	14.5	32	32	90.5		ナットスリーブ' 3022
	GKC 6072 15AAC	M34×1.5	25	17	28	36	86.5		ナットスリーブ' 3425
	GKC 6072 15AAG	M34×1.5	25	16	39	30	97.5		
	GKC 6072 15AAE	M36×1.5	28	18	28	30	86.5		ナットスリーブ' 3628
	GKC 6072 15AAE	M38×1.5	28	18	28	30	86.5		ナットスリーブ' 3828
19	GKC 6072 1012	M28×1.5	20	14	25	30	90		ナットスリーブ' 2820
	GKC 6072 19AAE	M28×1.5	20	14	35	30	100		ナットスリーブ' 2820
	GKC 6072 19AAA	M30×1.5	22	14.5	32	30	97		ナットスリーブ' 3022
	GKC 6072 19	M34×1.5	25	16	28	30	93		ナットスリーブ' 3425
	GKC 6072 19AAD	M34×1.5	25	16	39	30	104		
	GKC 6072 19AAC	M36×1.5	28	19.4	28	30	93		ナットスリーブ' 3628
	GKC 6072 19AAC	M38×1.5	28	19.4	28	30	93		ナットスリーブ' 3828
	GKC 6072 19AAB		28.2	19.4	28	30	93		
25	GKC 6072 25AAA	M34×1.5	25	17	28	50			ナットスリーブ' 3425
	GKC 6072 25AAD	M34×1.5	25	16	39	36	111		
	GKC 6072 25AAC	M36×1.5	28	18	31	36	103		ナットスリーブ' 3628
	GKC 6072 25AAC	M38×1.5	28	18	31	36	103		ナットスリーブ' 3828
	GKC 6072 25	M40×1.5	30	20	29	36	101		ナットスリーブ' 4030
	GKC 6072 25AAB	M45×1.5	35	25	33	50	105		ナットスリーブ' 4535
32	GKC 6072 32	M48×1.5	38	26	36	46	126		ナットスリーブ' 4838
	KKC 6072 32	M48×1.5	38	26	36	46	126		ナットスリーブ' 4838
38	GKC 6072 38	M52×2.0	42	28	48	50	158		ナットスリーブ' 5242

喰込み金具 ミリパイプ45° エルボ

6472




※ナット・スリーブ別

内径	商品名	ネジ	A	B	L	H			備考
6	GKC 6472 6AAA	M14×1.5	6						
12	KKC 6472 12AAA	M22×1.5	15	10	112	30			ナットスリーブ' 2215
15	GKC 6472 15AAA	M30×1.5	22	15	200.5	94			ナットスリーブ' 3022
19	GKC 6472 19AAA	M30×1.5	22	15	207	94			ナットスリーブ' 3022

喰込み金具 ミリパイプ90° エルボ

6972




※ナット・スリーブ別

内径	商品名	ネジ	A	B	L	H			備考
6	GKC 6972 6AAD	M12×1.5	6	4	77.5	70			ナットスリーブ' 126
	GKC 6972 6AAD M14	M14×1.5	6						
	GKC 6972 6AAE	M14×1.5	8	5	62.5	30			ナットスリーブ' 148
	GKC 6972 6AAA	M14×1.5	8	6	77.5	45			ナットスリーブ' 148
	GKC 6972 6AAB	M16×1.5	10	6	72.5	35			ナットスリーブ' 1610
	GKC 6972 6	M16×1.5	10	6	82.5	50			ナットスリーブ' 1610
9	GKC 6972 9AAA	M14×1.5	8	6	79.5	70			ナットスリーブ' 148
	GKC 6972 0406	M16×1.5	10	6	84.5	50			ナットスリーブ' 1610
	GKC 6972 9AAB	M16×1.5	10	6	84.5	70			ナットスリーブ' 1610
	GKC 6972 9AAC	M18×1.5	12	8	74.5	40			ナットスリーブ' 1812
	GKC 6972 9	M18×1.5	12	8	84.5	50			ナットスリーブ' 1812
	GKC 6972 9AAD	M22×1.5	15	10	80.5	70			ナットスリーブ' 2215
12	KKC 6972 12AAA	M22×1.5	15	10	99.5	60			ナットスリーブ' 2215
	KKC 6972 12AAB	M24×1.5	16	11	99.5	60			ナットスリーブ' 2416
	KKC 6972 12AAC	M26×1.5	18	14	100.5	100			ナットスリーブ' 2618
	KKC 6972 12AAD	M26×1.5	18	12	100.5	100			ナットスリーブ' 2618
	KKC 6972 12AAC H60	M26×1.5	18	12.5		60			ナットスリーブ' 2618
15	GKC 6972 15	M28×1.5	20	15	121.5	70			ナットスリーブ' 2820
	GKC 6972 15AAA	M30×1.5	22	17	145.5	94			ナットスリーブ' 3022
	GKC 6972 15AAB	M30×1.5	22	15	145.5	94			ナットスリーブ' 3022
	GKC 6972 15AAC	M30×1.5	22	15	110.5	72			ナットスリーブ' 3022
19	GKC 6972 19AAC	M30×1.5	22	15	152	94			ナットスリーブ' 3022
	GKC 6972 19AAE	M36×1.5	28	20	149	90			ナットスリーブ' 3628
	GKC 6972 19AAF	M36×1.5	28	20	149	126			
	GKC 6972 19AAA	M36×1.5	28	24	185	126			なくなり次第終了
	GKC 6972 19AAA	M38×1.5	28	24	185	126			ナットスリーブ' 3828

喰込み金具 インチパイプ用

6073




※ナット・スリーブ別

内径	商品名	ネジ	A	B	C	HEX D	L		基本売価	備考
6	GKC 6073 6	M16×1.5	10.5	6	21	17	58.5			
9	GKC 6073 9	M20×1.5	13.8	9	22	19	61.5			UT2214-9
12	KKC 6073 12	M26×1.5	17.3	11	24	22	68.5			
15	GKC 6073 15	M30×1.5	21.7	14	26	30	84.5			
	GKC 6073 15AAA	M30×1.5	21.7	14	60	30	118.5			
19	GKC 6073 1012	M30×1.5	21.7	14	26	30	91			
	GKC 6073 19	M36×1.5	27.2	18	28	30	93			UT3627-19
	GKC 6073 19	M38×1.5	27.2	18	28	30	93			
25	GKC 6073 1216	M36×1.5	27.2	18	28	36	100			
	GKC 6073 1216	M38×1.5	27.2	18	28	36	100			
	GKC 6073 25	M45×1.5	34	23	33	36	105			4534
32	GKC 6073 32	M56×2.0	42.7	29	36	46	126			
38	GKC 6073 2024		42.7	29	36	50	146			

## フィールドクリンプ用ホース金具

喰込み金具 インチパイプ90° エルボ

6973




※ナット・スリーブ別

内径	商品名	ネジ	A	B	L	H				備考
19	GKC 6973 1012	M30×1.5	21.7	15.3	102.5	80				
	GKC 6973 19	M38×1.5	27.2	20.4	112	93				
	GKC 6973 19	M36×1.5	27.2	20.4	112	93				



メートルめねじ 球面シート

6006




内径	商品名	ネジ	A	φB	HEX X	HEX Y	L			備考
6	GKC 6006 6AAA	M14×1.5	4	5	19	17	57			
	GKC 6006 6	M16×1.5	6.5	4	22	17	648			
	GKC 6006 6AAB	M16×1.5	2.5	8.6	22	17	59			
9	GKC 6006 9AAC	M16×1.5	3		22	19	61			6074-0406と結合可
	GKC 6006 0406	M16×1.5	4	6.5	22	19	61			
	GKC 6006 9AAA	M18×1.5	4	8.6	24	19	62			
	GKC 6006 9AAB	M18×1.5	3	10.6	24	19	62			
	GKC 6006 9	M20×1.5	4	10.6	27	19	65			
	KKC 6006 9AAD	M22×1.5	3		27	22	63.5			6074AAAと結合可
12	KKC 6006 12AAA	M22×1.5	4.5	14.6	27	22	69			
	KKC 6006 12AAB	M22×1.5	5	14.2	27	φ22	62			12AAAの強化タイプ
	KKC 6006 12AAC	PF1/2	8	13.5	27	22	67			
	KKC 6006 12AAD	M22×1.5	6	13.8	27	22	2845			
	KKC 6006 12	M24×1.5	6	15.8	30	22	68			
	KKC 6006 12AAE	M26×1.5	4		32	27	71			6074AABと結合可
15	GKC 6006 0810	M24×1.5	6	15.8	30	30	82			
19	GKC 6006 19AAJ	M28×1.5	4		36	30	89.5			6074-1012と結合可
	GKC 6006 19AAA	M30×1.5	3	20.3	36	36	89			6074AAA.AABと結合可
	GKC 6006 19AAK	M30×1.5	5		36	41	89.5			6074AAAと結合可
	GKC 6006 19AAH	M36×1.5	2.5		41	36	97			6075-19と結合可
	GKC 6006 19AAB	M36×1.5	4.5	25.8	46	27	94			6074AADと結合可
	GKC 6006 19AAF	M36×1.5	4.5	27.3	41	27	94			
	GKC 6006 19AAE	M36×1.5	4.5	27.3	46	27	94			6074AAEと結合可
	GKC 6006 19AAC	PF3/4	10	21.5	36	30	90			
	GKC 6006 19	M30×2.0	6	18.3	36	30	90			
GKC 6006 19AAD	M30×2.0	5	23.4	36	30	90				
25	GKC 6006 25AAA	M36×1.5	4.5	25.8	46	41	98			
	GKC 6006 25AAD	M36×1.5	6		41	36	102			6074AAFと結合可
	GKC 6006 25AAB	M45×1.5	4.5	33.3	55	32	97			6074AACと結合可
	GKC 6006 25AAC	M45×1.5	5.5	35.5	55	32	97			6074AAEと結合可
	GKC 6006 25	M42×2.0	8.5	26.6	50	41	102			
32	GKC 6006 32	M52×2.0	10	36	60	50	125			
	GKC 6006 32AAA	M52×2.0	3	36	60	50	125			
	KKC 6006 32AAA	M52×2.0	3	36	60	50	125			
38	GKC 6006 38	M56×2.0			70	60	148			

フィールドクリップ用ホース金具

DIN規格 標準圧力メートルめねじ球面シート

DKLSH




内径	商品名	ネジ	A	φB	HEX X	HEX Y	L			備考
25	GKC DKLSH 25	M36×2.0			41	φ24.7	98.5			
	GKC DKLSH 25AAA	M36×2.0			41	36	98.5			
32	GKC DKLSH 32	M42×2.0			50	φ29.7	122			
	GKC DKLSH 32AAA	M42×2.0			50	46	122			
	KKC DKLSH 32AAA	M42×2.0			50	46	122			
38	GKC DKLSH 38	M52×2.0			60	φ37.7	144			
	GKC DKLSH 38AAA	M52×2.0			60	50	144			

フィールドクリップ用ホース金具

メートルめねじ球面シート90° エルボ



0690



内径	商品名	ネジ	A	φB	HEX X	L	H	原価	基本売価	備考
12	KKC 0690 12	M24×1.5			30	76.5	54			

DIN規格 標準圧力オリングシール金具

# DKOSL DKOSH




DIN規格 高圧力オリングシール金具

内径	商品名	ネジ	φD	HEX X	HEX Y	L			備考
6	GKC DKOSL 6AAE	M12×1.5	6.5	19	17	57			
	GKC DKOSL 6AAA	M14×1.5	7.7	19		55.5			なくなり次第終了
	GKC DKOSL 6AAB	M14×1.5	7.7	19	17	55.5			
	GKC DKOSL 6	M16×1.5	9.9	22		59			
	GKC DKOSL 6AAD	M16×1.5	9.9	22	17	59			
	GKC DKOSL 6AAC	M18×1.5	11.7	22	17	57.5			
	GKC DKOSH 6AAF	M14×1.5	6.5	19	17	57			
	GKC DKOSH 6AAA	M16×1.5	7.7	22		53			
	GKC DKOSH 6AAD	M16×1.5	7.7	22	17	59			
	GKC DKOSH 6	M18×1.5	9.7	22		57.5			
	GKC DKOSH 6AAB	M18×1.5	9.7	22	17	57.5			
	GKC DKOSH 0604	M20×1.5	11.7	27		60			
GKC DKOSH 6AAC	M20×1.5	11.7	27	22	60				
9	GKC DKOSL 0406	M16×1.5	9.9	22		61			
	GKC DKOSL 9AAC	M16×1.5	9.9	22	19	61			
	GKC DKOSL 9	M18×1.5	11.7	22		59.5			
	GKC DKOSL 9AAB	M18×1.5	11.7	22	19	59.5			
	GKC DKOSL 9AAA	M22×1.5	14.7	27	22	62			
	GKC DKOSH 0406	M18×1.5	9.7	22		59.5			
	GKC DKOSH 9AAC	M18×1.5	9.7	22	19	59.5			
	GKC DKOSH 9	M20×1.5	11.7	27		62			
	GKC DKOSH 9AAB	M20×1.5	11.7	27	22	62			
	GKC DKOSH 9AAA	M20×1.5	11.7	24	19	62.5			
12	KKC DKOSL 12	M22×1.5	14.7	27		67			
	KKC DKOSL 12AAA	M22×1.5	14.7	27	22	68			
	KKC DKOSH 12	M22×1.5	13.7	27		67			
	KKC DKOSH 12AAA	M22×1.5	13.7	27	22	68			
	KKC DKOSH 1008	M24×1.5	15.7	30		71			
	KKC DKOSH 12AAB	M24×1.5	15.7	30	27	69			
15	GKC DKOSL 0810	M22×1.5	14.7	27	27	81			
	GKC DKOSL 15	M26×1.5	18	32		84			
	GKC DKOSL 15AAA	M26×1.5	18	32	27	84			
	GKC DKOSL 1210	M30×2.0	21.7	36		83			
	GKC DKOSL 15AAB	M30×2.0	21.7	36	30	83			
	GKC DKOSH 15	M24×1.5	15.7	30		82			
	GKC DKOSH 15AAA	M24×1.5	15.7	30	27	82			
	GKC DKOSH 1210	M30×2.0	19.7	36		83			
19	GKC DKOSH 15AAB	M30×2.0	19.7	36	30	83			
	GKC DKOSL 19	M30×2.0	21.7	36		89.5			
	GKC DKOSL 19AAA	M30×2.0	21.7	36	30	89.5			
	GKC DKOSH 19	M30×2.0	19.7	36		89.5			
	GKC DKOSH 19AAA	M30×2.0	19.7	36	30	89.5			
25	GKC DKOSH 1612	M36×2.0	24.7	46	30	97			
	GKC DKOSL 25	M36×2.0	27.7	41		98.5			
	GKC DKOSL 25AAA	M36×2.0	27.7	41	36	98.5			
	GKC DKOSH 25	M36×2.0	24.7	46	36	103			
32	GKC DKOSH 2016	M42×2.0	29.7	50	36	104			
	GKC DKOSL 32AAA	M45×2.0	34.7	50	46	124			なくなり次第終了
	GKC DKOSL 32	M45×2.0	34.7	60		124			
	GNC DKOSL 32	M45×2.0	34.7	50	46	112.5			
	GKC DKOSH 32	M42×2.0	29.7	50	46	122			
	KKC DKOSH 32	M42×2.0	29.7	50	46	122			
	GKC DKOSH 2420	M52×2.0	37.7	60	46	123			
38	KKC DKOSH 2420	M52×2.0	37.7	60	46	123			
	GKC DKOSL 38	M52×2.0	41.7	60		144			
	GNC DKOSL 38	M52×2.0	41.7	60	50	120.5			
	GKC DKOSH 38	M52×2.0	37.7	60	50	143			
AKC DKOSH 38	M52×2.0	37.7	60	50	143				

DIN規格 標準圧力Oリングシール45° ベンド金具

# DKO4L DKO4H




DIN規格 高圧力Oリングシール45° ベンド金具

内径	商品名	ネジ	φD	HEX X	L	H			備考
6	GKC DKO4L 6AAA	M12×1.5	6.5	17	70.5	19			
	GKC DKO4L 6	M16×1.5	9.9	22	75.5	24			
	GKC DKO4H 6AAA	M16×1.5	7.7	22	75.5	24			
	GKC DKO4H 6	M18×1.5	9.7	22	74.5	23			
9	GKC DKO4L 0406	M16×1.5	9.9	22	77.5	24			
	GKC DKO4L 9	M18×1.5	11.7	22	83.5	26			
	GKC DKO4L 0806	M22×1.5	14.7	27	90	29.5			
	GKC DKO4H 0406	M18×1.5	9.7	22	76.5	23			
	GKC DKO4H 9	M20×1.5	11.7	27	85	27.5			
	GKC DKO4H 0806	M22×1.5	13.7	27	90	29.5			
12	KKC DKO4L 12	M22×1.5	14.7	27	95.2	29.5			
	KKC DKO4H 12	M22×1.5	13.7	27	95	29.5			
	KKC DKO4H 1008	M24×1.5	15.7	30	96	30.5			
15	GKC DKO4L 15	M26×1.5	18	32	111.5	32			
	GKC DKO4L 1210	M30×2.0	21.7	36	120	35.7			
	GKC DKO4H 15	M24×1.5	15.7	30	110	30.5			
19	GKC DKO4L 19AAA	M22×1.5	14.7	27	112	26			
	GKC DKO4L 19	M30×2.0	21.7	36	126.5	35.5			
	GKC DKO4H 19	M30×2.0	19.7	36	126.5	35.5			
	GKC DKO4H 1612	M36×2.0	24.7	46	133.5	40.5			
25	GKC DKO4L 25	M36×2.0	27.7	36	140	39.5			
	GKC DKO4H 25	M36×2.0	24.7	46	140.5	40.5			
	GKC DKO4H 2016	M42×2.0	29.7	50	155.5	47.5			
32	GKC DKO4L 32AAA	M45×2.0	34.7	50	161	37			
	GNC DKO4L 32	M45×2.0	34.7	50	179.5	58			
	GKC DKO4H 32	M42×2.0	29.7	50	173.5	47.5			
	GKC DKO4H 2420	M52×2.0	37.7	60	190	55			
	KKC DKO4H 32	M42×2.0	29.7	50	173.5	47.5			
	KKC DKO4H 2420	M52×2.0	37.7	60	190	55			
38	GKC DKO4L 38	M52×2.0	41.7	60	213	58			
	GKC DKO4H 38	M52×2.0	37.7	60	210	55			
	AKC DKO4H 38	M52×2.0	37.7	60	210	55			



DIN規格 高圧力Oリングシール60° ベンド金具

# DKO6H



内径	商品名	ネジ	パイD	HEX X	L	H	基本売価	備考
19	GKC DKO6H 19AAA	M36×2.0	24.7	46	129	53.5		

DIN規格 標準圧力Oリングシール90° ベンド金具


DKO9L  
DKO9H

DIN規格 高圧力Oリングシール90° ベンド金具

内径	商品名	ネジ	φD	HEX X	L	H			備考
6	GKC DKO9L 6AAC	M12×1.5	6.5	19	56	36.5			
	GKC DKO9L 6AAA	M14×1.5	7.7	19	56	35			
	GKC DKO9L 6	M16×1.5	9.9	22	56	38.5			
	GKC DKO9H 6AAB	M14×1.5	6.5	19	56	36.5			
	GKC DKO9H 6AAA	M16×1.5	7.7	22	56	38.5			
	GKC DKO9H 6	M18×1.5	9.7	22	56	37			
9	GKC DKO9L 0406	M16×1.5	9.9	22	58	38.5			
	GKC DKO9L 9	M18×1.5	11.7	22	65	44			
	GKC DKO9L 0806	M22×1.5	14.7	27	71.5	53			
	GKC DKO9H 9AAA	M16×1.5	7.7	22	58	38.5			
	GKC DKO9H 0406	M18×1.5	9.7	22	58	37			
	GKC DKO9H 9	M20×1.5	11.7	27	65	46.5			
	GKC DKO9H 9AAB	M20×1.5	11.7	24	65	46.5			
	GKC DKO9H 0806	M22×1.5	13.7	27	71.5	53			
12	KKC DKO9L 12	M22×1.5	14.7	27	76.5	53			
	KKC DKO9L 1008	M26×1.5	18	32	76.5	56			
	KKC DKO9H 12	M22×1.5	13.7	27	76.5	53			
	KKC DKO9H 1008	M24×1.5	15.7	30	76.5	54			
15	GKC DKO9L 15	M26×1.5	18	27	90.5	56			
	GKC DKO9L 1210	M30×2.0	21.7	36	102	67.5			
	GKC DKO9H 15	M24×1.5	15.7	30	90.5	54			
	GKC DKO9H 1210	M30×2.0	19.7	36	101.5	67.5			
19	GKC DKO9L 19	M30×2.0	21.7	36	108	67.5			
	GKC DKO9H 19	M30×2.0	19.7	36	108	67.5			
	GKC DKO9H 1612	M36×2.0	24.7	46	111	75			
25	GKC DKO9L 25	M36×2.0	27.7	41	121	76.5			
	GKC DKO9H 25	M36×2.0	24.7	46	118	75			
	GKC DKO9H 2016	M42×2.0	29.7	50	131	90			
32	GKC DKO9L 32AAA	M45×2.0	34.7	50	143	75			
	GNC DKO9L 32	M45×2.0	34.7	50	143	85			
	GKC DKO9H 32	M42×2.0	29.7	50	149	90			
	KKC DKO9H 32	M42×2.0	29.7	50	149	90			
	KKC DKO9H 2420	M52×2.0	37.7	60	164	107			
38	GNC DKO9L 38	M52×2.0	41.7	60	156.5	111			
	GKC DKO9H 38	M52×2.0	37.7	60	184	107			
	AKC DKO9H 38	M52×2.0	37.7	60	184	107			

OR ストレートユニファイめねじ


6028



内径	商品名	ネジ	HEX X	HEX Y	L		備考
6	GKC 6028 6	9/16-18UNF	19	φ14	63		
	GKC 6028 6AAA	9/16-18UNF	19	17	63		
	GKC 6028 6AAC	9/16-18UNF	19	17	66		
	GLC 6028 6AAG	9/16-18UNF	19	19	92.5		GLC金具
	GKC 6028 0604	11/16-16UN	22	φ14	66		
9	GKC 6028 0406	9/16-18UNF	19	φ18	65		
	GKC 6028 9	11/16-16UN	22	φ18	68		
	GKC 6028 9AAA	11/16-16UN	22	19	68		
	GKC 6028 9AAC	11/16-16UN	22	19	69		
	GLC 6028 9AAF	11/16-16UN	22	22	106.5		GLC金具
	GLC 6028 9AAG	11/16-16UN	22	22	148		GLC金具
	GKC 6028 0806	13/16-16UN	27	φ18	73.5		
GKC 6028 9AAB	13/16-16UN	27	22	74.5			
12	KKC 6028 12AAG	11/16-16UN	22	22	74		
	KKC 6028 12AAD	13/16-16UN	23.8	φ22	78.5		新キャタピラー三菱
	KKC 6028 12	13/16-16UN	27	φ22	78.5		
	KKC 6028 12AAA	13/16-16UN	27	22	78.5		
	KKC 6028 12AAB	13/16-16UN	27	22	76		
	KKC 6028 12AAC	13/16-16UN	27	22	78		
	KKC 6028 12AAH	13/16-16UN	27		133.5		パイプ径φ13.8
	KLC 6028 12AAF	13/16-16UN	27	27	155.5		KLC金具 パイプ径φ15
KKC 6028 1008	1-14UNS	30	φ22	86.5			
15	GKC 6028 0810	13/16-16UN	27	φ30	92.5		
	GKC 6028 15	1-14UNS	30	φ30	96.5		
	GKC 6028 15AAA	1-14UNS	30	30	96.5		
	GKC 6028 15AAC	1-14UNS	30	30	97.5		
	GKC 6028 15AAD	1-14UNS	30	30	94		新キャタピラー三菱
	GKC 6028 15AAF	1-14UNS	30	27	179.5		
	GKC 6028 15AAH	1-14UNS	30		151		
	GKC 6028 1210	1 3/16-12UN	36	φ30	101		
	GKC 6028 15AAE	1 3/16-12UN	36	30	98.5		新キャタピラー三菱
GKC 6028 15AAB	1 3/16-12UN	36	30	101			
19	GKC 6028 0812	13/16-16UN	27				
	GKC 6028 1012	1-14UNS	30	φ30	105		
	GKC 6028 19AAB	1-14UNS	30	30	105		
	GKC 6028 19	1 3/16-12UN	36	φ30	107.5		
	GKC 6028 19AAA	1 3/16-12UN	36	30	107.5		
	GKC 6028 19AAC	1 3/16-12UN	36	30	106.5		
	GKC 6028 19 L180	1 3/16-12UN	36	32	180		
	GKC 6028 19AAD	1 3/16-12UN	36	30	105		
GKC 6028 1612	1 7/16-12UN	41	φ36	112			
GKC 6028 19AAE	1 7/16-12UN	41	36	109.5			
25	GKC 6028 1216	1 3/16-12UN	36	φ36	114.5		
	GKC 6028 25AAE	1 3/16-12UN	36	36	112		
	GKC 6028 25	1 7/16-12UN	41	φ36	117		
	GKC 6028 25AAA	1 7/16-12UN	41	36	117		
	GKC 6028 25AAB	1 7/16-12UN	41	36	114.5		
	GKC 6028 25AAC	1 7/16-12UN	41	36	116.5		
	GKC 6028 2016	1 11/16-12UN	50	φ43	120		
	GKC 6028 25AAD	1 11/16-12UN	50	41	120		
32	GKC 6028 32	1 11/16-12UN	50	φ46	135		
	GKC 6028 32AAA	1 11/16-12UN	50	46	135		
	KKC 6028 32AAD	1 7/16-12UN	41	36	130		
	KKC 6028 32	1 11/16-12UN	50	φ46	135		
	KKC 6028 32AAA	1 11/16-12UN	50	46	135		
	GNC 6028 1620	1 7/16-12UN					
	GNC 6028 32AAA	1 11/16-12UN	50	46	128.5		
38	GKC 6028 38	2-12UN	60	φ53	155		
	GKC 6028 38AAA	2-12UN	60	50	155		
	AKC 6028 38	2-12UN	60	53	155		
	GNC 6028 38	2-12UN	60	φ52	127.5		

OR45° エルボユニファイめねじ

6128



内径	商品名	サイズ	HEX	HEX Y	L	H		備考
6	GKC 6128 6	9/16-18UNF	19		80	23.5		
	GKC 6128 0604	11/16-16UN	22		88.5	27.5		
9	GKC 6128 9AAA	11/16-16UN	22		74	17.5		
	GKC 6128 9	11/16-16UN	22		90.5	27.5		
	GKC 6128 0806	13/16-16UN	27		98.5	31.5		
12	KKC 6128 12	13/16-16UN	27		103.5	31.5		
	KKC 6128 1008	1-14UNS	30		113	36.5		
15	GKC 6128 0810	13/16-16UN	27		117.5	31.5		
	GKC 6128 15	1-14UNS	30		123	36.5		
	GKC 6128 15AAA	1-14UNS	30		121	34.5		新キャタピラー三菱
	ORS45 15(060)	1-14UNS	30		160	60		
	GKC 6128 15AAB	1 3/16-12UN	36		129	39		新キャタピラー三菱
	GKC 6128 1210	1 3/16-12UN	36		130.5	40.5		
	GKC 6128 1210ロング	1 3/16-12UN	36		160	60		
19	GKC 6128 1012	1-14UNS	30		131.5	36.5		
	GKC 6128 19AAB	1 3/16-12UN	36		135.5	39		
	GKC 6128 19	1 3/16-12UN	36		137	40.5		
	GKC 6128 19AAA	1 3/16-12UN	36		196.5	100		
	GKC 6128 1612	1 7/16-12UN	41		145	43		
25	GKC 6128 25AAA	1 7/16-12UN	41		150	41.5		
	GKC 6128 25	1 7/16-12UN	41		151.5	43		
	GKC 6128 25AAB	1 7/16-12UN	41		201	92.5		日立建機
	GKC 6128 25AAD	1 3/16-12UN	36		139.8	36.3		ZA350-3スイベルコンバル配管スイベル側
32	GNC 6128 32	1 11/16-12UN	50					
	GKC 6128 32	1 11/16-12UN	50		181	45		
	KKC 6128 32	1 11/16-12UN	50		181	45		
	KKC 6128 32AAA	1 11/16-12UN	50	46	181	45		日立建機
38	GKC 6128 38	2-12UN	60		211	47		
	AKC 6128 38	2-12UN	60		211	47		
	GNC 6128 38	2-12UN	60		127	47		


## フィールドクrimp用ホース金具

ORストレートユニファイオネジ

M6028

M6228


OR90° エルボユニファイオネジ



内径	商品名	サイズ	A	B	HEX	L		備考
6	GKC M6028 6	9/16-18UNF	11.1	10.0	17	47.5		
9	GKC M6028 9	11/16-16UN	12.7	11.5	22	51		
	GKC M6028 9AAA	11/16-16UN	12.7	47	22			ロング
	GKC M6228 9	11/16-16UN	12.7		22	105		H寸100
12	KKC M6028 12	13/16-16UN	15.8	13.0	22	57.5		
15	GKC M6028 15	1-14UNS	19.0	15.5	30	74		
19	GKC M6028 19	13/16-12UN	22.1	17.0	36	82		
25	GKC M6028 25	1 7/16-12UN	26.9	17.5	41	89.5		

OR90° エルボユニファイめねじ

6228




内径	商品名	ネジ	HEX X	HEX Y	L	H		備考
6	GKC 6228 6	9/16-18UNF	19		56	37.5		
	GKC 6228 6AAB	9/16-18UNF	19		56	54.2		
	GKC 6228 6AAE	11/16-16UN	22		63	33.5		
	GKC 6228 0604	11/16-16UN	22		63	46		
	GKC 6228 6AAF	11/16-16UN	22		63	63.5		
9	GKC 6228 0406	9/16-18UNF	19		58	37.5		
	GKC 6228 9AAA	11/16-16UN	22		65	33		加締めタイプ
	GKC 6228 9	11/16-16UN	22		65	46		
	GKC 6228 9AAC	11/16-16UN	22		68.5	46		パイプ一体ニップル
	GKC 6228 9AAB	11/16-16UN	22		65	63.5		
	GKC 6228 9AAD	11/16-16UN	22		65	68.5		
	GKC 6228 9AAE	11/16-16UN	22		65	73.5		
	GKC 6228 0806	13/16-16UN	27		71	54.5		
	GKC 6228 9ロング	11/16-16UN	22		68	150		
	GKC OR90 9	11/16-16UN	22		49	22.7		角エルボ
12	KKC 6228 12AAC	13/16-16UN	27		76	52		
	KKC 6228 12	13/16-16UN	27		76	54.5		
	KKC 6228 12AAA	13/16-16UN	27		76	82		
	KKC 6228 12AAB	13/16-16UN	27		76	150		新キャタピラー三菱
	KKC 6228 1008	1-14UNS	30		80	65		
	KKC 6228 1208	1 3/16-12UN	36		83.5	73		
15	GKC 6228 0810	13/16-16UN	27		90	54.5		
	GKC 6228 15AAA	1-14UNS	30		90	62.5		新キャタピラー三菱
	GKC 6228 15	1-14UNS	30		90	65		
	GKC 6228 15AAC	1-14UNS	30		90	85		
	GKC 6228 15AAB	1 3/16-12UN	36		94.5	70.5		新キャタピラー三菱
	GKC 6228 1210	1 3/16-12UN	36		94.5	73		
19	GKC 6228 19AAE	13/16-16UN	27		96.5	52		
	GKC 6228 0812	13/16-16UN	27		96.5	54.5		
	GKC 6228 1012	1-14UNS	30		98.5	65		
	GKC 6228 19AAD	1 3/16-12UN	36		101	62.5		
	GKC 6228 19AAC	1 3/16-12UN	36		101	70.5		
	GKC 6228 19	1 3/16-12UN	36		114	73		
	GKC 6228 19AAA	1 3/16-12UN	36		101	115		
	GKC 6228 19AAB	1 3/16-12UN	36		108	150		
	GKC 6228 1612	1 7/16-12UN	41		115	81		ZX470
25	GKC 6228 1216	1 3/16-12UN	36			52		
	GKC 6228 25AAB	1 7/16-12UN	41		120	78.5		
	GKC 6228 25	1 7/16-12UN	41		120	81		
	GKC 6228 25AAA	1 7/16-12UN	41		120	125		
32	GKC 6228 32	1 11/16-12UN	50		168	82		
	KKC 6228 32	1 11/16-12UN	50		168	82		
	KKC 6228 32AAA	1 11/16-12UN	50	46	168	82		日立建機
	GNC 6228 32	1 11/16-12UN	50		154.5	80		
	GNC 6228 32 H150	1 11/16-12UN	50		154.5	150		
38	GKC 6228 38	2-12UN	60		198	94		
	AKC 6228 38	2-12UN	60		198	94		
	GNC 6228 38	2-12UN	60		170.5	94		

CODE62 高圧カストレート

# HSFST

# KHFST




KES規格 高圧カストレート

内径	商品名	サイズ	A	B	L		備考
9	GKC HSFST 0806	-08	31.8	25.5	65		
12	KKC HSFST 12	-08	31.8	25.5	75.5		ボルトM8×1.25×30L
	KKC HSFST 1208	-12	41.3	31.8	79.5		
15	GKC HSFST 0810	-08	31.8	25.5	89.5		
	GKC HSFST 1210	-12	41.3	31.8	95		
	GKC HSFST 15AAA	-12	41.3	31.8	99.5		
	GKC HSFST 15AAB	-16	47.6	39.7	102		
19	GKC HSFST 0812	-08	31.8	25.5	108		
	GKC HSFST 19	-12	41.3	31.8	100.5		ボルトM10×1.5×40L
	GKC HSFST 1612	-16	47.6	39.7	104.5		
	GKC HSFST 19AAA	-12	41.3	31.8	106		キャタピラー規格ヘッド
	GKC HSFST 19AAB	-12	41.3	31.8	140		キャタピラー規格ヘッド
	GKC HSFST 19AAC	-16	47.6	38.1	104.5		キャタピラー規格ヘッド
25	GKC HSFST 1216	-12	41.3	31.8	111.5		
	GKC HSFST 25	-16	47.6	39.7	110.5		ボルトM12×1.75×45L
	GKC HSFST 25ロング*	-20	54	44.5			
	GKC HSFST 2016	-20	54	44.5	117.5		
	GKC HSFST 2016ロング*	-20	54	44.5			
	GKC HSFST 25AAA	-16	47.6	38.1	113.5		キャタピラー規格ヘッド
	GKC HSFST 25AAB	-16	47.6	38.1	130		キャタピラー規格ヘッド
	GKC HSFST 25AAF	-16	47.5	38.1	134		キャタピラー規格ヘッド
	GKC HSFST 25AAC	-20	54	44.5	115.5		キャタピラー規格ヘッド
	GKC HSFST 25AAD	-20	54	44.5	145		キャタピラー規格ヘッド
GKC KHFST 2016	-20	54	44	133		KES規格リングコマツ	
32	GKC HSFST 1620	-16	47.6	39.7	130.5		
	GKC HSFST 32	-20	54	44.5	129		
	GKC HSFST 2420	-20	63.5	53.9	134		
	GKC HSFST 32AAA	-20	54	44.5	129		キャタピラー規格ヘッド
	GKC HSFST 32AAB	-24	63.5	50.8	134		キャタピラー規格ヘッド
	KKC HSFST 1620	-16	47.6	39.7	130.5		
	KKC HSFST 32	-20	54	44.5	129		ボルトM14×2.0×50L
	KKC HSFST 2420	-24	63.5	50.8	134		
	KKC HSFST 32AAA	-20	54	44.5	129		キャタピラー規格ヘッド
	KKC HSFST 32AAC	-20	54	44.5	160		キャタピラー規格ヘッド
	KKC HSFST 32AAB	-24	63.5	50.8	134		キャタピラー規格ヘッド
	KKC HSFST 32AAD	-24	63.5	50.8	170		キャタピラー規格ヘッド
GKC KHFST 32	-20	54	44	133		KES規格リングコマツ	
KKC KHFST 32	-20	54	44	148		KES規格リングコマツ	
38	GKC HSFST 38	-24	63.5	53.9	162		
	GKC HSFST 38AAA	-20	54	44.5	172		キャタピラー規格ヘッド
	AKC HSFST 38	-24	63.5	53.9	162		ボルトM16×2.0×55L
	AKC HSFST 38AAC	-20	54	44.5	172		キャタピラー規格ヘッド
	AKC HSFST 38AAA	-24	63.5	53.9	162		キャタピラー規格ヘッドリングはHSF
	AKC HSFST 38AAB	-24	63.5	50.8	162		キャタピラー規格ヘッド
	AKC HSFST 38AAD	-24	63.5	50.8	197		キャタピラー規格ヘッド
	AKC HSFST 3224	-32	79.4	63.4	162		
	GKC KHFST 38	-24	63.5	54	182		KES規格リングコマツ
AKC KHFST 38	-24	63.5	54	182		KES規格リングコマツ	
50	GKC HSFST 50	-32	79.4	63.4	190		
	KKC HSFST 50	-32	79.4	63.4	190		ボルトM20×2.5×70L
	GKC KHFST 50	-32	79.4	65	205		KES規格リングコマツ
	KKC KHFST 50	-32	79.4	65	205		KES規格リングコマツ



CODE62 高圧カエルボ

**HSF45**  
**KHF45**




KES規格 高圧カエルボ

内径	商品名	サイズ	A	B	L	H		備考
12	KKC HSF45 12	-08	31.8	25.5	85	22.5		
	KKC HSF45 12AAA	-08	31.8	25.5	92.5	25		
15	GKC HSF45 1210	-12	41.3	31.8	119	32.5		
	GKC HSF45 15AAA	-12	41.3	31.8	143.5	57		ZX120
19	GKC HSF45 19	-12	41.3	31.8	125.5	32.5		
	GKC HSF45 19AAA	-12	41.3	31.8	163	70		
	GKC HSF45 19AAB	-12	41.3	31.8	175	82		
	GKC HSF45 1612	-16	47.6	39.7	127.5	34.5		
	GKC HSF45 19AAC	-16	47.6	39.7	158	55		
	GKC SF45 12C	-12	41.3	31.8				キャタ規格ヘッドリングはHSF
	GKC SF45 1612C	-16	47.6	38.1				キャタピラー規格ヘッド
25	GKC HSF45 1216	-12	41.3	31.8	132.5	32.5		
	GKC HSF45 25	-16	47.6	39.7	148.5	40.5		
	GKC HSF4A 25	-16	47.6	39.7	142.6	40		圧接品
	GKC HSF45 25AAB	-16	47.6	39.7	148.5	40.5		オカダアイオン(ルーズフランジ)
	GKC HSF45 25AAD	-16	47.6	39.7	163	55		日立建機
	GKC HSF45 25AAF	-16	47.5	39.7	188	80		
	GKC HSF45 25AAE	-16	47.5	39.7	208	100		日立建機
	GKC HSF45 2016	-20	54	44.5	151	43		
	GKC HSF45 25AAA	-16	47.6	38.1	150.5	42.5		キャタピラー規格ヘッド
	GKC HSF45 25AAC	-20	54	44.5	149.5	41.5		キャタピラー規格ヘッド
32	GKC HSF45 1620	-16	47.6	39.7	166.5	40.5		
	GKC HSF45 32	-20	54	44.5	184.5	49.5		
	GKC HSF45 2420	-24	63.5	53.9	188	53		
	GKC HSF45 32AAA	-20	54	44.5	156.5	37		キャタピラー規格ヘッド
	KKC HSF45 1620	-16	47.6	39.7	166.5	40.5		
	KKC HSF45 32	-20	54	44.5	184.5	49.5		
	KKC HSF45 2420	-24	63.5	53.9	188	53		
	KKC HSF45 32AAA	-20	54	44.5	156.5	37		キャタピラー規格ヘッド
	KKC HSF45 32AAB	-24	63.5	50.8	188	53		キャタピラー規格ヘッド
38	GKC HSF45 38	-24	63.5	53.9	225	60		
	AKC HSF45 2024	-20	54	44.5	204.5	49.5		
	AKC HSF45 38AAC	-20	54	44.5	176.5	37		
	AKC HSF45 38	-24	63.5	53.9	225	60		
	AKC HSF45 38AAA	-24	63.5	53.9	187.5	41		キャタ規格ヘッドリングはHSF
	AKC HSF45 38AAB	-24	63.5	50.8	225	60		キャタピラー規格ヘッド
	AKC HSF45 3224	-32	79.4	63.4	227	62		
	GKC KHF45 38	-24	63.5	54	189	46		KES規格リングコマツ
	AKC KHF45 2024	-20	54	44	184	38		KES規格リングコマツ
AKC KHF45 38	-24	63.5	54	189	46		KES規格リングコマツ	
50	GKC HSF45 50	-32	79.4	63.4	283.5	80.5		
	KKC HSF45 50	-32	79.4	63.4	283.5	80.5		
	GKC KHF45 50	-32	79.4	65	237	65		KES規格リングコマツ
KKC KHF45 50	-32	79.4	65	237	65		KES規格リングコマツ	

CODE62 高圧力エルボ

# HSF90

# KHF90




KES規格 高圧力エルボ

内径	商品名	サイズ	A	B	L	H		備考
12	KKC HSF90 12	-08	31.8	25.5	73.5	43		
	KKC HSF90 1208	-12	41.3	31.8	73.5	37		
15	GKC HSF90 0810	-08	31.8	25.5	86.5	42		
	GKC HSF90 1210	-12	41.3	31.8	104.5	64		
	GKC HSF90 15AAC	-12	41.3	31.8	104.5	70		
	GKC HSF90 15AAE	-12	41.3	31.8	104.5	100		
	GKC HSF90 15AAA	-16	47.6	39.7	119.5	65		
	GKC HSF90 15AAB	-16	47.6	39.7	119.5	70		
19	GKC HSF90 19	-12	41.3	31.8	111	64		
	GKC HSF9A 19	-12	41.3	31.8	105	64		圧接品
	GKC HSF90 19AAB	-12	41.3	31.8	111	110		
	GKC HSF90 19AAF	-12	41.3	31.8	111	137		住友建機
	GKC HSF90 19AAH	-12	41.3	31.8	102.5	154		
	GKC HSF90 1612	-16	47.6	39.7	111	67		
	GKC HSF9A 1612	-16	47.6	39.7	105	67		圧接品
	GKC HSF90 19AAD	-16	47.6	39.7	111	80		川崎重工業
	GKC HSF90 19AAG	-16	47.6	39.7	111	88		
	GKC HSF90 19AAJ	-16	47.6	39.7	111	100		
	GKC HSF90 19AAA	-16	47.6	39.7	111	125		
	GKC HSF90 19AAE	-16	47.6	39.7	111	140		日立建機
	GKC HSF90 19AAC	-12	41.3	31.8	111	69.5		キャタピラー規格ヘッド
	GKC HSF90 19AAK	-12	41.3	31.8	111	120		キャタピラー規格ヘッド
	GKC HSF90 1612キャタ	-16	47.6	38.1		135		キャタピラー規格ヘッド
GKC SF90 1612C	-16	47.6	38.1		68			
25	GKC HSF90 1216	-12	41.3	31.8	118	64		
	GKC HSF90 25AAA	-16	47.6	39.7	131	60		日立建機
	GKC HSF90 25ABG	-16	47.6	39.7	131	71.5		
	GKC HSF90 25ABH	-16	47.6	39.7	126	75		圧接品
	GKC HSF90 25	-16	47.6	39.7	131	80		
	GKC HSF90 25AAD	-16	47.6	39.7	131	90		日立建機
	GKC HSF90 25AAH	-16	47.6	39.7	131	100		
	GKC HSF90 25AAB	-16	47.6	39.7	124.5	120.5		
	GKC HSF9A 25AAB	-16	47.6	39.7	126	120.5		圧接品
	GKC HSF90 25AAJ	-16	47.6	39.7	131	130		日立建機
	GKC HSF9A 25AAJ	-16	47.6	39.7	126	130		圧接品
	GKC HSF90 25ABB	-16	47.6	39.7	131	140		
	GKC HSF90 25ABE	-16	47.6	39.7	131	150		
	GKC HSF90 25 H170	-16	47.6	39.7	131	170		SK470ヘリフトバケット右
	GKC HSF90 25 H180	-16	47.6	39.7	131	180		
	GKC HSF90 25ABJ	-20	54	44.5	126	66.5		圧接品
	GKC HSF90 2016	-20	54	44.5	131	84		
	GKC HSF90 25ABF	-20	54	44.5	149	130		日立建機
	GKC HSF90 25ABD	-20	54	44.5	131	184		
	GKC HSF90 25ABA	-24	63.5	53.9	149	104		
	GKC HSF90 25AAE	-16	47.6	38.1	131	68		キャタピラー規格ヘッド
	GKC HSF90 25AAC	-16	47.6	38.1	131	83		キャタピラー規格ヘッド
GKC HSF90 25AAG	-16	47.6	38.1	124.5	123.5		キャタピラー規格ヘッド	
GKC HSF90 25AAK	-16	47.6	38.1	131	133		キャタピラー規格ヘッド	
GKC HSF90 25AAF	-20	54	44.5	131	73.5		キャタピラー規格ヘッド	

CODE62 高圧カエルボ

**HSF90**  
**KHF90**





KES規格 高圧カエルボ

内径	商品名	サイズ	A	B	L	H		備考
32	GKC HSF90 1620	-16	47.6	39.7	149	80		
	GKC HSF90 32	-20	54	44.5	164	99		
	GKC HSF90 32AAD	-20	54	44.5	170	150		
	GKC HSF90 2420	-24	63.5	53.9	164	104		
	GKC HSF90 32AAA	-20	54	44.5	171	104		キャタピラー規格ヘッド
	GKC HSF90 32AAB	-24	63.5	50.8	164	104		キャタピラー規格ヘッド
	KKC HSF90 1620	-16	47.6	39.7	149	80		
	KKC HSF90 1620 H90	-16	47.6	39.7		90		
	KKC HSF90 32AAJ	-16	47.6	39.7	142.5	120.5		住友建機
	KKC HSF90 1620 H190	-16	47.6	39.7		190		
	KKC HSF90 32AAK	-20	54	44.5	164	71		
	KKC HSF90 32ABJ	-20	54	44.5	171	85		
	KKC HSF90 32	-20	54	44.5	164	99		
	KKC HSF90 32AAC	-20	54	44.5	165	100		日立建機
	KKC HSF90 32AAH	-20	54	44.5	164	120		日立建機
	KKC HSF90 32AAD	-20	54	44.5	170	150		日立建機
	KKC HSF90 32AAE	-20	54	44.5	170	170		日立建機
	KKC HSF90 32AAG	-20	54	44.5	170	185		川崎重工業
	KKC HSF90 32AAF	-20	54	44.5	170	215		日立建機
	KKC HSF90 32ABC	-20	54	44.5	200	250		
	KKC HSF90 2420	-24	63.5	53.9	164	104		
	KKC HSF90 32ABB	-24	63.5	53.9	158	120		
	KKC HSF90 32キャタ	-20	54	44.5	171	75		キャタピラー規格ヘッド
	KKC HSF90 32AAA	-20	54	44.5	171	104		キャタピラー規格ヘッド
	KKC HSF90 32ABA	-20	54	44.5	170	148		キャタピラー規格ヘッド
	KKC HSF90 32ABG	-20	54	44.5	170	168		キャタピラー規格ヘッド
KKC HSF90 32AAB	-24	63.5	53.9	164	104		キャタピラー規格ヘッド	
GKC KHF90 32	-20	54	44	162	90		KES規格リングコマツ	
KKC KHF90 32	-20	54	44	162	90		KES規格リングコマツ	
38	GKC HSF90 38AAA	-20	54	44.5	184	97		
	GKC HSF90 38	-24	63.5	53.9	200	120		
	AKC HSF90 2024	-20	54	44.5	184	99		
	AKC HSF90 38AAG	-20	54	44.5	185	100		
	AKC HSF90 38AAA	-20	54	44.5	184	250		CAT
	AKC HSF90 38AAF	-20	54	44.5	220	250		CAT YTA2300 専用金具
	AKC HSF90 38ABA	-24	63.5	53.9	180	100		
	AKC HSF90 38	-24	63.5	53.9	200	120		
	AKC HSF90 38 ?	-24	63.5	53.9		208		日立建機ZX800
	AKC HSF90 38AAC	-20	54	44.5	184	97		キャタピラー規格ヘッド
	AKC HSF90 38AAK	-24	63.5	50.8	184	80		キャタピラー規格ヘッド
	AKC HSF90 38AAD	-24	63.5	53.9	200	86.5		キャタピラー規格ヘッド
	AKC HSF90 38AAB	-24	63.5	53.9	200	120		キャタピラー規格ヘッド
	GKC KHF90 38	-24	63.5	54	188	110		KES規格リングコマツ
AKC KHF90 38	-24	63.5	54	188	110		KES規格リングコマツ	
50	GKC HSF90 50	-32	79.4	63.4	249	160		
	KKC HSF90 50	-32	79.4	63.4	249	160		
	GKC KHF90 50	-32	79.4	65	225	140		KES規格リングコマツ
	KKC KHF90 50	-32	79.4	65	225	140		KES規格リングコマツ
	KKC HSF90 50AAA	-32	79.4	65	249	160		KES規格リングコマツ

CODE61 標準圧力エルボ

SSF KSF  
HSF KHF





CODE62 KES規格 高圧力エルボ

内径	商品名	サイズ	A	B	L	H		備考
12	KKC SSF60 12	-08	30.2	26	89.5	34		川崎重工業
	KKC KSF11 12AAA	-08	30.2	25	86	5		
	KKC KSF22 12	-08	30.2	25	83	10		
	KKC KSF30 12	-08	30.2	25	95.5	15		
15	GKC SSF22 1210	-12	38.1	31.8	96	10		
	GKC SSF60 1210	-12	38.1	31.8	98.5	37		川崎重工業
	GKC SSFZZ 15AAA	-12	38.1	31.8	108	11		SSF20° ベンド 川崎重工業
	GKC SSFZZ 15AAB	-16	44.5	39.7	108	11		SSF20° ベンド 川崎重工業
	GKC KSF22 15	-10	34.2	28	101	10.5		
19	GKC SSF11 19	-12	38.1	31.8	119	6.5		
	GKC SSF11 19AAA	-12	38.1	31.8	145	12		
	GKC SSF22 19	-12	38.1	31.8	102.5	10		
	GKC SSF22 1612	-16	44.5	39.7	102.5	10		
	GKC SSF22 19AAA	-16	44.5	39.7	213	10		
	GKC SSF30 19	-12	38.1	31.8	110.5	16		
	GKC SSF30 19AAA	-12	38.1	31.8	145.5	36		
	GKC SSF40 1612	-16	44.5	39.7		100		PC228US
	GKC SSF60 19	-12	38.1	31.8	105	37		川崎重工業
	GKC SSF67 19AAA	-16	44.5	39.7	118	33		新キャタピラー三菱
	GKC SSF70 19	-12	38.1	31.8	155	80		
	GKC SF115 19AAA	-12	38.1	31.8	142	95		新キャタピラー三菱
	GKC KSF15-1612ロング	-16	44.5	39.7	190	30		
	GKC KSF22 19	-12	38.1	31	118.5	13		
GKC KSF60 19	-12	38.1	31	111.5	35			
25	GKC SSF10 25AAA	-16	44.5	39.7	144	8.5		川崎重工業
	GKC SSF15 25AAA	-16	44.5	39.7	131.5	10		清水商会
	GKC SSF22 25	-16	44.5	39.7	118.5	12		川崎重工
	GKC SSF22 2016	-20	50.8	44.5	118.5	12		
	GKC SSF30 25	-16	44.5	39.7	117.5	16		川崎重工業
	GKC SSF60 1216	-12	38.1	31.8	112	37		川崎重工業
	GKC SSF60 25	-16	44.5	39.7	140.5	39		川崎重工業
	GKC SSF60 25AAA	-20	50.8	44.5	127	43		川崎重工業
	GKC SSF67 25	-16	44.5	39.7	124	44.5		
	GKC SSF67 2016	-20	50.8	44.5	124	44.5		
	GKC SF110 25AAA	-16	44.5	39.7	123	73		新キャタピラー三菱
	GKC SF115 25AAA	-16	44.5	39.7	158	110.5		新キャタピラー三菱
	GKC SF115 25AAB	-16	44.5	39.7	113	110.5		
	GKC SF135 25AAA	-16	44.5	39.7	131.5	107.5		新キャタピラー三菱
	GKC SSFZZ 25AAA	-16	44.5	39.7	84	135		90° ×2回ベント 川崎重工業
	GKC KSF15 25ロング	-16	44.5	38	270			
	GKC KSF22 25	-16	44.5	38	117.5	12		
	GKC KSF30 25	-16	44.5	38	117.5	16		
	GKC KSF30 25AAA	-16	44.5	38	188.5	50		
	GKC KSFZZ 25AAA	-16	44.5	38	252	96.5		40°
	GKC KSF60 25	-16	44.5	38	123	38		
	GKC KSF67 25	-16	44.5	38	138	54		
	GKC KSF75 25	-16	44.5	38	134	59		
	GKC KSF105 25	-16	44.5			60		ルーズフランジ PC128US
	GKC KS120 25AAB	-12	38.1	31	117.5	87		
	GKC KS120 25AAA	-16	44.5	38	117.5	87		
	GKC HSF11 25AAA	-16	47.6	39.7	150	9.5		
	GKC HSF38 25AAA	-16	47.6	39.7	165	44.3		オカダアイオンルーズフランジ
	GKC HSF60 25AAA	-16	47.6	39.7	180.5	100		日立建機
	GKC HSF60 25AAC	-16	47.6	39.7	192.5	120		日立建機
	GKC HSF60 25AAB	-16	47.6	38.1	135	50		キャタピラー規格ヘッド
	GKC HSF67 25	-16	47.6	39.7	146.5	63.5		小松製作所
GKC HSF75 25AAA	-16	47.6	39.7	136.5	50		日立建機	
GKC HSF75/HSF7A 25AAB	-16	47.6	39.7	129/142.4	60			

CODE61 標準圧力エルボ


SSF KSF  
HSF KHF



CODE62 KES規格 高圧力エルボ

内径	商品名	サイズ	A	B	L	H		備考
32	GKC SSF20 32AAA	-24	60.3	53.9	159.5	15.5		新キャタピラー三菱
	GKC SSF30 32AAA	-20	50.8	44.5	152.5	20.5		新キャタピラー三菱
	GKC SSF60 32	-20	50.8	44.5	146.5	42		川崎重工業
	GKC SSF60 32AAA	-20	50.8	44.5	149	42		川崎重工業
	GKC SSF67 32AAA	-20	50.8	44.5	164	60		新キャタピラー三菱
	GKC SSF75 32AAA	-20	50.8	44.5	179.5	120.5		
	GKC SSFZZ 32AAA	-24	60.3	53.9	165	65		70° ベント
	KKC SSF20 32AAA	-24	60.3	53.9	159.5	15.5		
	KKC SSF22 32AAA	-24	60.3	53.9	189.5	30		
	KKC SSF30 32AAA	-20	50.8	44.5	152.5	20.5		新キャタピラー三菱
	KKC SSF67 32AAA	-20	50.8	44.5	164	60		新キャタピラー三菱
	GNC SSF22 32	-20	50.8	44.5				
	GNC SSF30 32	-20	50.8	44.5	133			
	GNC SSF60 32	-20	50.8	44.5	133	42		川崎重工業
	GNC SSFZZ 32AAA	-16	44.5	39.8	136.5	166		90° ×2回ベント 川崎重工
	GKC KSF22 32	-20	50.8	44	149.5	15		
	GKC KSF30 32	-20	50.8	44	181.5	32		
	GKC KSF30 1620	-16	44.5	38	135.5	16		
	GKC KSF60 32	-20	50.8	44	177	70		
	GKC KSF75 32	-20	50.8	44	145	70.5		
	KKC KSF22 1620ロング	-16	44.5	38		30		WA430
	KKC KSF30 1620	-16	44.5	38	135.5	16		
	GKC HSF30 32	-20	54	44.5	195.5	35		
	GKC HSF70 32AAA	-20	54	44.5	167	70		キャタピラー規格ヘッド
	GKC HSF75 32AAA	-20	54	44.5	174.5	84		
	KKC HSF11 32AAA	-20	54	44.5	164	9.5		
	KKC HSF22 32キャタ	-20						キャタピラー規格ヘッド
	KKC HSF22 32AAA	-24	63.5	50.8	185.5	25		キャタピラー規格ヘッド
	KKC HSF22 2420キャタ	-24	63.5	50.8				キャタピラー規格ヘッド
	KKC HSF30 32	-20	54	44.5	195.5	35		
	KKC HSFZZ 32AAA	-20	54	44.5	208	49.5		オカダアイオンルーズフランジ
	KKC HSF70 32AAA	-20	54	44.5	167	70		キャタピラー規格ヘッド
KKC HSF60 32キャタ	-20	54	44.5				キャタピラー規格ヘッド	
KKC HSF75 32	-20	54	44.5	145	70.5			
KKC HSF75 32AAA	-20	54	44.5	174.5	84			
KKC HF100 1620	-16	47.6	39.7					
KKC HF100 1620角フランジ	-16	47.6	39.7		115			
KKC HSFZZ 32AAB	-20	54	44.5	148.4	69.5		115°	
GKC KHF75 32	-20	54	44	145	70.5		KES規格リングコマツ	
38	GKC SSF60 38	-24	60.3	53.9	184.5	53		川崎重工業
	GKC SSF60 38AAA	-24	60.3	53.9	181.5	51		川崎重工業
	GKC SSF67 38AAA	-24	60.3	53.9	198	70		新キャタピラー三菱
	GKC SSFZZ 38AAA	-24	60.3	53.9	189.5	94.5		85° ベント 川崎重工業
	GKC SF100 38	-24	60.3	53.9				大阪高圧
	GNC SSF22 38	-24	60.3	53.9				
	KKC SSF22 38	-24	60.3	53.9		24		
	KKC SSF67 38	-24	60.3	53.9				
	GNC SSF60 38	-24	60.3	53.9	157	53		川崎重工業
	GNC SSF60 38AAA	-24	60.3	53.9	156	51		川崎重工業
	GNC SSF67 38	-24	60.3	54				
	GKC KSF30 38AAA	-24	60.3	54	211.5	36		
	AKC HSF30 38AAB	-24	63.5	53.9	210.5	35		
	AKC HSF30 38AAA	-24	63.5	50.8	210.5	35		キャタピラー規格ヘッド
	AKC HSF60 38AAA	-24	63.5	50.8				キャタピラー規格ヘッド
	AKC KHF15 38AAA	-24	63.5	54	233.5	20.2		KES規格リングコマツ
AKC KHF30 2024	-20	54	44	215.6	35		KES規格リングコマツ	
50	GKC SSF60 50	-32	71.4	63.4	238	73		
	GNC SSF60 50	-32	71.4	63.4	205.5	73		

CODE61 標準圧カストレート


SSFST  
KSFST

KES規格 標準圧カストレート

内径	商品名	サイズ	A	B	L		備考
9	GKC SSFST 0806	-08	30.2	25.5	69		
12	KKC SSFST 12	-08	30.2	25.5	73		
	KKC SSFST 1208	-12	38.1	31.8	74		
	KKC SSFST 12AAA	-16	44.5	39.7	73.5		
	KKC KSFST 12	-08	30.2	25	83.5		ボルトM8×1.25×30L
	KKC KSFST 1008	-10	34.2	28	101.5		
	KKC KSFST 1208	-12	38.1	31	102.5		
	KKC KSFST 12AAA	-16	44.5	38	95.5		
15	GKC SSFST 0810	-08	30.2	25.5	87		
	GKC SSFST 1210	-12	38.1	31.8	90.5		
	GKC SSFST 1610	-16	44.5	39.7	90.5		
	GKC KSFST 15	-10	34.2	28	112.5		ボルトM8×1.25×30L
	GKC KSFST 15AAB	-10	34.2	28	112.5		ルーズフランジ
	GKC KSFST 1210	-12	38.1	31	113.5		
	GKC KSFST 15AAA	-16	44.5	38	112.5		
19	GKC SSFST 0812	-08	30.2	25.5	93.5		
	GKC SSFST 19	-12	38.1	31.8	97		
	GKC SSFST 19AAA	-12	38.1	31.8	119		
	GKC SSFST 1612	-16	44.5	39.7	97		
	GKC SSFST 19AAB	-20	50.8	44.5	98		
	GKC KSFST 1012	-10	34.2	28	126		
	GKC KSFST 19	-12	38.1	31	120		
	GKC KSFST 19AAA	-12	38.1		120		盲金具
	GKC KSFST 19AAB	-12	38.1	31	120		ルーズフランジ
	GKC KSFST 1612	-16	44.5	38	123		
25	GKC SSFST 1216	-12	38.1	31.8	108		
	GKC SSFST 25	-16	44.5	39.7	105		
	GKC SSFST 25角フランジ	-16					E200B
	GKC SSFST 25AAA	-16	44.5	39.7	127.5		
	GKC SSFST 2016	-20	50.8	44.5	108		
	GKC SSFST 25AAB	-24	60.3	53.9	100		
	GKC KSFST 1216	-12	38.1	31	126		
	GKC KSFST 25	-16	44.5	38	128		
	GKC KSFST 25AAA	-16	44.5		128		盲金具
	GKC KSFST 25AAB	-16	44.5	38	128		ルーズフランジ
32	GKC SSF/KSFST 1620	-16	44.5	39.7/38	121/128		
	GKC SSF/KSFST 32	-20	50.8	44.5/44	120/151		
	GKC SSFST 2420	-24	60.3	53.9	122		
	KKC SSFST 1620	-16	44.5	39.7	121		
	KKC SSF/KSFST 32	-20	50.8	44.5/44	120/151		ボルトM12×1.75×40L
	KKC SSFST 2420	-24	60.3	53.9	122		
	GNC SSF/KSFST 32	-20	50.8	44.5/44	121/139		
	GNC KSFST 32AAA	-20	50.8	44	139		ルーズフランジ
38	GKC SSF/KSFST 38	-24	60.3	53.9/54	149/182		
	AKC SSFST 2024	-20	50.8	44.5	157		
	AKC SSF/KSFST 38	-24	60.3	53.9/54	149/182		
	AKC SSFST 3224	-32	71.4	63.5			966G
	GNC SSF/KSFST 38	-24	60.3	53.9/54	131/156		
	GNC SSFST 3224	-32	71.4	63.5	130		
	GNC KSFST 38AAA	-24	60.3	54	156		ルーズフランジ
	GNC KSFST 38AAB	-24	60.3	54	156		ルーズフランジ(穴位置違い)
50	GKC SSF/KSFST 50	-32	71.4	63.4/65	170/225		
	KKC SSF/KSFST 50	-32	71.4	63.4/65	170/225		
	GNC SSF/KSFST 50	-32	71.4	63.5/65	140/192		

CODE61 標準圧力エルボ


SSF45  
KSF45



KES規格 標準圧力エルボ

内径	商品名	サイズ	A	B	L	H		備考
12	KKC SSF45 12	-08	30.2	25.5	86.5	26		
	KKC SSF45 1208	-12	38.1	31.8	87	26.5		
	KKC SSF45 12AAA	-16	44.5	39.7	92	24.5		
	KKC KSF45 12	-08	30.2	25	89.5	20		
15	GKC SSF45 0810	-08	30.2	25.5	100.5	26		
	GKC SSF45 1210	-12	38.1	31.8	104	24.5		
	GKC SSF45 15AAB	-12	38.1	31.8	139.5	62		日立建機
	GKC SSF45 15AAC	-12	38.1	31.8	147.5	70		日立建機
	GKC SSF45 15AAA	-16	44.5	39.7	104	24.5		
	GKC KSF45 15	-10	34.2	28	121.5	26		
	GKC KSF45 15AAB	-10	34.2	28	121.5	26		ルーズフランジ
	GKC KSF45 1210	-12	38.1	31	122.5	26		
19	GKC SSF45 0812	-08	30.2	25.5	107	26		
	GKC SSF45 19AAF	-08	30.2	25.5	126	30		
	GKC SSF45 19	-12	38.1	31.8	110.5	24.5		
	GKC SSF45 19AAA	-12	38.1	31.8	154	70		
	GKC SSF45 19AAC	-12	38.1	31.8	184	100		日立建機
	GKC SSF45 19AAE	-12	38.1	31.8	224	140		日立建機
	GKC SSF45 1612	-16	44.5	39.7	110.5	24.5		
	GKC SSF45 19AAB	-16	44.5	39.7	120	28.5		
	GKC SSF45 19AAD	-20	50.8	44.5	118.5	28.5		東洋運搬機
	GKC KSF45 1012	-10	34.2	28	128	26		
	GKC KSF45 19	-12	38.1	31	129	26		
	GKC KSF45 19ロング	-12	38.1		160	40		
25	GKC SSF45 1216	-12	38.1	31.8	117.5	24.5		
	GKC SSF45 25	-16	44.5	39.7	123.5	28.5		
	GKC SSF45 2016	-20	50.8	44.5	123.5	28.5		
	GKC SSF45 25AAA	-20	50.8	44.5	127.5	29		川崎重工業
	GKC SSF45 25AAB	-24	60.3	53.9	132.5	30.5		川崎重工業
	GKC KSF45 25	-16	44.5	38	138	28		
	GKC KSF45 25AAA	-16	44.5	38	138	28		ルーズフランジ
	GKC KSF45 25AAB	-16	44.5	38	200	28		
32	GKC SSF/KSF45 1620	-16	44.5	39.7/38	141/156	28.5/28		
	GKC SSF/KSF45 32	-20	50.8	44.5/44	146/155	29/32		
	GKC KSF45 32AAA	-20	50.8	44	183	53		
	GKC SSF45 2420	-24	60.3	53.9	147.5	30.5		
	KKC SSF/KSF45 32	-20	50.8	44.5/44	146/155	29/32		
	KKC SSF45 2420	-24	60.3	53.9	134	147.5		
	GNC SSF45 1620	-16	44.5	39.7	128	28.5		
	GNC SSF/KSF45 32	-20	50.8	44.5/44	146/143	29/32		
38	GKC SSF45 2024	-20	50.8	44.5	166	29		
	GKC SSF/KSF45 38	-24	60.3	53.9/54	185/195	36/36		
	AKC SSF/KSF45 38	-24	60.3	53.9/54	185/195	36/36		
	GNC SSF/KSF45 38	-24	60.3	53.9/54	159/169	36/36		
	GNC KSF45 38AAA	-24	60.3	54	169	36		ルーズフランジ
	GNC KSF45 38AAB	-24	60.3	54	169	36		ルーズフランジ(穴違い)
50	GKC SSF/KSF45 50	-32	71.4	63.4/65	228/242	51/55		
	KKC SSF/KSF45 50	-32	71.4	63.4/65	228/242	51/55		
	GNC SSF/KSF45 50	-32	71.4	63.4/65	195/209	51/55		

CODE61 標準圧力エルボ

SSF90  
KSF90


KES規格 標準圧力エルボ

内径	商品名	サイズ	A	B	L	H		備考
12	KKC SSF90 12	-08	30.2	25.5	73	41.5		
	KKC SSF90 12ABA	-08	30.2	25.5	84.5	60		
	KKC SSF90 12AAA	-08	30.2	25.5	73	90		
	KKC SSF90 12AAJ	-08	30.2	25.5	80	90		YTA2400加締不可対策品
	KKC SSF90 12AAG	-08	30.2	25.5	84.5	90		パイプ外径17.3mm 日立
	KKC SSF90 12AAH	-08	30.2	25.5	73.5	120		
	KKC SSF90 12AAB	-08	30.2	25.5	72.5	130.5		
	KKC SSF90 12AAF	-08	30.2	25.5	84.5	130.5		パイプ外径17.3mm 日立
	KKC SSF90 1208	-12	38.1	31.8	73	42.5		
	KKC SSF90 12AAC	-12	38.1	31.8	73	54		川崎重工業
	KKC SSF90 12ABB	-12	38.1	31.8	84	90		パイプ外径21.7mm
	KKC SSF90 12AAE	-16	44.5	39.7	84.5	46.5		川崎重工業
	KKC SSF90 12AAD	-16	44.5	39.7	86	53.5		ホースサービス千葉
	KKC KSF90 12	-08	30.2	25	84.5	42		
	KKC KSF90 12AAB	-08	30.2	25	73.5	85		
KKC KSF90 12AAA	-08	30.2	25	72.5	131			
15	GKC SSF90 0810	-08	30.2	25.5	87	41.5		
	GKC SSF90 15AAD	-08	30.2	25.5	106.5	50		パイプ外径19mm 日立建機
	GKC SSF90 0810ロング	-08	30.2	25.5		90		
	GKC SSF90 15ABA	-08	30.2	25.5	98	100		
	GKC SSF90 15AAA	-08	30.2	25.5	86.5	130.5		
	GKC SSF90 15AAK	-08	30.2	25.5	86.5	135		
	GKC SSF90 15AAJ	-08	30.2	25.5	98	150		
	GKC SSF90 15AAE	-08	30.2	25.5	86.5	150.5		
	GKC SSF90 1210	-12	38.1	31.8	98	53.5		
	GKC SSF90 15AAC	-12	38.1		98	53.5		リング溝無し
	GKC SSF90 15AAF	-12	38.1	31.8	96	100		日立建機
	GKC SSF90 15AAH	-12	38.1	31.8	96	120		日立建機
	GKC SSF90 15AAG	-12	38.1	31.8	108	150		
	GKC SSF90 1210ロング	-12	38.1	31.8		150		
	GKC SSF90 15AAB	-16	44.5	39.7	98	53.5		
	GKC KSF90 15	-10	34.2	28	108.5	55		
	GKC KSF90 15AAB	-10	34.2	28	108.5	55		ルーズフランジ
GKC KSF90 15AAC	-10	34.2	28	108.5	83			
GKC KSF90 15AAD	-10	34.2	28	108.5	100			
GKC KSF90 1210	-12	38.1	31	108.5	55			
GKC KSF90 15AAA	-16	44.5	38	106	60.5			
19	GKC SSF90 0812	-08	30.2	25.5	93.5	41.5		
	GKC SSF90 19AAF	-08	30.2	25.5	93.5	65		川崎重工業
	GKC SSF90 19ACB	-08	30.2	25.5	105	65		
	GKC SSF90 19ABC	-08	30.2	25.5	93.5	89		日立建機
	GKC SSF90 19ABJ	-08	30.2	25.5	105	95.5		パイプ外径17.3mm 日立建機
	GKC SSF90 19AAK	-08	30.2	25.5	93	130		
	GKC SSF90 19AAG	-08	30.2	25.5	93	130.5		川崎重工業
	GKC SSF90 19ABE	-08	30.2	25.5	105	130.5		パイプ外径17.3mm 日立建機
	GKC SSF90 19ABA	-08	30.2	25.5	93	150.5		日立建機
	GKC SSF90/SSF9A 19	-12	38.1	31.8	104.5	53.5/55		
	GKC SSF90 19AAJ	-12	38.1	31.8	103	75		川崎重工業
	GKC SSF90 19AAI	-12	38.1	31.8	103	85		川崎重工業
	GKC SSF90 19AAA	-12	38.1	31.8	114.5	95.5		
	GKC SSF90/SSF9A 19ABG	-12	38.1	31.8	102.5/105	100		日立建機
	GKC SSF90 19AAC	-12	38.1	31.8	102.5	105		石川部品店
	GKC SSF90 19ACJ	-12	38.1	31.8	105	110		圧接品
	GKC SSF90 19ABK	-12	38.1	31.8	102.5	120		
GKC SSF90 19ABH	-12	38.1	31.8	114.5	127		新キャタピラー三菱	
GKC SSF90 19AAE	-12	38.1	31.8	102.5	130		GP使用	
GKC SSF90 19AAB	-12	38.1	31.8	102.5	150		石川部品店	
GKC SSF90 19ACQ	-12	38.1	31.8	105	155		SSF90-19AABの圧接品	



CODE61 標準圧力エルボ


SSF90  
KSF90



KES規格 標準圧力エルボ

内径	商品名	サイズ	A	B	L	H		備考
19	GKC SSF90 19ACP	-12	38.1	31.8	105	90		圧接品
	GKC SSF90 19ACD	-12	38.1	31.8	102.5	175		
	GKC SSF90 19ABB	-12	38.1	31.8	120	200		住友建機
	GKC SSF90/SSF9A 1612	-16	44.5	39.7	104.5/105	53.5/60		
	GKC SSF90 19AAH	-16	44.5	39.7	103	61		川崎重工業
	GKC SSF90 19AAD	-16	44.5	39.7	102.5	105		石川部品店
	GKC SSF90/SSF9A 19ACF	-16	44.5	39.7	102.5/105	120		
	GKC SSF90/SSF9A 19ABD	-16	44.5	39.7	102.5/105	150		住友建機
	GKC SSF90 19ACK	-16	44.5	39.7	105	135		圧接品
	GKC SSF90 19ACL	-16	44.5	39.7	105	110		圧接品
	GKC SSF90 19ACM	-16	44.5	39.7	105	90		圧接品
	GKC SSF90 19ABF	-20	50.8	44.5	112.5	60.5		
	GKC SSF90 19ACE	-20	50.8	44.5	103	67		
	GKC SSF90 19ACA	-20	50.8	44.5	113	110		
	GKC SSF90 19ACC	-24	60.3	53.9	112.5	60.5		TCM
	GKC KSF90 1012	-10	34.2	28	115	55		
	GKC KSF90 19	-12	38.1	31	115	55		
	GKC KSF90 19AAA	-12	38.1	31	115	55		ルーズフランジ
	GKC KSF90 1612	-16	44.5	38	115	55		
	25	GKC SSF90/SSF9A 1216	-12	38.1	31.8	111.5/115	53.5/55	
GKC SSF90 25ABE		-12	38.1	31.8	110	61		日立建機
GKC SSF90 25ABK		-12	38.1	31.8	109.5	85		
GKC SSF90 25AAA		-12	38.1	31.8	109.5	115		石川部品店
GKC SSF90 25AAK		-12	38.1	31.8	121.5	127		住友建機
GKC SSF90 25AAC		-12	38.1	31.8	109.5	150		川崎重工業
GKC SSF90 25AAJ		-12	38.1	31.8	131	150		パイプ径27.2mm 日立建機
GKC SSF90 25ルーズ		-16	44.5	39.7		55		ルーズフランジ
GKC SSF90/SSF9A 25		-16	44.5	39.7	117.5/126	60.5		
GKC SSF90 25AAD		-16	44.5	39.7	312	70		
GKC SSF90/SSF9A 25AAG		-16	44.5	39.7	118/126	85		川崎重工業
GKC SSF90/SSF9A 25AAB		-16	44.5	39.7	120/126	100		川崎重工業
GKC SSF90/SSF9A 25AAF		-16	44.5	39.7	118/126	110		川崎重工業
GKC SSF90 25ABB		-16	44.5	39.7	118	120		日立建機
GKC SSF90 25ABG		-16	44.5	39.7	117.5	130		日立建機
GKC SSF90/SSF9A 25ACA		-16	44.5	39.7	117.5/126	140		日立建機
GKC SSF90/SSF9A 25AAH		-16	44.5	39.7	118/126	150		住友建機
GKC SSF90 25ABA		-16	44.5	39.7	118	165		住友建機
GKC SSF90 25ABC		-16	44.5	39.7	140	210		住友建機
GKC SSF90 25ABF		-16	44.5	39.7	232	330		
GKC SSF90 25ACE		-16	44.5	39.7	126	135		圧接品
GKC SSF90 25ACG		-16	44.5	39.7	126	80		圧接品
GKC SSF90 25ACH		-16	44.5	39.7	126	115		圧接品
GKC SSF90 25ACL		-16	44.5	39.7	126	90		圧接品
GKC SSF90 2016		-20	50.8	44.5	117.5	60.5		
GKC SSF90 25AAE		-20	50.8	44.5	118	67		川崎重工業
GKC SSF90 25ABD		-20	50.8	44.5	118	120		
GKC SSF90 2416 H65		-24	60.3	53.9		65		
GKC SSF90 2416 H150		-24	60.3	53.9		150		
GKC SSF90 25ABJ		-24	60.3	53.9	130	152		
GKC KSF90 1216		-12	38.1	31	122	55		
GKC KSF90 25		-16	44.5	38	132	70		
GKC KSF90 25AAB		-16	44.5	38	132	70		ルーズフランジ
GKC KSF90 25AAE		-16	44.5	38	118	90		
GKC KSF90 25AAD	-16	44.5	38	118	90		ルーズフランジ	
GKC KSF90 2016	-20	50.8	44	130	70			
GKC KSF90 25AAA	-20	50.8	44	130	100			
GKC KSF90 25AAC	-20	50.8	44	118	120			
GKC KSF90 2016ルーズ	-20	50.8	44				ルーズフランジPC228US-3	

CODE61 標準圧力エルボ


SSF90  
KSF90

KES規格 標準圧力エルボ

内径	商品名	サイズ	A	B	L	H		備考	
32	GKC SSF90 1620	-16	44.5	39.7	135.5	60.5		TCM	
	GKC SSF90 32AAD	-16	44.5	39.7	158	215		住友建機	
	GKC SSF90 32AAB	-16	44.5	39.7	200	330		川崎重工業	
	GKC SSF90 32	-20	50.8	44.5	145	66.5			
	GKC SSF90 32AAF	-20	50.8	44.5	145	130			
	GKC SSF90 32AAE	-20	50.5	44.5	145	200		日立建機	
	GKC SSF90 32AAC	-20	50.8	44.5	200	330		川崎重工業	
	GKC SSF90 2420	-24	60.3	53.9	145	68.5		CAT	
	GKC SSF90 32AAA	-24	60.3	53.9	145	80		川崎重工業	
	KKC SSF90 1620	-16	44.5	39.7	135.5	60.5		TCM	
	KKC SSF90 32AAD	-16	44.5	39.7	158	215			
	KKC SSF90 32AAB	-16	44.5	39.7	200	330			
	KKC SSF90 32	-20	50.8	44.5	145	66.5			
	KKC SSF90 32AAF	-20	50.8	44.5	145	130			
	KKC SSF90 32AAE	-20	50.8	44.5	145	200			
	KKC SSF90 32AAC	-20	50.5	44.5	200	330			
	KKC SSF90 2420	-24	60.3	53.9	145	68.5		CAT	
	KKC SSF90 32AAA	-24	60.3	53.9	145	80		川崎重工業	
	GNC SSF90 1620	-16	44.5	39.7	122	60.5			
	GNC SSF90 32	-20	50.8	44.5	133.5	66.5			
	GNC SSF90 2420	-24	60.3	53.9	131.5	68.5			
	GKC KSF90 1620	-16	44.5	38	150	70			
	GKC KSF90 32	-20	50.8	44	165	80			
	GKC KSF90 32AAA	-20	50.8	44	165	110			
	GKC KSF90 32AAB	-20	50.8	44	143	130			
	KKC KSF90 1620	-16	44.5	38	150	70			
	KKC KSF90 32	-20	50.8	44	165	80			
	KKC KSF90 32AAA	-20	50.8	44	165	110			
	GNC KSF90 32	-20	50.8	44	153.5	80			
	GNC KSF90 32AAA	-20	50.8	44	153.5	80		ルーズフランジ	
	GNC KSF90 2420ルーズ*	-24	60.3	53.9		300		ルーズフランジ	
38	GKC SSF90 2024	-20	50.8	44.5	165	66.5			
	GKC SSF90 38AAA	-20	50.8	44.5	165	110		なくなり次第終了	
	GKC SSF90 38AAC	-20	50.8	44.5	165	150			
	GKC SSF90 38	-24	60.3	53.9	182	80			
	GKC SSF90 38AAB	-24	60.3	53.9	182	150		新キャクピラー三菱	
	GKC SSF90 3224	-32	71.4	63.4					
	AKC SSF90 38	-24	60.3	53.9	182	80			
	AKC SSF90 38AAA	-24	60.3	53.9	185	92			
	GNC SSF90 2024	-20	50.8	44.5	137.5	66.5			
	GNC SSF90 38	-24	60.3	53.9	156.5	80			
	GKC KSF90-2024 H130	-20	50.8	44		130		WA500-3 バケツ	
	GKC KSF90 2024	-20	50.8	44	185	80			
	GKC KSF90 38	-24	60.3	54	195	110			
	AKC KSF90 2024	-20	50.8	44	185	80			
	AKC KSF90 38	-24	60.3	54	195	110			
	GNC KSF90 38	-24	60.3	54	169.5	110			
	GNC KSF90 38AAA	-24	60.3	54	169.5	110		ルーズフランジ	
	GNC KSF90 38AAAロング*	-24	60.3	54	169.5	180		ルーズフランジ	
GNC KSF90 38AAB	-24	60.3	54	167.5	110		ルーズフランジ(穴違い)		
50	GKC SSF90 50	-32	71.4	63.4	224	115			
	KKC SSF90 50	-32	71.4	63.4	224	115			
	GNC SSF90 50	-32	71.4	63.4	191.5	115			
	GKC KSF90 50	-32	71.4	65	249	140			
	KKC KSF90 50	-32	71.4	65	249	140			
GNC KSF90 50	-32	71.4	65	216.5	140				

アイジョイント

IF




内径	商品名	B	A	球C	L	H		備考
6	GKC IF06 6	10	10	18	57.5			
	GKC IF16 6	14	14	24	61.5			
	GKC IF24 6AAA	20.2	16	34	46.5			コマツPPC オリング溝付
	GKC IFZZ 6AAA	20.2	12	30				コマツPPC オリング溝付
	GKC IF(14-13) 6	14.6	13					
	GKC IF(15-12) 6	15.4	12					コマツPPC オリング溝付
GKC IF(15-16) 6	15.4	16					コマツPPC オリング溝付	
9	GKC IF06 9	10	10	18	59.5			
	GKC IF10 9	12	12	20	61.5			
	GKC IF15 9	14	12	24	63.5			
	GKC IF16 9	14	14	24	63.5			
	GKC IF18 9	16	16	28	64.5			
	GKC IF18 9AAA	16	17	28	64.5			コマツ製作所
	GKC IF18 9AAB	16	14	28	64.5			
	GKC IF18 9AAC	16	17	28	124.5			
	GKC IF(20-16) 9	20.2	16					コマツPPC オリング溝付
	GKC IFZZ 9AAA	20.2	16					コマツPPC オリング溝付
	GKC IFZZ 9AAD	20.2	16	34	58.5			コマツPPC オリング溝付
	GKC IF24 9	22	18	34	65.5			
	GKC IF24 9AAD	22	21	34	65.5			
	GKC IF24 9AAA	22	22	40	75.5			
	GKC IF24 9AAB	24	18.5	39.5	77.5			いすゞ自動車
	GKC IF24 9AAC	24	18.5	38	53.5			
	GKC IF164 9AAA	14	14	24	103.5	46		コマツPPC ロー付角度0°
	GKC IF169 9AAA	14	14	24	94.5	74		コマツPPC ロー付角度0°
GKC IF169 9AAB	14	14	24	94.5	74		コマツPPC ロー付角度90°	
GKC IF169 9AAC	14	14	24	84.5	64		コマツPPC ロー付角度90°	
GKC IF189 9AAA	16	16	28	94.5	75		コマツPPC ロー付角度0°	
GKC IF189 9AAB	16	16	28	94.5	75		コマツPPC ロー付角度90°	
GKC IF249 9AAA	22	18	34	95.5	76		コマツPPC ロー付角度0°	
12	KKC IF24 12	22	18	34	69.5			
	KKC IF24 12AAA	22	21	34	69.5			HIAB

フィールドクリップ用ホース金具

管用平行めねじフラットシート

HIAB  
HIABM


メートルめねじフラットシート



内径	商品名	ネジ	A	HEX X	HEX Y	L		備考
6	GKC HIAB 6AAA	PF1/4	8.5	19	17	55.5		
	GKC HIAB 6AAB	PF3/8	10	22	19	57.5		
	GKC HIABM 6AAA	M20×1.5	14	27	22	62.5		
9	GKC HIAB 9	PF1/2	11.55	27	22	62		
	GKC HIAB 9AAA	PF3/8	10	22	19	59.5		
	GKC HIABM 9AAA	M20×1.5	14	27	22	64.5		
GKC HIABM 9AAB	M20×1.5	10	27	22	62			
12	KKC HIAB 12	PF3/4	12.5	32	27	70		
	KKC HIAB 0608	PF1/2	11.5	27	22	67		
	KKC HIABM 12AAA	M22×1.5	13	27	22	68.5		
	KKC HIABM 12AAB	M24×1.5	15.5	32	27	73		
	KKC HIABM 12AAC	M20×1.5	14	27	22	69.5		
	KKC HIABM 12AAD	M20×1.5	10	27	22	67		
	KKC HIABM 12AAE	M22×1.5	10	27	22	67		
KKC HIABM 12AAF	M27×1.5	18	36	30	77.5			
15	GKC HIAB 15AAA	PF3/4	12.5	36	30	83		
	GKC HIAB 0810	PF3/4	12.5	32	30	83		
19	GKC HIAB 19	PF1	13.5	41	36	91.5		
	GKC HIAB 0812	PF3/4	12.5	32	30	89.5		
25	GKC HIAB 1216	PF1	13.5	41	36	98.5		

角フランジ

# SSAST SHAST




角フランジ

内径	商品名	A	B	C	D	L	H		備考
9	GKC SHAST 0806	63	40	11	30	74.5			リングG25
12	KKC SHAST 12	63	40	11	30	76.5			リングG25
19	GKC SHAST 19	68	45	11	35	108			リングG30
25	GKC SHAST 25	80	53	13	40	111			リングG35
	GKC SSAST 25	68	48	13	40	112			
32	GKC SHAST 32	90	63	13	45	135			リングG40
	KKC SHAST 32	90	63	13	45	135			
	KKC SHALS 32	90	63	13	45	170			ルーズフランジ
38	GKC SHAST 38	100	70	15	55	159			リングG50
	GKC SSAST 38	92	65	18	55	159			
50	GKC SHAST 50	112	80	18	65	180			リングG60
	GKC SHALS 50	112	80	18	65	216			ルーズフランジ
	KKC SHAST 50	112	80	18	65	180			リングG60

## フィールドクリンプ用ホース金具

角フランジエルボ

# SSA45 90 SHA45 90




角フランジエルボ

内径	商品名	A	B	C	D	L	H		備考
12	KKC SHA90 12	63	40	11	30	89.5	67		リングG25
19	GKC SHA45 19	68	45	11	35				リングG30
	GKC SHA90 19	68	45	11	35	122	77		リングG30
25	GKC SHA45 25	80	53	13	40	152	42		リングG35
	GKC SHA90 25	80	53	13	40	135	93		リングG35
	GKC SSA45 25	68	48	13	40	151.5	41.5		未登録
32	GKC SHA45 32	90	63	13	40				リングG40
	GKC SHA90 32	90	63	13	40				リングG40
38	GKC SHA45 38	100	70	18	55				リングG50
	GKC SHA90 38	100	70	18	55	207	125		リングG50
	GKC SSA45 38	92	65	18	55	207	15		
50	GKC SHA45 50	112	80	18	65				リングG60
	GKC SHA90 50	112	80	18	65	228	140		リングG60

凸型角フランジOリングシール

**FHB**  
**FHG**




凸型角フランジOリングシール

内径	商品名	□A	φB	φC	L			備考
12	KKC FHB02 12	52	50	30	66.5			
	KKC FHB02 12AAA							
19	GKC FHB04 19	58	55	35	90			
	GKC FHB07 19	68	70	45	87			
25	GKC FHB07 25	68	70	45	92			
	GKC FHB12 25	76	74	50	100			
	GKC FHG20 25	78	80	45	95			内径φ16
	GKC FHG20 25AAA	78	80	45	95			内径φ20.5

ホース接続用

**SETU**



内径	商品名	A		L			備考
6	GKC SETU 6	14		67			
9	GKC SETU 9	18		71			
12	KKC SETU 12	22		79			
15	GKC SETU 15	27		101			
19	GKC SETU 19	30		114			
25	GKC SETU 25						

**PL11**

パルメックスオス ワンタッチ金具  
防塵カバー 取外し治具付

内径	商品名	A		L			備考
6	GKC PL11 6			60.5			
9	GKC PL11 9			65.5			

特殊品


9000

※パッキンシール金具(メス)は、革パッキンが必要

内径	商品名	サイズ	ネジ	HEX X	HEX Y	L	H		備考
6	GKC 9000 6AAA	-04	M14×1.5	19	17	55.5			1005 タイプ
	GKC 9000 6AAB	-04	M14×1.5	19	19	57			球面+20° オスシート面
	GKC 9000 6AAC		M12×1.0	12		87.5			オスネジフレア-ストレート
	GKC 9000 6AAD		M12×1.0	12		67.5	50		オスネジフレア-90° ベント
	GKC 9000 6AAE		M12×1.0	12		67.5	50		オスネジフレア-90° ベント
	GKC 9000 6AAF		M12×1.0	12					オスネジフレア-90° 2回ベント
	GKC 9000 6AAG	-04	M16×1.5 M12×1.0		19	57.5			ブレーキ金具
	GKC 9000 6AAJ	-04	M12×1.5		19	51.5			パッキンシール金具
	GKC 9000 6AAK	-06	M22×1.5	27		61.5			ケルヒア- (HEX タイプ)
	GKC 9000 6ABA	-06	M22×1.5			63.5			ケルヒア- (ローレット タイプ)
	GKC 9000 6ABB	-06				64			ケルヒア-
	GKC 9000 6ABC	-04	7/16-20UNF	19	17	56			メスネジ37° オスシート
	GKC PSM M16 6		M16×1.5						
	GKC KGH2416 6		M16×1.5						PSM M16 6の90°
9	GKC 9000 9AAA	-08	W20-16	29		73.5			1004 タイプ
	GKC 9000 9AAB	-06	M18×1.5		22	57.5			METSTオスネジ タイプ
	GKC 9000 9AAC	-08	W20-16	27	22	69.5			1004 タイプ
	GKC 9000 9AAE	-06	M18×1.5	19		65	100		MET90オスネジ タイプ
	GKC 9000 9AAF	-06	M22×1.5	27		63.5			ケルヒア- (HEX タイプ)
	GKC 9000 9AAG	-06	M22×1.5			65.5			ケルヒア- (ローレット タイプ)
	GKC 9000 9AAH	-06	PF3/8	22	22	59.5			パッキンシール金具(メス)
	GKC 9000 9AAJ	-06	PF3/8		22	52.5			パッキンシール金具(オス)
	GKC 9000 9ABA	-06				68.5			ステイブルロック金具
	GKC 9000 9ABB	-06	PF1/2	27		65	56		HIAB 90° エルボ
	GKC 9000 9ABC	-06	M18×1.5	19		84.5	100		9AAEのL寸違い
	GKC 9000 9ABE		M16×1.5	17		94.5			
	GKC 9000 9ABF		M16×1.5	17		69.5	49.2		9ABEの90° (メスフレアシートルースオネジ)
	GKC KGH07UST-9		5/8-18UNF						コマツリフト ステアリング
GKC KGH07U90-9		5/8-18UNF						コマツリフト ステアリング	
12	KKC 9000 12AAB	-08	PF1/2	27	22	68			パッキンシール金具(メス)
	KKC 9000 12AAC	-08	PF1/2		27	56.5			パッキンシール金具(オス)
	KKC 9000 12AAD	-08	PF1/2		22	60.5			パッキンシール金具(オス)
	KKC 9000 12AAE	-08	PF1/2		27	56.5			パッキンシール金具(オス)材質プラス
	KKC 9000 12AAF	-08	PF1/2	27		76.5	53		球面シール90° ベント
	KKC 9000 12AAG		W32-12	41		90.5			1004 タイプ
	KKC 9000 12AAH		W20-16	27	22	69.5			1004 タイプ
	KKC 9000 12AAJ		M30×1.5	36		87.5			長ネジ タイプ
	AKC 9000 12AAA	-08				80.5			ステイブルロック金具
19	GKC 9000 19AAA	-12	W32-12	41	36	120			1004 タイプ
	GKC 9000 19AAB	-12	PF3/4	36		108	59.5		6006タイプ90° ベント
	GKC 9000 19AAC	-12				90			ステイブルロック金具
	GFC 9000 19AAD		M28×1.5	36	30	111.5			
	GFC 9000 19AAE		M28×1.5	30		102			19AADのSUS304
25	GKC 9000 25AAA	-16	PF1	41	41	98.5			6006 タイプ
	GKC 9000 25AAB	-16							SSFタイプ3回ベント
	GKC 9000 25AAC	-16	PF1	41					MELタイプ2回ベント
	GKC 9000 25AAD	-20	PF1 1/4		55	93			KAWAH タイプ
	GKC 9000 25AAE	-16				115			ステイブルロック金具
	GKC 9000 25AAF	-16				114.5			新キャタピラー三菱向け特殊フランジ
32	KKC 9000 32AAA	-20			55	128			ステイブルロック金具
50	GKC 9000 50AAA	-32			65	161			ステイブルロック金具

アメリカ管用テーパーパーおねじ


6012



内径	商品名	サイズ	ネジ	A	HEX	L			備考
6	GKC 6012 6	-04	NPTF1/4	13	17	51			
	GKC 6012 0604	-06	NPTF3/8	15	19	53			
9	GKC 6012 9	-06	NPTF3/8	15	19	55			
12	KKC 6012 12	-08	NPTF1/2	18	22	63			
15	GKC 6012 1210	-12	NPTF3/4	20	30	79			
19	GKC 6012 19	-12	NPTF3/4	20	30	85			
25	GKC 6012 25	-16	NPTF 1	22	36	94			
32	GKC 6012 32	-20	NPTF 1 1/4	25	46	115			
38	GKC 6012 38	-24	NPTF 1 1/2	25	50	135			
50									


アダプターレス金具 NPTFねじ

ADNST



内径	商品名	サイズ	ネジ	A	HEX	H	原価	基本売価	備考
6	GKC ADNST 6	-04	NPTF1/4	13	17	70			


13




商品名	ネジA	ネジB			備考	商品名	ネジA	ネジB			備考
13-0202	G1/8	R1/8				13-7U02	7/16U	R1/8			
13-0404	G1/4	R1/4				13-7U04	7/16U	R1/4			
13-0606	G3/8	R3/8				13-7U06	7/16U	R3/8			
13-0808	G1/2	R1/2				13-8U04	1/2U	R1/4			
13-1212	G3/4	R3/4				13-9U02	9/16U	R1/8			
13-1616	G1	R1				13-9U04	9/16U	R1/4			
13-2020	G1 1/4	R1 1/4				13-9U06	9/16U	R3/8			
13-2424	G1 1/2	R1 1/2				13-9U08	9/16U	R1/2			
13-3232	G2	R2				13-10U06	5/8U	R3/8			
						13-12U04	3/4U	R1/4			
13-0808H	G1/2	R1/2			強化型	13-12U06	3/4U	R3/8			
13-1212H	G3/4	R3/4			強化型	13-12U08	3/4U	R1/2			
13-1616H	G1	R1			強化型	13-12U12	3/4U	R3/4			
						13-14U06	7/8U	R3/8			
13-0204	G1/8	R1/4				13-14U08	7/8U	R1/2			
13-0206	G1/8	R3/8				13-14U12	7/8U	R3/4			
13-0402	G1/4	R1/8				13-17U08	1 1/16U	R1/2			
13-0406	G1/4	R3/8				13-17U12	1 1/16U	R3/4			
13-0408	G1/4	R1/2				13-17U16	1 1/16U	R1			
13-0412	G1/4	R3/4				13-21U12	1 5/16U	R3/4			
13-0602	G3/8	R1/8				13-21U16	1 5/16U	R1			
13-0604	G3/8	R1/4				13-21U16H	1 5/16U	R1			強化型
13-0608	G3/8	R1/2				13-21U20	1 5/16U	R1 1/4			
13-0612	G3/8	R3/4				13-26U16	1 5/8U	R1			
13-0616	G3/8	R1				13-26U20	1 5/8U	R1 1/4			
13-0804	G1/2	R1/4									
13-0806	G1/2	R3/8				13-M10(P1)02	M10	R1/8			
13-0812	G1/2	R3/4				13-M10(P1)04	M10	R1/4			
13-0816	G1/2	R1				13-M10(P1.25)02	M10	R1/8			
13-1206	G3/4	R3/8				13-M10(P1.25)04	M10	R1/4			
13-1208	G3/4	R1/2				13-M12(P1.25)04	M12	R1/4			
13-1216	G3/4	R1				13-M1002	M10	R1/8			
13-1608	G1	R1/2				13-M1204	M12	R1/4			
13-1612	G1	R3/4				13-M1402	M14	R1/8			
13-1620	G1	R1 1/4				13-M1404	M14	R1/4			
13-2016	G1 1/4	R1				13-M1406	M14	R3/8			
13-2024	G1 1/4	R1 1/2				13-M1604	M16	R1/4			
13-2420	G1 1/2	R1 1/4				13-M1606	M16	R3/8			
13-2432	G1 1/2	R2				13-M1804	M18	R1/4			
13-3224	G2	R1 1/2				13-M1806	M18	R3/8			
						13-M1808	M18	R1/2			
13-0404L	G1/4	R1/4			L=74	13-M2006	M20	R3/8			
13-0606L	G3/8	R3/8			L=80.5	13-M2008	M20	R1/2			
13-0808L	G1/2	R1/2			L=95	13-M2204	M22	R1/4			
13-1212L	G3/4	R3/4			L=113.5	13-M2206	M22	R3/8			
13-1616L	G1	R1			L=119.5	13-M2208	M22	R1/2			
						13-M2212	M22	R3/4			
						13-M2406	M24	R3/8			
						13-M2408	M24	R1/2			
						13-M2412	M24	R3/4			
						13-M3006	M30	R3/8			
						13-M3012	M30	R3/4			
						13-M3016	M30	R1			
						13-M3312	M33	R3/4			
						13-M3316	M33	R1			
						13-M16	M16	M16			



09




11




商品名	ネジA	ネジB			備考
09-0202	G1/8	R1/8			
09-0404	G1/4	R1/4			
09-0606	G3/8	R3/8			
09-0808	G1/2	R1/2			
09-1212	G3/4	R3/4			
09-1616	G1	R1			
09-2020	G1 1/4	R1 1/4			
09-2424	G1 1/2	R1 1/2			
09-3232	G2	R2			
09-0808H	G1/2	R1/2			強化型
09-1212H	G3/4	R3/4			強化型
09-1616H	G1	R1			強化型
09-1620H	G1	R1 1/4			強化型
09-0204	G1/8	R1/4			
09-0206	G1/8	R3/8			
09-0402	G1/4	R1/8			
09-0406	G1/4	R3/8			
09-0408	G1/4	R1/2			
09-0602	G3/8	R1/8			
09-0604	G3/8	R1/4			
09-0608	G3/8	R1/2			
09-0612	G3/8	R3/4			
09-0616	G3/8	R1			
09-0804	G1/2	R1/4			
09-0806	G1/2	R3/8			
09-0812	G1/2	R3/4			
09-0816	G1/2	R1			
09-1206	G3/4	R3/8			
09-1208	G3/4	R1/2			
09-1216	G3/4	R1			
09-1604	G1	R1/4			
09-1606	G1	R3/8			
09-1608	G1	R1/2			
09-1612	G1	R3/4			
09-1620	G1	R1 1/4			
09-2016	G1 1/4	R1			
09-2024	G1 1/4	R1 1/2			
09-2420	G1 1/2	R1 1/4			
09-2432	G1 1/2	R2			
09-3224	G2	R1 1/2			
09-0404L	G1/4	R1/4			L=71
09-0606L	G3/8	R3/8			L=78
09-0808L	G1/2	R1/2			L=93
09-1212L	G3/4	R3/4			L=112
09-1616L	G1	R1			L=119
09-0806L	G1/2	R3/8			
09-06M16	G3/8	M16			
09-M10(P1.25)04	M10	R1/4			
09-M1604	M16	R1/4			
09-M1606	M16	R3/8			
09-M2006	M20	R3/8			

商品名	ネジA	ネジB			備考
11-0202	G1/8	G1/8			
11-0404	G1/4	G1/4			
11-0606	G3/8	G3/8			
11-0808	G1/2	G1/2			
11-1212	G3/4	G3/4			
11-1616	G1	G1			
11-2020	G1 1/4	G1 1/4			
11-2424	G1 1/2	G1 1/2			
11-3232	G2	G2			
11-1212H	G3/4	G3/4			強化型
11-1616H	G1	G1			強化型
11-0204	G1/8	G1/4			
11-0206	G1/8	G3/8			
11-0406	G1/4	G3/8			
11-0408	G1/4	G1/2			
11-0412	G1/4	G3/4			
11-0608	G3/8	G1/2			
11-0612	G3/8	G3/4			
11-0812	G1/2	G3/4			
11-0816	G1/2	G1			
11-1216	G3/4	G1			
11-1620	G1	G1 1/4			
11-2024	G1 1/4	G1 1/2			
11-2432	G1 1/2	G2			
11-M14	M14	M14			
11-M16	M16	M16			
11-M18	M18	M18			
KHMP×KHMP	M22	M22			ケルヒアー
11-M1806					
11-KM42(P2)30	M42	M42			ディーン
11-10U06	5/8U	G3/8			
11-0404L	G1/4	G1/4			
11-0606L	G3/8	G3/8			
11-0808L	G1/2	G1/2			
11-1212L	G3/4	G3/4			
11-1616L	G1	G1			

12




07R




商品名	ネジA	ネジB			備考	商品名	ネジA	ネジB			備考
12-0202	G1/8	G1/8				07R-0202	R1/8	Rc1/8			
12-0404	G1/4	G1/4				07R-0404	R1/4	Rc1/4			
12-0606	G3/8	G3/8				07R-0606	R3/8	Rc3/8			
12-0808	G1/2	G1/2				07R-0808	R1/2	Rc1/2			
12-1212	G3/4	G3/4				07R-1212	R3/4	Rc3/4			
12-1616	G1	G1				07R-1616	R1	Rc1			
12-2020	G1 1/4	G1 1/4				07R-2020	R1 1/4	Rc1 1/4			
12-2424	G1 1/2	G1 1/2				07R-2424	R1 1/2	Rc1 1/2			
12-3232	G2	G2									
						07R-0204	R1/8	Rc1/4			
12-0204	G1/8	G1/4				07R-0406	R1/4	Rc3/8			
12-0206	G1/8	G3/8				07R-0408	R1/4	Rc1/2			
12-0406	G1/4	G3/8				07R-0608	R3/8	Rc1/2			
12-0408	G1/4	G1/2				07R-0812	R1/2	Rc3/4			
12-0608	G3/8	G1/2				07R-0816	R1/2	Rc1			
12-0612	G3/8	G3/4				07R-1216	R3/4	Rc1			
12-0812	G1/2	G3/4				07R-1620	R1	Rc1 1/4			
12-0816	G1/2	G1									
12-1216	G3/4	G1				07R-04(70)04	R1/4	Rc1/4			L=70
12-1620	G1	G1 1/4				07R-04(80)04	R1/4	Rc1/4			L=80
12-2024	G1 1/4	G1 1/2				07R-04(100)04	R1/4	Rc1/4			L=100
12-2432	G1 1/2	G2				07R-06(70)06	R3/8	Rc3/8			L=70
						07R-06(100)06	R3/8	Rc3/8			L=100
12-7U	7/16U	7/16U				07R-16M33	R1	M33			M33受け
12-8U	1/2U	1/2U									
12-9U	9/16U	9/16U									
12-10U	5/8U	5/8U				07R-0404G	R1/4	PF1/4			
12-12U	3/4U	3/4U				07R-0606G	R3/8	PF3/8			
12-14U	7/8U	7/8U				07R-0808G	R1/2	PF1/2			
12-17U	1 1/16U	1 1/16U				07R-1212G	R3/4	PF3/4			
12-21U	1 5/16U	1 5/16U				07R-1616G	R1	PF1			
12-26U	1 5/8U	1 5/8U									
12-7U9U	7/16U	9/16U				07R-0204G					
12-9U12U	9/16U	3/4U				07R-0604G					
12-12U17U	3/4U	1 1/16U				07R-0406G					
12-14U17U	7/8U	1 1/16U				07R-0806G					
12-17U21U	1 1/16U	1 5/16U				07R-0608G					
12-M10(P1.25)	M10	M10				07R-1208G					
12-M12	M12	M12				07R-0812G					
12-M14	M14	M14				07R-1612G					
12-M16	M16	M16				07R-1216G					
12-M18	M18	M18									
12-M20	M20	M20				07R-027UG					
12-M22	M22	M22				07R-047UG					
12-M24	M24	M24				07R-067UG					
12-M30	M30	M30				07R-049UG					
12-M33	M33	M33				07R-069UG					
12-M14M18	M14	M18				07R-089UG					
12-M18M22	M18	M22				07R-0612UG					
12-M22M24	M22	M24				07R-0812UG					
12-M22M30	M22	M30				07R-1212UG					
12-M24M30	M24	M30				07R-1214UG					
12-M24M33	M24	M33				07R-0817UG					
12-M30M33	M30	M33				07R-1217UG					
						07R-1617UG					
						07R-1221UG					
						07R-1621UG					

07



17




商品名	ネジA	ネジB		備考
07-0202	G1/8	Rc1/8		
07-0404	G1/4	Rc1/4		
07-0606	G3/8	Rc3/8		
07-0808	G1/2	Rc1/2		
07-1212	G3/4	Rc3/4		
07-1616	G1	Rc1		
07-2020	G1 1/4	Rc1 1/4		
07-2424	G1 1/2	Rc1 1/2		
07-3232	G2	Rc2		
07-0204	G1/8	Rc1/4		
07-0402	G1/4	Rc1/8		
07-0406	G1/4	Rc3/8		
07-0604	G3/8	Rc1/4		
07-0608	G3/8	Rc1/2		
07-0804	G1/2	Rc1/4		
07-0806	G1/2	Rc3/8		
07-0812	G1/2	Rc3/4		
07-0816	G1/2	Rc1		
07-1208	G3/4	Rc1/2		
07-1216	G3/4	Rc1		
07-1608	G1	Rc1/2		
07-1612	G1	Rc3/4		
07-1620	G1	Rc1 1/4		
07-2016	G1 1/4	Rc1		
07-2016H	G1 1/4	Rc1		強化型
07-2024	G1 1/4	Rc1 1/2		
07-2420	G1 1/2	Rc1 1/4		
07-2432	G1 1/2	Rc2		
07-3224	G2	Rc1 1/2		
07-9U04	9/16U	Rc1/4		
07-M1404	M14	Rc1/4		
07-M2206	M22	Rc3/8		
07-M2208	M22	Rc1/2		
07変換-0808	G1/2	G1/2		変換用
07変換-1212	G3/4	G3/4		変換用
07変換-1616	G1	G1		変換用
07変換-0812U	G1/2	3/4U		変換用
07変換-1217U	G3/4	1 1/16U		変換用
07変換-1621U	G1	1 5/16U		変換用


商品名	ネジA	ネジB		備考
17-0202	G1/8	Rc1/8		
17-0404	G1/4	Rc1/4		
17-0606	G3/8	Rc3/8		
17-0808	G1/2	Rc1/2		
17-1212	G3/4	Rc3/4		
17-1616	G1	Rc1		
17-2020	G1 1/4	Rc1 1/4		
17-2424	G1 1/2	Rc1 1/2		
17-3232	G2	Rc2		
17-0204	G1/8	Rc1/4		
17-0402	G1/4	Rc1/8		
17-0406	G1/4	Rc3/8		
17-0604	G3/8	Rc1/4		
17-0608	G3/8	Rc1/2		
17-0804	G1/2	Rc1/4		
17-0806	G1/2	Rc3/8		
17-0812	G1/2	Rc3/4		
17-0816	G1/2	Rc1		
17-1208	G3/4	Rc1/2		
17-1216	G3/4	Rc1		
17-1608	G1	Rc1/2		
17-1612	G1	Rc3/4		
17-1620	G1	Rc1 1/4		
17-2016	G1 1/4	Rc1		
17-2024	G1 1/4	Rc1 1/2		
17-2420	G1 1/2	Rc1 1/4		
17-2432	G1 1/2	Rc2		
17-3224	G2	Rc1 1/2		
17-7U02	7/16U	Rc1/8		
17-7U04	7/16U	Rc1/4		
17-9U06	9/16U	Rc3/8		
17-12U04	3/4U	Rc1/4		トヨタ用
17-12U08	3/4U	Rc1/2		NPK
17-17U12	1 1/16U	Rc3/4		NPK
17-21U16	1 5/16U	Rc1		NPK
17-26U16	1 5/8U	Rc1		
17-M1404	M14	Rc1/4		
17-M2204	M22	Rc1/4		
17-M2208	M22	Rc1/2		
17変換-0812U	G1/2	3/4U		変換用
17変換-1217U	G3/4	1 1/16U		変換用
17変換-1621U	G1	1 5/16U		変換用
17変換-12U08	3/4U	G1/2		変換用
17変換-17U12	1 1/16U	G3/4		変換用
17変換-21U16	1 5/16U	G1		変換用



08




18



商品名	ネジA	ネジB			備考
08-0202	G1/8	Rc1/8			
08-0404	G1/4	Rc1/4			
08-0606	G3/8	Rc3/8			
08-0808	G1/2	Rc1/2			
08-1212	G3/4	Rc3/4			
08-1616	G1	Rc1			
08-2020	G1 1/4	Rc1 1/4			
08-2424	G1 1/2	Rc1 1/2			
08-3232	G2	Rc2			
08-0402	G1/4	Rc1/8			
08-0406	G1/4	Rc3/8			
08-0604	G3/8	Rc1/4			
08-0608	G3/8	Rc1/2			
08-0806	G1/2	Rc3/8			
08-0812	G1/2	Rc3/4			
08-1208	G3/4	Rc1/2			
08-1216	G3/4	Rc1			
08-1606	G1	Rc3/8			
08-1612	G1	Rc3/4			
08-1620	G1	Rc1 1/4			
08-2016	G1 1/4	Rc1			
08-2024	G1 1/4	Rc1 1/2			
08-2420	G1 1/2	Rc1 1/4			
08-2432	G1 1/2	Rc2			
08-3224	G2	Rc1 1/2			
08-M12(P1)04	M12	Rc1/4			
08-KHM2206	M22	Rc3/8			
KHMS-M2204	M22	Rc1/4			ローレット
KHMS-M2206	M22	Rc3/8			ローレット
KHMP-M2206	M22	Rc3/8			オス

商品名	ネジA	ネジB			備考
18-0202	G1/8	Rc1/8			
18-0404	G1/4	Rc1/4			
18-0606	G3/8	Rc3/8			
18-0808	G1/2	Rc1/2			
18-1212	G3/4	Rc3/4			
18-1616	G1	Rc1			
18-2020	G1 1/4	Rc1 1/4			
18-2424	G1 1/2	Rc1 1/2			
18-3232	G2	Rc2			
18-1612	G1	Rc3/4			
18-7U02	7/16U	Rc1/8			
18-7U04	7/16U	Rc1/4			
18-9U04	9/16U	Rc1/4			
18-9U06	9/16U	Rc3/8			
18-12U06	3/4U	Rc3/8			
18-12U08	3/4U	Rc1/2			
18-14U08	7/8U	Rc1/2			
18-17U08	1 1/16U	Rc1/2			
18-17U12	1 1/16U	Rc3/4			
18-21U12	1 5/16U	Rc3/4			
18-21U16	1 5/16U	Rc1			
18-26U20	1 5/8U	Rc1 1/4			
18-M1204	M12	Rc1/4			
18-M1404	M14	Rc1/4			
18-M1604	M16	Rc1/4			
18-M1606	M16	Rc3/8			
18-M1806	M18	Rc3/8			
18-M2006	M20	Rc3/8			
18-M2208	M22	Rc1/2			
18-M2408	M24	Rc1/2			
18-M2412	M24	Rc3/4			
18-M3012	M30	Rc3/4			
18-M3316	M33	Rc1			
18-FM2006	M20	Rc3/8			HIABM

33




商品名	ネジA	ネジB	備考	商品名	ネジA	ネジB	備考
33-0202	G1/8	R1/8		33-7U02	7/16U	R1/8	
33-0404	G1/4	R1/4		33-7U04	7/16U	R1/4	
33-0606	G3/8	R3/8		33-7U06	7/16U	R3/8	
33-0808	G1/2	R1/2		33-9U04	9/16U	R1/4	
33-1212	G3/4	R3/4		33-9U06	9/16U	R3/8	
33-1616	G1	R1		33-9U08	9/16U	R1/2	
33-2020	G1 1/4	R1 1/4		33-10U06	5/8U	R3/8	
33-2424	G1 1/2	R1 1/2		33-12U06	3/4U	R3/8	
33-3232	G2	R2		33-12U08	3/4U	R1/2	
33-0808H	G1/2	R1/2	強化型	33-12U12	3/4U	R3/4	
33-1212H	G3/4	R3/4	強化型	33-14U08	7/8U	R1/2	
33-1616H	G1	R1	強化型	33-14U12	7/8U	R3/4	
33-0204	G1/8	R1/4		33-17U08	1 1/16U	R1/2	
33-0206	G1/8	R3/8		33-17U12	1 1/16U	R3/4	
33-0402	G1/4	R1/8		33-17U16	1 1/16U	R1	
33-0406	G1/4	R3/8		33-21U12	1 5/16U	R3/4	
33-0408	G1/4	R1/2		33-21U16	1 5/16U	R1	
33-0602	G3/8	R1/8		33-26U20	1 5/8U	R1 1/4	
33-0604	G3/8	R1/4		33-M1202	M12	R1/8	
33-0608	G3/8	R1/2		33-M1404	M14	R1/4	
33-0612	G3/8	R3/4		33-M1406	M14	R3/8	
33-0804	G1/2	R1/4		33-M1606	M16	R3/8	
33-0806	G1/2	R3/8		33-M1804	M18	R1/4	
33-0812	G1/2	R3/4		33-M1806	M18	R3/8	
33-0816	G1/2	R1		33-M1808	M18	R1/2	
33-1206	G3/4	R3/8		33-M2008	M20	R1/2	
33-1208	G3/4	R1/2		33-M2206	M22	R3/8	
33-1216	G3/4	R1		33-M2208	M22	R1/2	
33-1608	G1	R1/2		33-M2408	M24	R1/2	
33-1612	G1	R3/4		33-M2412	M24	R3/4	
33-1620	G1	R1 1/4		33-M3012	M30	R3/4	
33-2016	G1 1/4	R1		33-M3016	M30	R1	
33-2024	G1 1/4	R1 1/2		33-M3312	M33	R3/4	
33-2420	G1 1/2	R1 1/4		33-M3316	M33	R1	
33-2432	G1 1/2	R2		コマツゲリスアダプター (205-70-51380)	G1/4	R1/8	
33-3224	G2	R1 1/2					
33-0404L	G1/4	R1/4	L=57				
33-0606L	G3/8	R3/8	L=62				
33-0808L	G1/2	R1/2	L=64				
33-1212L	G3/4	R3/4	L=85				
33-1616L	G1	R1	L=101				
33-0402L	G1/4	R1/8					
33-0406L	G1/4	R3/8	L=62				
33-0604L	G3/8	R1/4	L=62				
33-0608L	G3/8	R1/2	L=64				
33-0806L	G1/2	R3/8	L=64				
33-0812L	G1/2	R3/4	L=85				
33-1208L	G3/4	R1/2	L=85				
33-1216L	G3/4	R1	L=101				
33-1612L	G1	R3/4	L=101				

35




商品名	ネジA	ネジB			備考	商品名	ネジA	ネジB			備考
35-0202	G1/8	R1/8				35-7U02	7/16U	R1/8			
35-0404	G1/4	R1/4				35-7U04	7/16U	R1/4			
35-0606	G3/8	R3/8				35-7U06	7/16U	R3/8			
35-0808	G1/2	R1/2				35-9U04	9/16U	R1/4			
35-1212	G3/4	R3/4				35-9U06	9/16U	R3/8			
35-1616	G1	R1				35-9U08	9/16U	R1/2			
35-2020	G1 1/4	R1 1/4				35-12U06	3/4U	R3/8			
35-2424	G1 1/2	R1 1/2				35-12U08	3/4U	R1/2			
35-3232	G2	R2				35-12U12	3/4U	R3/4			
						35-14U08	7/8U	R1/2			
35-0808H	G1/2	R1/2			強化型	35-14U12	7/8U	R3/4			
35-1212H	G3/4	R3/4			強化型	35-17U08	1 1/16U	R1/2			
35-1616H	G1	R1			強化型	35-17U12	1 1/16U	R3/4			
						35-17U16	1 1/16U	R1			
35-0204	G1/8	R1/4				35-21U12	1 5/16U	R3/4			
35-0206	G1/8	R3/8				35-21U16	1 5/16U	R1			
35-0402	G1/4	R1/8				35-26U20	1 5/8U	R1 1/4			
35-0406	G1/4	R3/8									
35-0408	G1/4	R1/2									
35-0602	G3/8	R1/8				35-M1204	M12	R1/4			
35-0604	G3/8	R1/4				35-M1404	M14	R1/4			
35-0608	G3/8	R1/2				35-M1406	M14	R3/8			
35-0612	G3/8	R3/4				35-M1604	M16	R1/4			
35-0804	G1/2	R1/4				35-M1804	M18	R1/4			
35-0806	G1/2	R3/8				35-M1806	M18	R3/8			
35-0812	G1/2	R3/4				35-M2206	M22	R3/8			
35-0816	G1/2	R1				35-M2208	M22	R1/2			
35-1206	G3/4	R3/8				35-M2408	M24	R1/2			
35-1208	G3/4	R1/2				35-M2412	M24	R3/4			
35-1216	G3/4	R1				35-M3012	M30	R3/4			
35-1608	G1	R1/2									
35-1612	G1	R3/4									
35-1620	G1	R1 1/4									
35-2016	G1 1/4	R1									
35-2024	G1 1/4	R1 1/2									
35-2420	G1 1/2	R1 1/4									
35-2432	G1 1/2	R2									
35-3224	G2	R1 1/2									

34



36




商品名	ネジA	ネジB		備考
34-0202	G1/8	R1/8		
34-0404	G1/4	R1/4		
34-0606	G3/8	R3/8		
34-0808	G1/2	R1/2		
34-1212	G3/4	R3/4		
34-1616	G1	R1		
34-2020	G1 1/4	R1 1/4		
34-2424	G1 1/2	R1 1/2		
34-3232	G2	R2		
34-0808H	G1/2	R1/2		強化型
34-1212H	G3/4	R3/4		強化型
34-1616H	G1	R1		強化型
34-0204	G1/8	R1/4		
34-0206	G1/8	R3/8		
34-0402	G1/4	R1/8		
34-0406	G1/4	R3/8		
34-0408	G1/4	R1/2		
34-0604	G3/8	R1/4		
34-0608	G3/8	R1/2		
34-0612	G3/8	R3/4		
34-0804	G1/2	R1/4		
34-0806	G1/2	R3/8		
34-0812	G1/2	R3/4		
34-0816	G1/2	R1		
34-1208	G3/4	R1/2		
34-1216	G3/4	R1		
34-1612	G1	R3/4		
34-1620	G1	R1 1/4		
34-2016	G1 1/4	R1		
34-2024	G1 1/4	R1 1/2		
34-2420	G1 1/2	R1 1/4		
34-2432	G1 1/2	R2		
34-3224	G2	R1 1/2		
34-0404L	G1/4	R1/4		L=57
34-0606L	G3/8	R3/8		L=62
34-0808L	G1/2	R1/2		L=64
34-1212L	G3/4	R3/4		L=85
34-1616L	G1	R1		L=101
34-0402L	G1/4	R1/8		
34-0406L	G1/4	R3/8		L=62
34-0604L	G3/8	R1/4		L=62
34-0608L	G3/8	R1/2		L=64
34-0806L	G1/2	R3/8		L=64
34-0812L	G1/2	R3/4		L=85
34-1208L	G3/4	R1/2		L=85
34-1216L	G3/4	R1		L=101
34-1612L	G1	R3/4		L=101

商品名	ネジA	ネジB		備考
36-0202	G1/8	R1/8		
36-0404	G1/4	R1/4		
36-0606	G3/8	R3/8		
36-0808	G1/2	R1/2		
36-1212	G3/4	R3/4		
36-1616	G1	R1		
36-2020	G1 1/4	R1 1/4		
36-2424	G1 1/2	R1 1/2		
36-3232	G2	R2		
36-0808H	G1/2	R1/2		強化型
36-1212H	G3/4	R3/4		強化型
36-1616H	G1	R1		強化型
36-0204	G1/8	R1/4		
36-0402	G1/4	R1/8		
36-0406	G1/4	R3/8		
36-0604	G3/8	R1/4		
36-0608	G3/8	R1/2		
36-0806	G1/2	R3/8		
36-0812	G1/2	R3/4		
36-1208	G3/4	R1/2		
36-1216	G3/4	R1		
36-1612	G1	R3/4		
36-1620	G1	R1 1/4		
36-2016	G1 1/4	R1		
36-2024	G1 1/4	R1 1/2		
36-2420	G1 1/2	R1 1/4		
36-2432	G1 1/2	R2		
36-3224	G2	R1 1/2		




(旧 37)

0690  
0645



(旧 38)


1690  
1645



商品名	ネジA	ネジB		備考
0690-0404	G1/4	R1/4		90°
0690-0606	G3/8	R3/8		90°
0690-0808	G1/2	R1/2		90°
0690-1212	G3/4	R3/4		90°
0690-1616	G1	R1		90°
0690-2020	G1 1/4	R1 1/4		90°
0690-2424	G1 1/2	R1 1/2		90°
0690-3232	G2	R1		90°
0645-0404	G1/4	R1/4		45°
0645-0606	G3/8	R3/8		45°
0645-0808	G1/2	R1/2		45°
0645-1212	G3/4	R3/4		45°
0645-1616	G1	R1		45°
0645-2020	G1 1/4	R1 1/4		45°

商品名	ネジA	ネジB		備考
1690-0404	G1/4	R1/4		90°
1690-0606	G3/8	R3/8		90°
1690-0808	G1/2	R1/2		90°
1690-1212	G3/4	R3/4		90°
1690-1616	G1	R1		90°
1690-2020	G1 1/4	R1 1/4		90°
1690-2424	G1 1/2	R1 1/2		90°
1690-3232	G2	R1		90°
1645-0404	G1/4	R1/4		45°
1645-0606	G3/8	R3/8		45°
1645-0808	G1/2	R1/2		45°
1645-1212	G3/4	R3/4		45°
1645-1616	G1	R1		45°

10




商品名	ネジA	ネジB		備考
10-0404	G1/4	G1/4		
10-0606	G3/8	G3/8		
10-0808	G1/2	G1/2		
10-1212	G3/4	G3/4		
10-1616	G1	G1		
10-2020	G1 1/4	G1 1/4		
10-2424	G1 1/2	G1 1/2		
10-3232	G2	G2		
10-M24	M24	M24		

商品名	ネジA	ネジB		備考

### 1613-90変換




1613-90変換



### 1613-45変換




1613-45変換




商品名	ネジA	ネジB		備考
1613-9004	G1/4	G1/4		
1613-9006	G3/8	G3/8		
1613-9008	G1/2	G1/2		
1613-9012	G3/4	G3/4		
1613-9016	G1	G1		
1613-9020	G1 1/4	G1 1/4		
1613-9024	G1 1/2	G1 1/2		
1613-9032	G2	G2		
1613-901612U	G1	3/4U		
1613-907U	7/16U	7/16U		
1613-909U	9/16U	9/16U		
1613-9012U	3/4U	3/4U		
1613-9014U	7/8U	7/8U		
1613-9017U	1 1/16U	1 1/16U		
1613-9021U	1 5/16U	1 5/16U		

商品名	ネジA	ネジB		備考
1613-4504	G1/4	G1/4		
1613-4506	G3/8	G3/8		
1613-4508	G1/2	G1/2		
1613-4512	G3/4	G3/4		
1613-4516	G1	G1		
1613-4520	G1 1/4	G1 1/4		
1613-4524	G1 1/2	G1 1/2		
1613-4532	G2	G2		
1613-457U	7/16U	7/16U		
1613-459U	9/16U	9/16U		
1613-4512U	3/4U	3/4U		
1613-4514U	7/8U	7/8U		
1613-4517U	1 1/16U	1 1/16U		
1613-4521U	1 5/16U	1 5/16U		

### 0613-45変換



### 0609-45変換




商品名	ネジA	ネジB		備考
0613-4504	G1/4	G1/4		
0613-4506	G3/8	G3/8		
0613-4508	G1/2	G1/2		
0613-4512	G3/4	G3/4		
0613-4516	G1	G1		
0613-4520	G1 1/4	G1 1/4		
0613-4524	G1 1/2	G1 1/2		
0613-4532	G2	G2		
0613-9004	G1/4	G1/4		
0613-9006	G3/8	G3/8		
0613-9008	G1/2	G1/2		
0613-9012	G3/4	G3/4		
0613-9016	G1	G1		
0613-9020	G1 1/4	G1 1/4		
0613-9024	G1 1/2	G1 1/2		
0613-9032	G2	G2		

商品名	ネジA	ネジB		備考
0609-4504	G1/4	G1/4		
0609-4506	G3/8	G3/8		
0609-4508	G1/2	G1/2		
0609-4512	G3/4	G3/4		
0609-4516	G1	G1		
0609-4520	G1 1/4	G1 1/4		
0609-4524	G1 1/2	G1 1/2		
0609-4532	G2	G2		
0609-9004	G1/4	G1/4		
0609-9006	G3/8	G3/8		
0609-9008	G1/2	G1/2		
0609-9012	G3/4	G3/4		
0609-9016	G1	G1		
0609-9020	G1 1/4	G1 1/4		
0609-9024	G1 1/2	G1 1/2		
0609-9032	G2	G2		

0613 変換



0609 変換



0613変換

0609変換


商品名	ネジA	ネジB			備考
0613-0404	G1/4	G1/4			
0613-0606	G3/8	G3/8			
0613-0808	G1/2	G1/2			
0613-1212	G3/4	G3/4			
0613-1616	G1	G1			
0613-0406	G1/4	G3/8			
0613-0604	G3/8	G1/4			
0613-0608	G3/8	G1/2			
0613-0806	G1/2	G3/8			
0613-0812	G1/2	G3/4			
0613-1208	G3/4	G1/2			
0613-1216	G3/4	G1			
0613-1612	G1	G3/4			
0613-069U	G3/8	9/16U			
0613-0812U	G1/2	3/4U			
0613-0814U	G1/2	7/8U			
0613-0817U	G1/2	1 1/16U			
0613-1212U	G3/4	3/4U			
0613-1217U	G3/4	1 1/16U			
0613-1221U	G3/4	1 5/16U			
0613-1612U	G1	3/4U			
0613-1617U	G1	1 1/16U			
0613-1621U	G1	1 5/16U			

商品名	ネジA	ネジB			備考
0609-0404	G1/4	G1/4			
0609-0606	G3/8	G3/8			
0609-0808	G1/2	G1/2			
0609-1212	G3/4	G3/4			
0609-1616	G1	G1			
0609-0406	G1/4	G3/8			
0609-0604	G3/8	G1/4			
0609-0608	G3/8	G1/2			
0609-0804	G1/2	G1/4			
0609-0806	G1/2	G3/8			
0609-0812	G1/2	G3/4			
0609-1206	G3/4	G3/8			
0609-1208	G3/4	G1/2			
0609-1216	G3/4	G1			
0609-1606	G1	G3/8			
0609-1608	G1	G1/2			
0609-1612	G1	G3/4			


1613 変換

1613 変換

# 1613変換




# 1609変換




商品名	ネジA	ネジB			備考
1613-0404	G1/4	G1/4			
1613-0606	G3/8	G3/8			
1613-0808	G1/2	G1/2			
1613-1212	G3/4	G3/4			
1613-1616	G1	G1			
1613-0406	G1/4	G3/8			
1613-0604	G3/8	G1/4			
1613-0608	G3/8	G1/2			
1613-0806	G1/2	G3/8			
1613-0812	G1/2	G3/4			
1613-1208	G3/4	G1/2			
1613-1216	G3/4	G1			
1613-1612	G1	G3/4			
1613-069U	G3/8	9/16U			
1613-0812U	G1/2	3/4U			
1613-0817U	G1/2	1 1/16U			
1613-1212U	G3/4	3/4U			
1613-1217U	G3/4	1 1/16U			
1613-1221U	G3/4	1 5/16U			
1613-1612U	G1	3/4U			
1613-1617U	G1	1 1/16U			
1613-1621U	G1	1 5/16U			
1613-9U06	9/16U	G3/8			
1613-12U08	3/4U	G1/2			
1613-12U12	3/4U	G3/4			
1613-12U16	3/4U	G1			
1613-17U08	1 1/16U	G1/2			
1613-17U12	1 1/16U	G3/4			
1613-17U16	1 1/16U	G1			
1613-21U06	1 5/16U	G3/8			
1613-21U12	1 5/16U	G3/4			
1613-21U16	1 5/16U	G1			
1613-12U12U	3/4U	3/4U			
1613-17U12U	1 1/16U	3/4U			
1613-17U21U	1 1/16U	1 5/16U			
1613-21U17U	1 5/16U	1 1/16U			
1613-21U21U	1 5/16U	1 5/16U			
1613-26U21U	1 5/8U	1 5/16U			
1613-M2206	M22	G3/8			
1613-M2406	M24	G3/8			

商品名	ネジA	ネジB			備考
1609-0404	G1/4	G1/4			
1609-0606	G3/8	G3/8			
1609-0808	G1/2	G1/2			
1609-1212	G3/4	G3/4			
1609-1616	G1	G1			
1609-0406	G1/4	G3/8			
1609-0604	G3/8	G1/4			
1609-0608	G3/8	G1/2			
1609-0804	G1/2	G1/4			
1609-0806	G1/2	G3/8			
1609-0812	G1/2	G3/4			
1609-1206	G3/4	G3/8			
1609-1208	G3/4	G1/2			
1609-1216	G3/4	G1			
1609-1612	G1	G3/4			
1609-7U04	7/16U	G1/4			
1609-9U04	9/16U	G1/4			
1609-9U06	9/16U	G3/8			
1609-12U04	3/4U	G1/4			
1609-12U06	3/4U	G3/8			
1609-12U08	3/4U	G1/2			
1609-12U12	3/4U	G3/4			
1609-14U08	7/8U	G1/2			
1609-17U04	1 1/16U	G1/4			
1609-17U06	1 1/16U	G3/8			
1609-17U08	1 1/16U	G1/2			
1609-17U12	1 1/16U	G3/4			
1609-17U16	1 1/16U	G1			
1609-21U06	1 5/16U	G3/8			
1609-21U12	1 5/16U	G3/4			
1609-21U16	1 5/16U	G1			
1609-30U24	1 7/8U	G1 1/2			
1609-M1404	M14	G1/4			
1609-M1806	M18	G3/8			
1609-M2206	M22	G3/8			
1609-M2208	M22	G1/2			

# 01-KM




# 01-UT




商品名	ネジA	ネジB			備考
01-KM2012-06	M20	R3/8			
01-KM2215-06					
01-KM1812-08					
01-KM2012-08	M20	R1/2			
01-KM2618-06	M26	R3/8			
01-KM2618-08	M26	R1/2			
01-KM2618-12	M26	R3/4			
01-KM3022-08	M30	R1/2			
01-KM3628-12	M36	R3/4			
01-KM3628-16	M36	R1			
01-KM4535-16	M45	R1			
01-KM4535-20	M45	R1 1/4			
01-KM30(P2)22-12	M30	R3/4			
01-KM36(P2)25-12					
01-KM3628-12	M36	R3/4			
01-KM36(P2)28-12					
01-KM42(P2)30-16	M42	R1			
01-KM52(P2)38-20					
01-KHM2206	M22	R3/8			ケルヒアー
01-KHM2208	M22	R1/2			ケルヒアー

商品名	ネジA	ネジB			備考
01-UT148-06	M14	R3/8			
01-UT1610-04					
01-UT1610-06					
01-UT1812-06	M18	R3/8			
01-UT1812-08					
01-UT2012-06	M20	R3/8			
01-UT2215-06					
01-UT2618-08	M26	R1/2			
01-UT3020-08	M30	R1/2			
01-UT3022-08	M30	R1/2			
01-UT3022-12	M30	R3/4			
01-UT3628-12	M36	R3/4			
01-UT4535-16	M45	R1			
01-UT36(P2)25-16					
01-UT36(P2)28-16					

# 13-KM




# 09-KM




商品名	ネジA	ネジB			備考
13-KM168-04					
13-KM2618-08	M26	G1/2			
13-KM3022-08	M30	G1/2			
13-KM3628-12	M36	G3/4			
13-KM4535-16	M45	G1			
13-KM30(P2)22-12					
13-KM3628-17U	M36	1 1/16U			
13-KM4535-21U	M45	1 5/16U			

商品名	ネジA	ネジB			備考
09-KM1812-04	M18	G1/4			
09-KM1812-06	M18	G3/8			
09-KM2215-06	M22	G3/8			
09-KM2618-06	M22	G3/8			
09-KM3022-08	M30	G1/2			
09-KM3828-16	M38	G1			
09-KM4535-16	M45	G1			
09-KM30(P2)22-12					
09-KM36(P2)28-12					

ORA



ORB




商品名	ネジA	ネジB			備考
ORA-9U04	9/16U	R1/4			
ORA-9U06	9/16U	R3/8			
ORA-11U04	11/16U	R1/4			
ORA-11U06	11/16U	R3/8			
ORA-11U08	11/16U	R1/2			
ORA-13U06	13/16U	R3/8			
ORA-13U08	13/16U	R1/2			
ORA-13U12	13/16U	R3/4			
ORA-16U06	1U	R3/8			
ORA-16U08	1U	R1/2			
ORA-16U12	1U	R3/4			
ORA-19U08	1 3/16U	R1/2			
ORA-19U12	1 3/16U	R3/4			
ORA-19U16	1 3/16U	R1			
ORA-23U12	1 7/16U	R3/4			
ORA-23U16	1 7/16U	R1			
ORA-23U20	1 7/16U	R1 1/4			
ORA-27U20	1 11/16U	R1 1/4			

商品名	ネジA	ネジB			備考
ORB-049U	G1/4	9/16U			
ORB-069U	G3/8	9/16U			
ORB-0411U	G1/4	11/16U			
ORB-0611U	G3/8	11/16U			
ORB-0811U	G1/2	11/16U			
ORB-0613U	G3/8	13/16U			
ORB-0813U	G1/2	13/16U			
ORB-1213U	G3/4	13/16U			
ORB-0816U	G1/2	1U			
ORB-1216U	G3/4	1U			
ORB-0819U	G1/2	1 3/16U			
ORB-1219U	G3/4	1 3/16U			
ORB-1619U	G1	1 3/16U			
ORB-1223U	G3/4	1 7/16U			
ORB-1623U	G1	1 7/16U			
ORB-2023U	G1 1/4	1 7/16U			
ORB-2027U	G1 1/4	1 11/16U			


アダプター

ORAの90°

OR34



ORU




商品名	ネジA	ネジB			備考
OR34-9U04	9/16U	R1/4			
OR34-11U06	11/16U	R3/8			
OR34-13U08	13/16U	R1/2			
OR34-16U08	1U	R1/2			
OR34-16U12	1U	R3/4			
OR34-19U12	1 3/16U	R3/4			
OR34-23U12	1 7/16U	R3/4			
OR34-23U16	1 7/16U	R1			

商品名	ネジA	ネジB			備考
ORU-7U9U	7/16U	9/16U			
ORU-9U9U	9/16U	9/16U			
ORU-9U11U	9/16U	11/16U			
ORU-12U13U	3/4U	13/16U			
ORU-17U13U	1 1/16U	13/16U			
ORU-14U16U	7/8U	1U			
ORU-17U19U	1 1/16U	1 3/16U			
ORU-21U23U	1 5/16U	1 7/16U			


アダプター

ORAの45°

OR36



ORM




商品名	ネジA	ネジB			備考
OR36-9U04	9/16U	R1/4			
OR36-11U06	11/16U	R3/8			
OR36-13U08	13/16U	R1/2			
OR36-16U08	1U	R1/2			
OR36-16U12	1U	R3/4			
OR36-19U12	1 3/16U	R3/4			
OR36-23U16	1 7/16U	R1			

商品名	ネジA	ネジB			備考
ORM-M149U	M14	9/16U			
ORM-M1411U	M14	11/16U			
ORM-M1611U	M16	11/16U			
ORM-M2011U	M20	11/16U			
ORM-M2013U	M20	13/16U			
ORM-M2413U	M24	13/16U			
ORM-M2416U	M24	1U			
ORM-M2419U	M24	1 3/16U			


ORW

アダプター ORW



OR09


アダプター ORY



商品名	ネジA	ネジB		備考	商品名	ネジA	ネジB		基本売価	備考
ORW-9U	9/16U	9/16U			OR09-9U04	9/16U	G1/4			
ORW-11U	11/16U	11/16U			OR09-9U06	9/16U	G3/8			
ORW-13U	13/16U	13/16U			OR09-11U04	11/16U	G1/4			
ORW-16U	1U	1U			OR09-11U06	11/16U	G3/8			
ORW-19U	1 3/16U	1 3/16U			OR09-13U04	13/16U	G1/4			
ORW-23U	1 7/16U	1 7/16U			OR09-13U06	13/16U	G3/8			
					OR09-13U08	13/16U	G1/2			
ORW-9U11U	9/16U	11/16U			OR09-19U12	1 3/16U	G3/4			
ORW-11U13U	11/16U	3/4U			OR09-23U12	1 7/16U	G3/4			
ORW-13U19U	13/16U	1 3/16U			OR09-23U16	1 7/16U	G1			
ORW-16U19U	1U	1 3/16U								
ORW-19U23U	1 3/16U	1 7/16U								


ORD

アダプター ORD



ORZ


アダプター ORZ



商品名	ネジA	ネジB		備考	商品名	ネジA	ネジB		備考
ORD-9U04	9/16U	R1/4			ORZ-9U04	9/16U	Rc1/4		
ORD-9U06	9/16U	R3/8			ORZ-11U06	11/16U	Rc3/8		
ORD-11U04	11/16U	R1/4			ORZ-13U08	13/16U	Rc1/2		
ORD-11U06	11/16U	R3/8			ORZ-16U08	1U	Rc1/2		
ORD-13U04	13/16U	R1/4			ORZ-16U12	1U	Rc3/4		
ORD-13U06	13/16U	R3/8			ORZ-19U08	1 3/16U	Rc1/2		
ORD-13U08	13/16U	R1/2			ORZ-19U12	1 3/16U	Rc3/4		
ORD-16U06	1U	R3/8			ORZ-23U12	1 7/16U	Rc3/4		
ORD-16U08	1U	R1/2			ORZ-23U16	1 7/16U	Rc1		
ORD-16U12	1U	R3/4			ORZ-27U20	1 11/16U	Rc1 1/4		
ORD-19U08	1 3/16U	R1/2							
ORD-19U12	1 3/16U	R3/4							
ORD-19U16	1 3/16U	R1							
ORD-23U12	1 7/16U	R3/4							
ORD-23U16	1 7/16U	R1							
ORD-27U20	1 11/16U	R1 1/4							

# OE OR34

座付きエルボ OR34



# OE OR36

座付きエルボ OR36




商品名	ネジA	ネジB		備考
OEOR34-049U	G1/4	9/16U		
OEOR34-0611U	G3/8	11/16U		
OEOR34-0613U				
OEOR34-0813U	G1/2	13/16U		
OEOR34-0816U	G1/2	1U		
OEOR34-1216U	G3/4	1U		
OEOR34-1219U	G3/4	1 3/16U		
OEOR34-1223U	G3/4	1 7/16U		
OEOR34-1623U	G1	1 7/16U		
OEOR34-7U9U	7/16U	9/16U		
OEOR34-9U11U	9/16U	11/16U		
OEOR34-12U13U	3/4U	13/16U		
OEOR34-14U16U	7/8U	1U		
OEOR34-17U19U	1 1/16U	1 3/16U		
OEOR34-21U23U	1 5/16U	1 7/16U		
OEOR34-26U27U	1 5/8U	1 11/16U		
OEOR34(37)M149U	M14	9/16U		
OEOR34(42)M149U				
OEOR34(70)M149U	M14	9/16U		
OEOR34(39)M1411U	M14	11/16U		
OEOR34(70)M1411U	M14	11/16U		
OEOR34(41)M1611U	M16	11/16U		
OEOR34(41)M1811U	M18	11/16U		
OEOR34(70)M1811U	M18	11/16U		
OEOR34(42)M2011U	M20	11/16U		
OEOR34(70)M2011U	M20	11/16U		
OEOR34(90)M2011U	M20	11/16U		
OEOR34(47)M2013U	M20	13/16U		
OEOR34(70)M2013U	M20	13/16U		
OEOR34(90)M2013U	M20	13/16U		
OEOR34(54)M2413U	M24	13/16U		
OEOR34(90)M2413U	M24	13/16U		
OEOR34(47)M2016U	M20	1U		
OEOR34(70)M2016U	M20	1U		
OEOR34(90)M2016U	M20	1U		
OEOR34(54)M2416U	M24	1U		
OEOR34(90)M2416U	M24	1U		
OEOR34(56.5)M2419U	M24	1 3/16U		
OEOR34(90)M2419U	M24	1 3/16U		

商品名	ネジA	ネジB		備考
OEOR36-049U	G1/4	9/16U		
OEOR36-0611U	G3/8	11/16U		
OEOR36-0813U	G1/2	13/16U		
OEOR36-0816U	G1/2	1U		
OEOR36-1216U	G3/4	1U		
OEOR36-1219U	G3/4	1 3/16U		
OEOR36-1623U	G1	1 7/16U		
OEOR36-7U9U	7/16U	9/16U		
OEOR36-9U11U	9/16U	11/16U		
OEOR36-12U13U	3/4U	13/16U		
OEOR36-14U16U	7/8U	1U		
OEOR36-17U19U	1 1/16U	1 3/16U		
OEOR36-21U23U	1 5/16U	1 7/16U		
OEOR36-26U27U	1 5/8U	1 11/16U		
OEOR36-M149U	M14	9/16U		
OEOR36-M2011U	M20	11/16U		
OEOR36-M2013U	M20	13/16U		
OEOR36-M2416U	M24	1U		
OEOR36-M2419U	M24	1 3/16U		




101

油止め 101



105

油止め 105




商品名	ネジA	ネジB			備考
101-02	G1/8				
101-04	G1/4				
101-06	G3/8				
101-08	G1/2				
101-12	G3/4				
101-16	G1				
101-20	G1 1/4				
101-24	G1 1/2				
101-32	G2				

商品名	ネジA	ネジB			備考
105-02	G1/8				
105-04	G1/4				
105-06	G3/8				
105-08	G1/2				
105-12	G3/4				
105-16	G1				
105-20	G1 1/4				
105-24	G1 1/2				
105-32	G2				

101-KM

油止め KM



105-UT

油止め UT




商品名	ネジA	ピッチ			備考
101-KM126	M12	P1.5			
101-KM148	M14	P1.5			
101-KM1610	M16	P1.5			
101-KM1812	M18	P1.5			
101-KM2215	M22	P1.5			
101-KM2416	M24	P1.5			
101-KM2618	M26	P1.5			
101-KM2820	M28	P1.5			
101-KM3022	M30	P1.5			
101-KM3425	M34	P1.5			
101-KM3628	M36	P1.5			
101-KM3828	M38	P1.5			
101-KM4030	M40	P1.5			
101-KM4535	M45	P1.5			

商品名	ネジA	ピッチ			備考
105-UT126	M12	P1.5			
105-UT148	M14	P1.5			
105-UT1610	M16	P1.5			
105-UT1812	M18	P1.5			
105-UT2215	M22	P1.5			
105-UT2416	M24	P1.5			
105-UT2618	M26	P1.5			
105-UT2820	M28	P1.5			
105-UT3022	M30	P1.5			
105-UT3425	M34	P1.5			
105-UT3628	M36	P1.5			
105-UT3828	M38	P1.5			
105-UT4030	M40	P1.5			
105-UT4535	M45	P1.5			


ORP

油止め ORP



ORC

油止め ORC




商品名	ネジA	ネジB			備考
ORP-9U	9/16U				
ORP-11U	11/16U				
ORP-13U	13/16U				
ORP-16U	1U				
ORP-19U	1 3/16U				
ORP-23U	1 7/16U				
ORP-27U	1 11/16U				

商品名	ネジA	ネジB			備考
ORC-9U	9/16U				
ORC-11U	11/16U				
ORC-13U	13/16U				
ORC-16U	1U				
ORC-19U	1 3/16U				
ORC-23U	1 7/16U				
ORC-27U	1 11/16U				



# 140 プラグ キャップ




# AU09



商品名	ネジA	ピッチ		備考	商品名	ネジA	ネジB		備考
140-02	G1/8				AU09-0202	G1/8	G1/8		
140-04	G1/4				AU09-0404	G1/4	G1/4		
140-06	G3/8				AU09-0606	G3/8	G3/8		
140-08	G1/2				AU09-0808	G1/2	G1/2		
140-12	G3/4				AU09-1212	G3/4	G3/4		
140-16	G1				AU09-1616	G1	G1		
140-20	G1 1/4				AU09-2020	G1 1/4	G1 1/4		
140-24	G1 1/2				AU09-2424	G1 1/2	G1 1/2		
140-32	G2				AU09-3232	G2	G2		
140-7U	7/16U				AU09-0404グループ	G1/4	G1/4		
140-8U	1/2U				AU09-0606グループ	G3/8	G3/8		
140-9U	9/16U				AU09-0808グループ	G1/2	G1/2		
140-12U	3/4U				AU09-1212グループ	G3/4	G3/4		
140-14U	1U				AU09-1616グループ	G1	G1		
140-17U	1 1/16U				AU09-1208グループ	G3/4	G1/2		
140-21U	1 5/16U				AU09-1612グループ	G1	G3/4		
140-26U	1 5/8U				AU09-0812グループ	G1/2	G3/4		
140-M14	M14	P1.5			AU09-0808H	G1/2	G1/2		強化型
140-M16	M16	P1.5			AU09-1212H	G3/4	G3/4		強化型
140-M18	M18	P1.5			AU09-1616H	G1	G1		強化型
140-M20	M20	P1.5							
140-M22	M22	P1.5			AU09-0204	G1/8	G1/4		
140-M24	M24	P1.5			AU09-0406	G1/4	G3/8		
140-M30	M30	P1.5			AU09-0604	G3/8	G1/4		
140-M33	M33	P1.5			AU09-0608	G3/8	G1/2		
140-M42	M42	P1.5			AU09-0804	G1/2	G1/4		
					AU09-0806	G1/2	G3/8		
					AU09-0812	G1/2	G3/4		
					AU09-1208	G3/4	G1/2		
沈みプラグ02	R1/8				AU09-1216	G3/4	G1		
沈みプラグ04	R1/4				AU09-1608	G1	G1/2		
沈みプラグ06	R3/8				AU09-1612	G1	G3/4		
沈みプラグ08	R1/2				AU09-1620	G1	G1 1/4		
沈みプラグ12	R3/4				AU09-2016	G1 1/4	G1		
沈みプラグ16	R1								
PLG-20	R1 1/4			沈プラグ	AU09-7U04	7/16U	G1/4		
PLG-24	R1 1/2			沈プラグ	AU09-7U06	7/16U	G3/8		
PLG-32	R2			沈プラグ	AU09-9U04	9/16U	G1/4		
					AU09-9U06	9/16U	G3/8		
CAP-02	Rc1/8			キャップ	AU09-12U06	3/4U	G3/8		
CAP-04	Rc1/4			キャップ	AU09-12U08	3/4U	G1/2		
CAP-06	Rc3/8			キャップ	AU09-12U12	3/4U	G3/4		
CAP-08	Rc1/2			キャップ	AU09-14U08	7/8U	G1/2		
CAP-12	Rc3/4			キャップ	AU09-14U12	7/8U	G3/4		
CAP-16	Rc1			キャップ	AU09-17U12	1 1/16U	G3/4		
CAP-20	Rc1 1/4			キャップ	AU09-21U12	1 5/16U	G3/4		
CAP-24	Rc1 1/2			キャップ	AU09-21U16	1 5/16U	G1		
CAP-32	Rc2			キャップ					
					AU09-M1404	M14	G1/4		
					AU09-M1406	M14	G3/8		
					AU09-M1604	M16	G1/4		
					AU09-M1606	M16	G3/8		
					AU09-M2208	M22	G1/2		
					AU09-M3316	M33	G1		
					AU09-D12U08	3/4U	G1/2		
					AU09-D12U12	3/4U	G3/4		
					AU09-D21U12	1 5/16U	G3/4		

## Oリングボス AU13


AU13



商品名	ネジA	ネジB			備考	商品名	ネジA	ネジB			備考
AU13-0404	G1/4	G1/4				AU13-047U	G1/4	7/16U			
AU13-0606	G3/8	G3/8				AU13-049U	G1/4	9/16U			
AU13-0808	G1/2	G1/2				AU13-067U	G3/8	7/16U			
AU13-1212	G3/4	G3/4				AU13-069U	G3/8	9/16U			
AU13-1616	G1	G1				AU13-0612U	G3/8	3/4U			
AU13-2020	G1 1/4	G1 1/4				AU13-089U	G1/2	9/16U			
AU13-2424	G1 1/2	G1 1/2				AU13-0812U	G1/2	3/4U			
AU13-3232	G2	G2				AU13-0814U	G1/2	7/8U			
						AU13-0817U	G1/2	1 1/16U			
AU13-0808H	G1/2	G1/2			強化型	AU13-129U	G3/4	9/16U			
AU13-1212H	G3/4	G3/4			強化型	AU13-1212U	G3/4	3/4U			
AU13-1616H	G1	G1			強化型	AU13-1217U	G3/4	1 1/16U			
AU13-2016H	G1 1/4	G1			強化型	AU13-1221U	G3/4	1 5/16U			
AU13-2020H	G1 1/4	G1 1/4			強化型	AU13-1612U	G1	3/4U			
						AU13-1617U	G1	1 1/16U			
AU13-0204	G1/8	G1/4				AU13-1621U	G1	1 5/16U			
AU13-0406	G1/4	G3/8				AU13-2017U	G1 1/4	1 1/16U			
AU13-0604	G3/8	G1/4				AU13-2021U	G1 1/4	1 5/16U			
AU13-0608	G3/8	G1/2				AU13-2026U	G1 1/4	1 5/8U			
AU13-0806	G1/2	G3/8									
AU13-0812	G1/2	G3/4				AU13-7U	7/16U	7/16U			
AU13-1208	G3/4	G1/2				AU13-9U	9/16U	9/16U			
AU13-1216	G3/4	G1				AU13-10U	5/8U	5/8U			
AU13-1612	G1	G3/4				AU13-12U	3/4U	3/4U			
AU13-1620	G1	G1 1/4				AU13-14U	7/8U	7/8U			
AU13-2012	G1 1/4	G3/4				AU13-17U	1 1/16U	1 1/16U			
AU13-2016	G1 1/4	G1				AU13-21U	1 5/16U	1 5/16U			
						AU13-9U7U	9/16U	7/16U			
AU13-M12	M12	M12				AU13-12U9U	3/4U	9/16U			
AU13-M14	M14	M14				AU13-14U12U	7/8U	3/4U			
AU13-M16	M16	M16				AU13-17U12U	1 1/16U	3/4U			
AU13-M18	M18	M18				AU13-26U21U	1 5/8U	1 5/16U			
AU13-M20	M20	M20									
AU13-M22	M22	M22				AU13-7U04	7/16U	G1/4			
AU13-M24	M24	M24				AU13-7U06	7/16U	G3/8			
AU13-M30	M30	M30				AU13-9U04	9/16U	G1/4			
AU13-M33	M33	M33				AU13-9U06	9/16U	G3/8			
						AU13-12U06	3/4U	G3/8			
AU13-M10(P1,25)M14						AU13-12U08	3/4U	G1/2			
AU13-M14M18	M14	M18				AU13-12U12	3/4U	G3/4			
AU13-M18M14	M18	M14				AU13-14U08	7/8U	G1/2			
AU13-M20M18	M20	M18				AU13-14U12	7/8U	G3/4			
AU13-M20M22	M20	M22				AU13-17U12	1 1/16U	G3/4			
AU13-M20M24	M20	M24				AU13-17U16	1 1/16U	G1			
AU13-M22M20	M22	M20				AU13-21U12	1 5/16U	G3/4			
AU13-M22M24	M22	M24				AU13-21U16	1 5/16U	G1			
AU13-M24M30	M24	M30									
AU13-M30M24	M30	M24				AU13-D12U08	3/4U	G1/2			
AU13-M33M30	M33	M30				AU13-D12U12	3/4U	G3/4			
						AU13-D21U12	1 5/16U	G3/4			
AU13-M2219U	M22	1 3/16U				AU13-D12U12U	3/4U	3/4U			
AU13-M3021U	M30	1 5/16U				AU13-D12U17U	3/4U	1 1/16U			
AU13-M2208	M22	G1/2				AU13-D21U17U	1 5/16U	1 1/16U			
AU13-M2408	M24	G1/2									
AU13-04M18	G1/4	M18									
AU13-06M18	G3/8	M18									
AU13-06M22	G3/8	M22									


## AU07

## Oリングボス AU07




## AU01

## Oリングボス AU01



商品名	ネジA	ネジB		備考	商品名	ネジA	ネジB		備考
AU07-0202					AU01-0404	G1/4	R1/4		
AU07-0404	G1/4	Rc1/4			AU01-0606	G3/8	R3/8		
AU07-0606	G3/8	Rc3/8			AU01-0808	G1/2	R1/2		
AU07-0808	G1/2	Rc1/2			AU01-1212	G3/4	R3/4		
AU07-1212	G3/4	Rc3/4			AU01-1616	G1	R1		
AU07-1616	G1	Rc1			AU01-2020	G1 1/4	R1 1/4		
AU07-2020	G1 1/4	Rc1 1/4			AU01-2424	G1 1/2	R1 1/2		
AU07-2424	G1 1/2	Rc1 1/2			AU01-3232	G2	R2		
AU07-3232	G2	Rc2							
					AU01-0402				
AU07-0204	G1/8	Rc1/4			AU01-0406	G1/4	R3/8		
AU07-0406	G1/4	Rc3/8			AU01-0604	G3/8	R1/4		
AU07-0604	G3/8	Rc1/4			AU01-0608	G3/8	R1/2		
AU07-0608	G3/8	Rc1/2			AU01-0806	G1/2	R3/8		
AU07-0804	G1/2	Rc1/4			AU01-0812	G1/2	R3/4		
AU07-0806	G1/2	Rc3/8			AU01-1206	G3/4	R3/8		
AU07-0812	G1/2	Rc3/4			AU01-1208	G3/4	R1/2		
AU07-1206	G3/4	Rc3/8			AU01-1216	G3/4	R1		
AU07-1208	G3/4	Rc1/2			AU01-1612	G1	R3/4		
AU07-1216	G3/4	Rc1			AU01-2016	G1 1/4	R1		
AU07-1608	G1	Rc1/2							
AU07-1612	G1	Rc3/4			AU01-9U12	9/16U	R3/4		
AU07-2012	G1 1/4	Rc3/4			AU01-12U06	3/4U	R3/8		
AU07-2016	G1 1/4	Rc1			AU01-12U08	3/4U	R1/2		
					AU01-17U08				
AU07-7U04	7/16U	Rc1/4			AU01-17U12	1 1/16U	R3/4		
AU07-7U06	7/16U	Rc3/8			AU01-19U06	1 3/16U	R3/8		
AU07-8U04	1/2U	Rc1/4			AU01-21U12	1 5/16U	R3/4		
AU07-9U04	9/16U	Rc1/4			AU01-21U16	1 5/16U	R1		
AU07-9U06	9/16U	Rc3/8							
AU07-12U04	3/4U	Rc1/4			AU01-M1204	M12	R1/4		
AU07-12U06	3/4U	Rc3/8			AU01-M1404	M14	R1/4		
AU07-12U08	3/4U	Rc1/2			AU01-M2008	M20	R1/2		
AU07-12U12	3/4U	Rc3/4			AU01-M2204	M22	R1/4		
AU07-12U16	3/4U	Rc1			AU01-M2208	M22	R1/2		
AU07-14U06	7/8U	Rc3/8			AU01-M2408	M24	R1/2		
AU07-14U08	7/8U	Rc1/2			AU01-M2412	M24	R3/4		
AU07-17U12	1 1/16U	Rc3/4							
AU07-19U12	1 3/16U	Rc3/4							
AU07-21U12	1 5/16U	Rc3/4							
AU07-21U16	1 5/16U	Rc1							
AU07-26U16	1 5/8U	Rc1							
AU07-M1204	M12	Rc1/4							
AU07-M1206	M12	Rc3/8							
AU07-M1404	M14	Rc1/4							
AU07-M1406	M14	Rc3/8							
AU07-M1604	M16	Rc1/4							
AU07-M1804	M18	Rc1/4							
AU07-M1806	M18	Rc3/8							
AU07-M2004	M20	Rc1/4							
AU07-M2006	M20	Rc3/8							
AU07-M2008	M20	Rc1/2							
AU07-M2206	M22	Rc3/8							
AU07-M2208	M22	Rc1/2							
AU07-M2408	M24	Rc1/2							
AU07-M2412	M24	Rc3/4							
AU07-M3312	M33	Rc3/4							


OE33



商品名	ネジA	ネジB		備考		商品名	ネジA	ネジB		備考
OE33-0404	G1/4	G1/4				OE33-7U	7/16U	7/16U		
OE33-0606	G3/8	G3/8				OE33-9U	9/16U	9/16U		
OE33-0808	G1/2	G1/2				OE33-12U	3/4U	3/4U		
OE33-1212	G3/4	G3/4				OE33-14U	7/8U	7/8U		
OE33-1616	G1	G1				OE33-17U	1 1/16U	1 1/16U		
OE33-2020	G1 1/4	G1 1/4				OE33-19U	1 3/16U	1 3/16U		
OE33-2424	G1 1/2	G1 1/2				OE33-21U	1 5/16U	1 5/16U		
OE33-0406	G1/4	G3/8				OE33-9U7U	9/16U	7/16U		
OE33-0604	G3/8	G1/4				OE33-12U9U	3/4U	9/16U		
OE33-0608	G3/8	G1/2				OE33-14U12U	7/8U	3/4U		
OE33-0806	G1/2	G3/8				OE33-21U17U	1 5/16U	1 1/16U		
OE33-0812	G1/2	G3/4								
OE33-1208	G3/4	G1/2				OE33-7U04	7/16U	G1/4		
OE33-1216	G3/4	G1				OE33-9U04	9/16U	G1/4		
OE33-1612	G1	G3/4				OE33-9U06	9/16U	G3/8		
						OE33-12U06	3/4U	G3/8		
OE33-0404L	G1/4	G1/4		L=63		OE33-12U08	3/4U	G1/2		
OE33-0606L	G3/8	G3/8		L=68		OE33-14U08	7/8U	G1/2		
OE33-0808L	G1/2	G1/2		L=78		OE33-14U12	7/8U	G3/4		
OE33-1212L	G3/4	G3/4		L=90		OE33-17U12	1 1/16U	G3/4		
OE33-1616L	G1	G1		L=102		OE33-21U16	1 5/16U	G1		
OE33-0402L	G1/4	G1/8				OE33-M10(P1.25)	M10	M10		
OE33-0406L	G1/4	G3/8		L=63		OE33-M14	M14	M14		
OE33-0604L	G3/8	G1/4		L=68		OE33-M18	M18	M18		
OE33-0608L	G3/8	G1/2		L=68		OE33-M24	M24	M24		
OE33-0806L	G1/2	G3/8		L=78						
OE33-0812L	G1/2	G3/4		L=78		OE33-M20M18	M20	M18		
OE33-1208L	G3/4	G1/2		L=90		OE33-M20M22	M20	M22		
OE33-1216L	G3/4	G1		L=90		OE33-M20M24	M20	M24		
OE33-1612L	G1	G3/4		L=102		OE33-M24M18	M24	M18		
						OE33-M24M22	M24	M22		
OE33-047U	G1/4	7/16U				OE33-M24M30	M24	M30		
OE33-049U	G1/4	9/16U								
OE33-067U	G3/8	7/16U				OE33-04M14	G1/4	M14		
OE33-069U	G3/8	9/16U				OE33-06M14	G3/8	M14		
OE33-0612U	G3/8	3/4U				OE33-06M18	G3/8	M18		
OE33-089U	G1/2	9/16U				OE33-08M22	G1/2	M22		
OE33-0812U	G1/2	3/4U				OE33-08M24	G1/2	M24		
OE33-0814U	G1/2	7/8U								
OE33-0817U	G1/2	1 1/16U				OE33-M1404	M14	G1/4		
OE33-1212U	G3/4	3/4U				OE33-M1806	M18	G3/8		
OE33-1214U	G3/4	7/8U								
OE33-1217U	G3/4	1 1/16U				OE33-14UM30	7/8U	M30		
OE33-1221U	G3/4	1 5/16U				OE33-14UM30L	7/8U	M30		ロング
OE33-1617U	G1	1 1/16U								
OE33-1621U	G1	1 5/16U								


## OE35

## 座付きエルボ OE35



## OE36


## 座付きエルボ OE36



商品名	ネジA	ネジB			備考	商品名	ネジA	ネジB			備考
OE35-0404	G1/4	G1/4				OE36-0404	G1/4	G1/4			
OE35-0606	G3/8	G3/8				OE36-0606	G3/8	G3/8			
OE35-0808	G1/2	G1/2				OE36-0808	G1/2	G1/2			
OE35-1212	G3/4	G3/4				OE36-1212	G3/4	G3/4			
OE35-1616	G1	G1				OE36-1616	G1	G1			
OE35-2020	G1 1/4	G1 1/4				OE36-2020	G1 1/4	G1 1/4			
OE35-2424	G1 1/2	G1 1/2				OE36-2424	G1 1/2	G1 1/2			
OE35-0406	G1/4	G3/8									
OE35-0604	G3/8	G1/4				OE36-0204	G1/8	G1/4			
OE35-0608	G3/8	G1/2				OE36-0406	G1/4	G3/8			
OE35-0806	G1/2	G3/8				OE36-0604	G3/8	G1/4			
OE35-0812	G1/2	G3/4				OE36-0608	G3/8	G1/2			
OE35-1208	G3/4	G1/2				OE36-0806	G1/2	G3/8			
OE35-1216	G3/4	G1				OE36-0812	G1/2	G3/4			
OE35-1612	G1	G3/4				OE36-1208	G3/4	G1/2			
OE35-2016	G1 1/4	G1				OE36-1216	G3/4	G1			
						OE36-1612	G1	G3/4			
OE35-047U	G1/4	7/16U				OE36-2016	G1 1/4	G1			
OE35-049U	G1/4	9/16U									
OE35-067U	G3/8	7/16U				OE36-7U04	7/16U	G1/4			
OE35-069U	G3/8	9/16U				OE36-9U04	9/16U	G1/4			
OE35-0612U	G3/8	3/4U				OE36-12U06	3/4U	G3/8			
OE35-089U	G1/2	9/16U				OE36-12U08	3/4U	G1/2			
OE35-0812U	G1/2	3/4U				OE36-14U08	7/8U	G1/2			
OE35-0814U	G1/2	7/8U				OE36-17U12	1 1/16U	G3/4			
OE35-0817U	G1/2	1 1/16U				OE36-21U16	1 5/16U	G1			
OE35-1212U	G3/4	3/4U									
OE35-1214U	G3/4	7/8U									
OE35-1217U	G3/4	1 1/16U									
OE35-1221U	G3/4	1 5/16U									
OE35-1617U	G1	1 1/16U									
OE35-1621U	G1	1 5/16U									
OE35-7U	7/16U	7/16U									
OE35-9U	9/16U	9/16U									
OE35-12U	3/4U	3/4U									
OE35-14U	7/8U	7/8U									
OE35-17U	1 1/16U	1 1/16U									
OE35-19U	1 3/16U	1 3/16U									
OE35-21U	1 5/16U	1 5/16U									
OE35-9U7U	9/16U	7/16U									
OE35-12U9U	3/4U	9/16U									
OE35-14U12U	7/8U	3/4U									
OE35-21U17U	1 5/16U	1 1/16U									
OE35-7U04	7/16U	G1/4									
OE35-9U04	9/16U	G1/4									
OE35-9U06	9/16U	G3/8									
OE35-12U06	3/4U	G3/8									
OE35-12U08	3/4U	G1/2									
OE35-14U08	7/8U	G1/2									
OE35-14U12	7/8U	G3/4									
OE35-17U12	1 1/16U	G3/4									
OE35-21U12	1 5/16U	G3/4									
OE35-21U16	1 5/16U	G1									
OE35-M1404	M14	G1/4									
OE35-M1806	M18	G3/8									
OE35-M24	M24	M24									
OE35-M3312U	M33	3/4U									
OE35-M3317U	M33	1 1/16U									

OE34

座付きエルボ OE34



OE30  
OE37

座付きエルボ OE30

座付きエルボ OE37



商品名	ネジA	ネジB			備考	商品名	ネジA	ネジB			備考
OE34-0404	G1/4	G1/4				OE30-0404	G1/4	Rc1/4			
OE34-0606	G3/8	G3/8				OE30-0606	G3/8	Rc3/8			
OE34-0808	G1/2	G1/2				OE30-0808	G1/2	Rc1/2			
OE34-1212	G3/4	G3/4				OE30-1212	G3/4	Rc3/4			
OE34-1616	G1	G1				OE30-1616	G1	Rc1			
OE34-2020	G1 1/4	G1 1/4									
OE34-2424	G1 1/2	G1 1/2									
						4OE30-M3312	M33	Rc3/4			
OE34-0406	G1/4	G3/8				OE37-0404	G1/4	R1/4			
OE34-0604	G3/8	G1/4				OE37-0606	G3/8	R3/8			
OE34-0608	G3/8	G1/2				OE37-0808	G1/2	R1/2			
OE34-0804	G1/2	G1/4				OE37-1212	G3/4	R3/4			
OE34-0806	G1/2	G3/8				OE37-1616	G1	R1			
OE34-0812	G1/2	G3/4									
OE34-1208	G3/4	G1/2									
OE34-1216	G3/4	G1									
OE34-1612	G1	G3/4									
OE34-0404L	G1/4	G1/4			L=63						
OE34-0606L	G3/8	G3/8			L=68						
OE34-0808L	G1/2	G1/2			L=78						
OE34-1212L	G3/4	G3/4			L=90						
OE34-1616L	G1	G1			L=102						
OE34-0406L	G1/4	G3/8			L=63						
OE34-0604L	G3/8	G1/4			L=68						
OE34-0608L	G3/8	G1/2			L=68						
OE34-0806L	G1/2	G3/8			L=78						
OE34-0812L	G1/2	G3/4			L=78						
OE34-1208L	G3/4	G1/2			L=90						
OE34-1216L	G3/4	G1			L=90						
OE34-1612L	G1	G3/4			L=102						
OE34-7U04	7/16U	G1/4									
OE34-9U04	9/16U	G1/4									
OE34-9U06	9/16U	G3/8									
OE34-12U06	3/4U	G3/8									
OE34-12U08	3/4U	G1/2									
OE34-14U06	7/8U	G3/8									
OE34-14U08	7/8U	G1/2									
OE34-17U12	1 1/16U	G3/4									
OE34-21U16	1 5/16U	G1									
OE34-M1806	M18	G3/8									

継手

タケノコ



商品名	注文品番			備考
両タケノコ 6				
両タケノコ 7	(真鍮)BS HS-7			
両タケノコ 8	(真鍮)BS HS-8			
両タケノコ 9	(真鍮)BS HS-9			
両タケノコ 10.5	(真鍮)BS HS-10.5			
両タケノコ 12	(真鍮)BS HS-12			
両タケノコ 14	(真鍮)BS HS-14			
両タケノコ 16	(真鍮)BS HS-16			
両タケノコ 20.5	(真鍮)BS HS-20.5			
両タケノコ 27	(真鍮)BS HS-27			



45° エルボ



90° エルボ



商品名	ネジA	ネジB			備考
4EL-0202	Rc1/8	Rc1/8			
4EL-0404	Rc1/4	Rc1/4			
4EL-0606	Rc3/8	Rc3/8			
4EL-0808	Rc1/2	Rc1/2			
4EL-1212	Rc3/4	Rc3/4			
4EL-1616	Rc1	Rc1			
4EL-2020	Rc1 1/4	Rc1 1/4			
4EL-2424	Rc1 1/2	Rc1 1/2			
4EL-3232	Rc2	Rc2			

商品名	ネジA	ネジB			備考
9EL-0202	Rc1/8	Rc1/8			
9EL-0404	Rc1/4	Rc1/4			
9EL-0606	Rc3/8	Rc3/8			
9EL-0808	Rc1/2	Rc1/2			
9EL-1212	Rc3/4	Rc3/4			
9EL-1616	Rc1	Rc1			
9EL-2020	Rc1 1/4	Rc1 1/4			
9EL-2424	Rc1 1/2	Rc1 1/2			
9EL-3232	Rc2	Rc2			

## 継手

チーズ



オスメスエルボ



商品名	ネジA	ネジB			備考
TEE-0202	Rc1/8	Rc1/8			
TEE-0404	Rc1/4	Rc1/4			
TEE-0606	Rc3/8	Rc3/8			
TEE-0808	Rc1/2	Rc1/2			
TEE-1212	Rc3/4	Rc3/4			
TEE-1616	Rc1	Rc1			
TEE-2020	Rc1 1/4	Rc1 1/4			
TEE-2424	Rc1 1/2	Rc1 1/2			
TEE-3232	Rc2	Rc2			
T-RC-RC-R 04					
T-RC-RC-R 06					
T-RC-RC-R 08					
T-RC-RC-R 12					

商品名	ネジA	ネジB			備考
SEL-0202	Rc1/8	R1/8			
SEL-0404	Rc1/4	R1/4			
SEL-0606	Rc3/8	R3/8			
SEL-0808	Rc1/2	R1/2			
SEL-1212	Rc3/4	R3/4			
SEL-1616	Rc1	R1			
SEL-2020	Rc1 1/4	R1 1/4			
SEL-2424	Rc1 1/2	R1 1/2			
SEL-3232	Rc2	R2			
4SEL-0404					
4SEL-0606					
4SEL-0808					
4SEL-1212					
4SEL-1616					

## 継手

ニップル



商品名	ネジA	ネジB			備考
NIP-0202	R1/8	R1/8			
NIP-0404	R1/4	R1/4			
NIP-0606	R3/8	R3/8			
NIP-0808	R1/2	R1/2			
NIP-1212	R3/4	R3/4			
NIP-1616	R1	R1			
NIP-2020	R1 1/4	R1 1/4			
NIP-2424	R1 1/2	R1 1/2			
NIP-3232	R2	R2			
NIP-1212H	R1/2	R1/2			強化型

商品名	ネジA	ネジB			備考
NIP-0204	R1/8	R1/4			
NIP-0406	R1/4	R3/8			
NIP-0408	R1/4	R1/2			
NIP-0608	R3/8	R1/2			
NIP-0412	R1/4	R3/4			
NIP-0612	R3/8	R3/4			
NIP-0812	R1/2	R3/4			
NIP-0816	R1/2	R1			
NIP-1216	R3/4	R1			
NIP-1220	R3/4	R1 1/4			
NIP-1620	R1	R1 1/4			
NIP-1624	R1	R1 1/2			
NIP-2024	R1 1/4	R1 1/2			
NIP-2432	R1 1/2	R2			

ソケット

メスメス(径違い)継手

カップリングソケット



ブッシング

オスメス径違い継手

ブッシュ



商品名	ネジA	ネジB			備考
CSO-0202	Rc1/8	Rc1/8			
CSO-0404	Rc1/4	Rc1/4			
CSO-0606	Rc3/8	Rc3/8			
CSO-0808	Rc1/2	Rc1/2			
CSO-1212	Rc3/4	Rc3/4			
CSO-1616	Rc1	Rc1			
CSO-2020	Rc1 1/4	Rc1 1/4			
CSO-2424	Rc1 1/2	Rc1 1/2			
CSO-3232	Rc2	Rc2			
CSO-0204	Rc1/8	Rc1/4			
CSO-0406	Rc1/4	Rc3/8			
CSO-0408	Rc1/4	Rc1/2			
CSO-0412	Rc1/4	Rc3/4			
CSO-0416	Rc1/4	Rc1			
CSO-0608	Rc3/8	Rc1/2			
CSO-0612	Rc3/8	Rc3/4			
CSO-0616	Rc3/8	Rc1			
CSO-0812	Rc1/2	Rc3/4			
CSO-0816	Rc1/2	Rc1			
CSO-1216	Rc3/4	Rc1			
CSO-1620	Rc1	Rc1 1/4			
CSO-0404L					L60
CSO-0606L					L60
CSO-0808L					L60
CSO-1212L					L60
CSO-1616L					L60

商品名	ネジA	ネジB			備考
BUS-0402	R1/4	Rc1/8			
BUS-0604	R3/8	Rc1/4			
BUS-0802	R1/2	Rc1/8			
BUS-0804	R1/2	Rc1/4			
BUS-0806	R1/2	Rc3/8			
BUS-1202	R3/4	Rc1/8			
BUS-1204	R3/4	Rc1/4			
BUS-1206	R3/4	Rc3/8			
BUS-1208	R3/4	Rc1/2			
BUS-1604	R1	Rc1/4			
BUS-1606	R1	Rc3/8			
BUS-1608	R1	Rc1/2			
BUS-1612	R1	Rc3/4			
BUS-2012	R1 1/4	Rc3/4			
BUS-2016	R1 1/4	Rc1			
BUS-2412	R1 1/2	Rc3/4			
BUS-2416	R1 1/2	Rc1			
BUS-2420	R1 1/2	Rc1 1/4			
BUS-3212	R2	Rc3/4			
BUS-3216	R2	Rc1			
BUS-3220	R2	Rc1 1/4			
BUS-3224	R2	Rc1 1/2			

継手

45° ニップル

90°エルボニップル


90° ニップル



商品名	ネジA	ネジB			備考
4NIP-0202	R1/8	R1/8			
4NIP-0404	R1/4	R1/4			
4NIP-0606	R3/8	R3/8			
4NIP-0808	R1/2	R1/2			
4NIP-1212	R3/4	R3/4			
4NIP-1616	R1	R1			

商品名	ネジA	ネジB			備考
9NIP-0202	R1/8	R1/8			
9NIP-0404	R1/4	R1/4			
9NIP-0606	R3/8	R3/8			
9NIP-0808	R1/2	R1/2			
9NIP-1212	R3/4	R3/4			
9NIP-1616	R1	R1			
9NIP-0204	R1/8	R1/4			
9NIP-0406	R1/4	R3/8			
9NIP-0608	R3/8	R1/2			
9NIP-0812	R1/2	R3/4			
9NIP-1216	R3/4	R1			

# スィベルジョイント



リング(バイトン)

商品名	ネジA	ネジB			備考	商品名	ネジA	ネジB			備考
L0101-04	R1/4	R1/4				L0103-04	R1/4	Rc1/4			
L0101-06	R3/8	R3/8				L0103-06	R3/8	Rc3/8			
L0101-08	R1/2	R1/2				L0103-08	R1/2	Rc1/2			
L0101-12	R3/4	R3/4				L0103-12	R3/4	Rc3/4			
L0101-16	R1	R1				L0103-16	R1	Rc1			
L0105-04	R1/4	C1/4				L0113-04	R1/4	13G1/4			
L0105-06	R3/8	C3/8				L0113-06	R3/8	13G3/8			
L0105-08	R1/2	C1/2				L0113-08	R1/2	13G1/2			
L0105-12	R3/4	C3/4				L0113-12	R3/4	13G3/4			
L0105-16	R1	C1				L0113-16	R1	13G1			
L0201-04	09G1/4	R1/4				L0203-04	09G1/4	Rc1/4			
L0201-06	09G3/8	R3/8				L0203-06	09G3/8	Rc3/8			
L0201-08	09G1/2	R1/2				L0203-08	09G1/2	Rc1/2			
L0201-12	09G3/4	R3/4				L0203-12	09G3/4	Rc3/4			
L0201-16	09G1	R1				L0203-16	09G1	Rc1			
L0205-04	09G1/4	C1/4				L0213-04	09G1/4	13G1/4			
L0205-06	09G3/8	C3/8				L0213-06	09G3/8	13G3/8			
L0205-08	09G1/2	C1/2				L0213-08	09G1/2	13G1/2			
L0205-12	09G3/4	C3/4				L0213-12	09G3/4	13G3/4			
L0205-16	09G1	C1				L0213-16	09G1	13G1			
L0301-04	Rc1/4	R1/4				L0303-04	Rc1/4	Rc1/4			
L0301-06	Rc3/8	R3/8				L0303-06	Rc3/8	Rc3/8			
L0301-08	Rc1/2	R1/2				L0303-08	Rc1/2	Rc1/2			
L0301-12	Rc3/4	R3/4				L0303-12	Rc3/4	Rc3/4			
L0301-16	Rc1	R1				L0303-16	Rc1	Rc1			
L0305-04	Rc1/4	C1/4				L0313-04	Rc1/4	13G1/4			
L0305-06	Rc3/8	C3/8				L0313-06	Rc3/8	13G3/8			
L0305-08	Rc1/2	C1/2				L0313-08	Rc1/2	13G1/2			
L0305-12	Rc3/4	C3/4				L0313-12	Rc3/4	13G3/4			
L0305-16	Rc1	C1				L0313-16	Rc1	13G1			
L0501-04	C1/4	R1/4				L0503-04	C1/4	Rc1/4			
L0501-06	C3/8	R3/8				L0503-06	C3/8	Rc3/8			
L0501-08	C1/2	R1/2				L0503-08	C1/2	Rc1/2			
L0501-12	C3/4	R3/4				L0503-12	C3/4	Rc3/4			
L0501-16	C1	R1				L0503-16	C1	Rc1			
L0505-04	C1/4	C1/4				L0513-04	C1/4	13G1/4			
L0505-06	C3/8	C3/8				L0513-06	C3/8	13G3/8			
L0505-08	C1/2	C1/2				L0513-08	C1/2	13G1/2			
L0505-12	C3/4	C3/4				L0513-12	C3/4	13G3/4			
L0505-16	C1	C1				L0513-16	C1	13G1			
L1301-04	13G1/4	R1/4				L1303-04	13G1/4	Rc1/4			
L1301-06	13G3/8	R3/8				L1303-06	13G3/8	Rc3/8			
L1301-08	13G1/2	R1/2				L1303-08	13G1/2	Rc1/2			
L1301-12	13G3/4	R3/4				L1303-12	13G3/4	Rc3/4			
L1301-16	13G1	R1				L1303-16	13G1	Rc1			

SKスィベル 洗浄ホース用に最適  
圧力10.0MPaまで

# スィベルジョイント



リング(バイトン)

商品名	ネジA	ネジB		備考
L1305-04	13G1/4	C1/4		
L1305-06	13G3/8	C3/8		
L1305-08	13G1/2	C1/2		
L1305-12	13G3/4	C3/4		
L1305-16	13G1	C1		
E307-04	09G1/4	VG1/4		PFOリング
E307-06	09G3/8	VG3/8		
E307-08	09G1/2	VG1/2		
E307-12	09G3/4	VG3/4		
E307-16	09G1	VG1		
E507-04	C1/4	VG1/4		PFOリング
E507-06	C3/8	VG3/8		
E507-08	C1/2	VG1/2		
E507-12	C3/4	VG3/4		
E507-16	C1	VG1		
E502-04	C1/4	G1/4		
E502-06	C3/8	G3/8		ヤンマー
E502-08	C1/2	G1/2		ヤンマー
E502-12	C3/4	G3/4		
E502-16	C1	G1		
SLU-4302	Rc1/4	R1/4		350K
SLU-4303	Rc3/8	R3/8		350K
SLU-4304	Rc1/2	R1/2		350K
SLU-4306	Rc3/4	R3/4		350K
SLU-4308	Rc1	R1		350K
SK10-04				
SK10-06				
SK10-08				
SK10-12				
SK10-16				
SK12-04				
SK12-06				
SK12-08				
SK12-12				
SK12-16				
SK14-04				
SK14-06				バイトン
SK14-08				バイトン
SK14-12				
SK14-16				
SK33-04				
SK33-06				
SK33-08				
SK33-12				
SK33-16				

商品名	ネジA	ネジB		備考
L1313-04	13G1/4	13G1/4		
L1313-06	13G3/8	13G3/8		
L1313-08	13G1/2	13G1/2		
L1313-12	13G3/4	13G3/4		
L1313-16	13G1	13G1		
E407-04	Rc1/4	VG1/4		PFOリング
E407-06	Rc3/8	VG3/8		
E407-08	Rc1/2	VG1/2		
E407-12	Rc3/4	VG3/4		
E407-16	Rc1	VG1		
E107-04	13G1/4	VG1/4		PFOリング
E107-06	13G3/8	VG3/8		
E107-08	13G1/2	VG1/2		
E107-12	13G3/4	VG3/4		
E107-16	13G1	VG1		
RA403-04	R1/4	Rc1/4		ロータリー
RA403-06	R3/8	Rc3/8		
RA403-08	R1/2	Rc1/2		
RA403-12	R3/4	Rc3/4		
RA403-16	R1	Rc1		
SK11-04				
SK11-06				
SK11-08				
SK11-12				
SK11-16				
SK13-04				
SK13-06				
SK13-08				
SK13-12				
SK13-16				
SK15-04				
SK15-06				
SK15-08				
SK15-12				
SK15-16				
SK34-04				
SK34-06				
SK34-08				
SK34-12				
SK34-16				

## カプラーオス



## カプラーメス



商品名	サイズ	圧力		備考	商品名	サイズ	圧力		備考
N280-2P	1/4	280K		横浜互換	N280-2S	1/4	280K		横浜互換
N280-3P	3/8	280K		横浜互換	N280-3S	3/8	280K		横浜互換
N280-4P	1/2	280K		横浜互換	N280-4S	1/2	280K		横浜互換
N280-6P	3/4	280K		横浜互換	N280-6S	3/4	280K		横浜互換
N280-8P	1	280K		横浜互換	N280-8S	1	280K		横浜互換
32EA04C	1/4	210K		BS	31EA04C	1/4	210K		BS
32EA06C	3/8	210K		BS	31EA06C	3/8	210K		BS
32EA08C	1/2	210K		BS	31EA08C	1/2	210K		BS
32EA12C	3/4	210K		BS	31EA12C	3/4	210K		BS
32EA16C	1	210K		BS	31EA16C	1	210K		BS
					31EA04C-XXZ	1/4	210K		BS ピン付
					31EA06C-XXZ	3/8	210K		BS ピン付
					31EA08C-XXZ	1/2	210K		BS ピン付
					31EA12C-XXZ	3/4	210K		BS ピン付
					31EA16C-XXZ	1	210K		BS ピン付
32AA04C	1/4	280K		BS	31AA04C	1/4	280K		BS
32AA06C	3/8	280K		BS	31AA06C	3/8	280K		BS
32AA08C	1/2	280K		BS	31AA08C	1/2	280K		BS
32AA12C	3/4	280K		BS	31AA12C	3/4	280K		BS
32AA16C	1	280K		BS	31AA16C	1	280K		BS
					31AA04C-XXZ	1/4	280K		ピン付
					31AA06C-XXZ	3/8	280K		ピン付
					31AA08C-XXZ	1/2	280K		ピン付
					31AA12C-XXZ	3/4	280K		ピン付
					31AA16C-XXZ	1	280K		ピン付
02PF	1/4	50K		ステンレス	02SFL	1/4	50K		ステンレス(ピン付き)
03PF	3/8	50K		ステンレス	03SFL	3/8	50K		ステンレス(ピン付き)
04PF	1/2	50K		ステンレス	04SFL	1/2	50K		ステンレス(ピン付き)
CHP02P	1/4	210K		日東互換	CHP02S	1/4	210K		日東互換
CHP03P	3/8	210K		日東互換	CHP03S	3/8	210K		日東互換
CHP04P	1/2	210K		日東互換	CHP04S	1/2	210K		日東互換
CHP06P	3/4	210K		日東互換	CHP06S	3/4	210K		日東互換
CHP08P	1	210K		日東互換	CHP08S	1	210K		日東互換
CHP10P	1 1/4	180K		日東互換	CHP10S	1 1/4	180K		日東互換
CHP12P	1 1/2	180K		日東互換	CHP12S	1 1/2	180K		日東互換
CHP16P	2	140K		日東互換	CHP16S	2	140K		日東互換
350-2P	1/4	350K		日東工器	350-2S	1/4	350K		日東工器
350-3P	3/8	350K		日東工器	350-3S	3/8	350K		日東工器
350-4P	1/2	350K		日東工器	350-4S	1/2	350K		日東工器
350-6P	3/4	350K		日東工器	350-6S	3/4	350K		日東工器
350-8P	1	350K		日東工器	350-8S	1	350K		日東工器
YZ024M-06S	3/8	210K			YZ024F-06S-AAAP	3/8	210K		
32JC06C	3/8	700K		BS	31JC06C-XXW	3/8	700K		BS

## Oリング

Oリング



セット



Oリング

バックアップリング



Dリング/角リング



## P番

商品名	太さ	内径			備考	
P3	1.9	2.80				
P4		3.80				
P5		4.80				
P6		5.80				
P7		6.80				
P8		7.80				
P9		8.80				
P10		9.80				
P10A		9.80				ケルヒアー
P11		10.8				PF1/4
P11. 2	2.4	11.2				
P12		11.8				
P12. 5		12.3				
P14		13.8			PF3/8	
P15		14.8			IFZZ 6AAA	
P16		15.8				
P18		17.8			PF1/2 IF24 6AAA	
P20		19.8				
P21		20.8			KSFST 12	
P22		21.8			KAWAS 19	
P22A	3.5	21.7			KSFST 15	
P22. 4		22.1				
P24		23.7			PF3/4	
P25		24.7			KSFST 19	
P25. 5		25.2				
P26		25.7				
P28		27.7				
P29		28.7			PF1 KAWAS 25 KSWAH 19	
P29. 5		29.2				
P30		29.7				
P31	30.7					
P31. 5	31.2					
P32	31.7			KSFST 25		
P34	33.7					
P35	34.7					
P35. 5	35.2					
P36	35.7					
P38	37.7			KSFST 32		
P39	38.7					
P40	39.7					
P41	40.7					
P42	41.7					
P44	43.7					
P45	44.7					
P46	45.7					
P48	47.7			KSFST 38		
P49	48.7					
P50	49.7					

## OR用

商品名	太さ	内径			備考
OR9	1.78	7.65			AS568 011
OR11		9.25			AS568 012
OR13		12.43			AS568 014
OR16		15.60			AS568 016
OR19		18.77			AS568 018
OR23		23.52			AS568 021
OR27		29.87			AS568 025

## OR用 Dリング

商品名	太さ	内径			備考
OR16 Dリング					CAT 4I-8888
OR19 Dリング					CAT 4I-8889
OR23 Dリング					CAT 4I-8891

## フランジ用 角リング

商品名	太さ	内径			備考
HH19					CAT 1P-3702
HH25					CAT 1P-3703
HH32					CAT 1P-3704
HH38					CAT 1P-3705

## フランジ用 Oリング

商品名	太さ	内径			備考 AS568
B15	3.53	18.64			SSFST 12 210
B17		21.82			SSFST 15 212
B19		24.99			SSFST 19 214
B24		32.92			SSFST 25 219
B27		37.69			SSFST 32 222
B3		47.22			SSFST 38 225
B6		56.74			SSFST 50 228

## Oリングボス ユニファイ

商品名	太さ	内径			備考
UF7	1.83	8.92			AS568-904
UF9	1.98	11.89			AS568-906
UF12	2.21	16.36			AS568-908
UF14	2.46	19.18			AS568-910
UF17	2.95	23.47			AS568-912
UF21		29.74			AS568-916
UF26	3.00	37.46			AS568-920

## Oリングボス ミリ

商品名	太さ	内径			備考
M20	3.53	17.04			AS568-209
M22	3.53	18.64			AS568-210
M24	3.5	21.7			P22A
M42	3.3	37.46			AS568-920


## G番

商品名	太さ	内径			備考
G25	3.1	24.4			
G30		29.4			
G35		34.4			KAWAH 19AAA
G40		39.4			

## G番

商品名	太さ	内径			備考
G45	3.1	44.4			
G50		49.4			
G55		54.4			
G60		59.4			KSFST 50

# 保護材 他



## スプリング

商品名	全長	線径	サイズ	備考
SP 16.5	1,000	1.6	-04	
SP 17.5	1,000	1.6	-04	350K用
SP 20	1,000	1.6	-06	
SP 24	1,000	2.0	-08	
SP 29	1,000	2.0	-10	
SP 32	1,000	2.3	-12	
SP 41	1,000	2.9	-16	
SP 49	1,000	2.9	-20	
SP 51	1,000	2.9	-20	
SP 56	1,000	2.9	-24	
SP 58	1,000	2.9	-24	
SPG 18.0	200	2.5	-04	
SPG 21.0	200	2.5	-06	
SPG 25.0	200	2.5	-08	

## スパイラル

商品名	内径	外径	サイズ	備考
SR 12×15	12	15	-04	1箱50m
SR 15×18	15	18	-06	1箱25m
SR 20×24	20	24	-08	1箱25m
SR 25×29	25	29	-10~	1箱25m

## ホースバンド

商品名	最小径	最大径	規格	備考
OBT 9.5-12	9.5	12	000	MID5
OBT 11-16	11	16	M00	L35-6
OBT 13-20	13	20	00	MID8 L35-9
OBT 16-22	16	22	0	L35-12
OBT 18-25	18	25	0X	
OBT 22-30	22	30	1A	MID15
OBT 25-35	25	35	1	L35-19
OBT 30-40	30	40	1X	L35-25
OBT 35-50	35	50	2A	
OBT 40-55	40	55	2	
OBT 45-60	45	60	2X	
OBT 55-70	55	70	3	

## 鉄板メクラ

商品名	サイズ	備考
鉄板メクラ 08S	-08	
鉄板メクラ 10S	-10	
鉄板メクラ 12S	-12	
鉄板メクラ 16S	-16	
鉄板メクラ 20S	-20	
鉄板メクラ 24S	-24	
鉄板メクラ 08H	-08	
鉄板メクラ 12H	-12	
鉄板メクラ 16H	-16	
鉄板メクラ 20H	-20	
鉄板メクラ 24H	-24	

## 割フランジ

商品名	備考
割フランジ 08S	SCLHM12
割フランジ 10S	07371-30500
割フランジ 12S	SCLHM19
割フランジ 16S	SCLHM25
割フランジ 20S	SCLHM32
割フランジ 24S	SCLHM38
割フランジ 32S	SCLHM50
割フランジ 08H	HCLHM12
割フランジ 12H	HCLHM19
割フランジ 16H	HCLHM25
割フランジ 20H	HCLHM32
割フランジ 24H	HCLHM38
割フランジ 32H	HCLHM50

## コマツフランジボルト・ワッシャー

商品名	サイズ	備考
SF08B	-08	M8*1.25*30L
SF10B	-10	M8*1.25*30L
SF12B	-12	M10*1.5*35L
SF16B	-16	M10*1.5*35L
SF20B	-20	M10*1.5*35L
SF24B	-24	M12*1.75*40L
SF32B	-32	M14*2.0*40L
SF08W	-08	M8
SF10W	-10	M8
SF12W	-12	M10
SF16W	-16	M10

## 日立フランジボルト

商品名	サイズ	備考
HF08B	-08	M8*1.25*30L
HF12B	-12	M10*1.5*35L
HF16B	-16	M12*1.75*45L
HF20B	-20	M14*2.0*50L
HF24B	-24	M16*2.0*55L
HF32B	-32	M20*2.5*70L

## コインメクラ

商品名	備考
コインメクラ 08S	
コインメクラ 10S	
コインメクラ 12S	
コインメクラ 16S	
コインメクラ 20S	
コインメクラ 24S	
コインメクラ 32S	
コインメクラ 08H	
コインメクラ 12H	
コインメクラ 16H	
コインメクラ 20H	
コインメクラ 24H	
コインメクラ 32H	

## 保護材 他



## パイロジャケット

商品名	内径	外径	サイズ	基本売価	備考
PJA 5	8				
PJA 6	10				
PJA 7	11				
PJA 8	13				
PJA 10	16		-04		
PJA 12	19				
PJA 14	22		-06		
PJA 16	25		-08		
PJA 18	29		-10		
PJA 20	32				
PJA 22	35		-12		
PJA 24	38				
PJA 26	41		-16		
PJA 28	44				
PJA 32	51				
PJA 36	57				
PJA 40	64				

## ボンデットシール

商品名	基本売価	備考
ボンデットシール -04		
ボンデットシール -06		
ボンデットシール -08		
ボンデットシール -12		
ボンデットシール -16		
ボンデットシール -20		

## 熱チューブ

商品名	最小径	最大径	サイズ	基本売価	備考
熱TU 15	7.5	15	-04		
熱TU 20	10	20	-06		
熱TU 25	12.5	25	-08		
熱TU 30	15	30	-10		
熱TU 35	17.5	35	-12		
熱TU 40	20	40	-16		
熱TU 50	25	50	-20		
熱TU 60	30	60	-24		
熱TU 80	40	80	-32		

## 保護材チューブ

商品名	サイズ	基本売価	備考
黒TU 15×20	-04		
黒TU 19×25	-06		
黒TU 25×31	-08		
透明TU 19×23	-06		
透明TU 22×26	-06		
透明TU 32×38			
サクシヨン 25φ	-08		
サクシヨン 32φ	-12		
サクシヨン 38φ	-16		
サクシヨン 50φ	-20		
サニーホース 50φ			
サニーホース 65φ			
サニーホース 75φ			
サニーホース 100φ			

## 耐熱テープ(石綿)

商品名	厚み	幅	ロット	基本売価	備考
インサルテックス	1.5	50	30M		500℃
シルテックス	0.4	50	50M		1200℃

## 外装プレート(空打)

商品名	サイズ	基本売価	備考
外装 31φ	-08		
外装 41φ	-12		
外装 48φ	-16		
外装 56φ	-20		
外装 62φ	-24		

## フレキシブルカバー

商品名	内径	外径	サイズ	原価	基本売価	備考
PPCOF 23B			-08			
PPCOF 36B			-12			
PPCOF 48B			-16			
PPCOF 70B			-24			

## その他

商品名	基本売価	備考
インシュロック 大	370mm	1袋(100本)
インシュロック 小	250mm	1袋(100本)
カラーインシュロック	150mm	赤・青・緑・黄・白・OD
パーツスプレー		
ウエス	4kg	
シールテープ		
オイルマット		AR-50
フィルムマット		FHP-50
中和剤(オイルメディ)	1.8L	
軍手		1束(10組)
作動油 #10		
作動油 #46		
ペール缶 #10		
ペール缶 #46		
スチールカッター刃	265×25.4	時価
スチールカッター刃	265×19.0	時価

## ホースカバー・プロテクター

商品名	内径	サイズ	基本売価	備考
CHC-27	27.0	~-06		マジックテープ
CHC-40	39.0	-08		マジックテープ
CHC-50	49.0	-10		マジックテープ
CHC-60	50~58	-12		マジックテープ
CHC-65	57~65	-16		マジックテープ
CHC-70	63~71	-20		マジックテープ
CHC-80	73~81	-24		マジックテープ
CHC-100	79~103	-32		マジックテープ
CHC-125	101~125			マジックテープ
CHC-150	127~150			マジックテープ
CHP-21	20.0	-04		筒状
CHP-26	26.8	-06		筒状
CHP-31	31.5	-08		筒状
CHP-37	37.9	-10		筒状
CHP-40	40.0	-12		筒状
CHP-47	47.1	-16		筒状
CHP-58	58.6	-20		筒状
CHP-76	76.8	-24		筒状